











STATE OF CALIFORNIA  
The Resources Agency

SEP 25 1972  
JUN 21 REC'D


Department of Water Resources

MAR 14 1974  
MAY 21 REC'D

BULLETIN No. 130-70

# HYDROLOGIC DATA: 1970

Volume III: CENTRAL COASTAL AREA



DECEMBER 1971

NORMAN B. LIVERMORE, JR.  
Secretary for Resources  
The Resources Agency

RONALD REAGAN  
Governor  
State of California

WILLIAM R. GIANELLI  
Director  
Department of Water Resources



STATE OF CALIFORNIA  
The Resources Agency  
Department of Water Resources

BULLETIN No. 130-70

HYDROLOGIC DATA: 1970

Volume III: CENTRAL COASTAL AREA

Copies of this bulletin at \$3.50 each may be ordered from:

State of California  
DOCUMENTS SECTION  
P.O. Box 20191  
Sacramento, California 95820

Make checks payable to STATE OF CALIFORNIA.  
California residents add 5 percent sales tax.

DECEMBER 1971

NORMAN B. LIVERMORE, JR.  
*Secretary for Resources*  
The Resources Agency

RONALD REAGAN  
*Governor*  
State of California

WILLIAM R. GIANELLI  
*Director*  
Department of Water Resources





## FOREWORD

The hydrologic data programs of the Department of Water Resources supplement the data collection activities of other agencies and help satisfy needs of these agencies for data on the quality and quantity of water in the State. Bulletin No. 130-70 presents accurate, comprehensive, and timely hydrologic data which provide a more complete knowledge of the factors affecting our environment and are prerequisites for effective planning, design, construction, and operation of water facilities.

The Bulletin No. 130 series is published annually in five volumes. Each volume presents hydrologic data for one of five reporting areas of the State. These areas are delineated on the map on the opposite page.

*William R. Gianelli*  
William R. Gianelli, Director  
Department of Water Resources  
The Resources Agency  
State of California

# METRIC CONVERSION TABLE

ENGLISH UNIT	EQUIVALENT METRIC UNIT
1 Inch (in.)	2.54 Centimeters
1 Foot (ft.)	0.3048 Meters
1 Mile (mi.)	1.609 Kilometers
1 Acre	0.405 Hectares
1 Square mile (sq.mi.)	2.590 Square kilometers
1 U. S. gallon (gal.)	3.785 Liters
1 Acre-foot (ac.ft.)	1,233.5 Cubic meters
1 U. S. gallon per minute (gpm)	0.0631 Liters per second
1 Cubic foot per second (cfs)	1.7 Cubic meters per minute
1 Part per million (ppm)	1 Milligram per liter (mg/l)
1 Part per billion (ppb)	1 Microgram per liter (ug/l)
1 Part per trillion (ppt)	1 Nanogram per liter (ng/l)
1 Equivalent part per million (epm)	1 Milliequivalent per liter (me/l)
Degrees Fahrenheit (°F)	5/9 (°F-32) Degrees Celsius (°C)

## TABLE OF CONTENTS

	<u>Page</u>
AREAL COVERAGE OF VOLUMES . . . . .	ii
FOREWORD . . . . .	iii
METRIC CONVERSION TABLE . . . . .	iv
ACKNOWLEDGMENTS . . . . .	viii
ORGANIZATION . . . . .	ix
ABSTRACT . . . . .	x
APPENDIXES	

### Appendix A: CLIMATOLOGICAL DATA

Introduction . . . . .	3
------------------------	---

#### Figure Number

#### FIGURES

A-1	Climatological Observation Stations 1969-70 . . . . .	4
-----	---	---

#### Table Number

#### TABLES

A-1	Index of Climatological Stations . . . . .	7
A-2	Precipitation Data . . . . .	12
A-3	Evaporation Data . . . . .	17

### Appendix B: SURFACE WATER MEASUREMENTS

Introduction . . . . .	21
------------------------	----

#### Table Number

#### TABLES

B-1	Surface Water Imports to the Central Coastal Area . . .	22
B-2	Daily Mean Gage Height, Rector Reservoir near Yountville	23
B-3	Daily Maximum and Minimum Tides . . . . .	24
B-4	Corrections and Revisions to Previously Published Reports of Surface Water Data . . . . .	26

TABLE OF CONTENTS (Continued)

		<u>Page</u>
Appendix C: GROUND WATER MEASUREMENTS		
	Introduction . . . . .	29
	Index to Ground Water Measurement Data . . . . .	30
<u>Figure Number</u>	FIGURES	
C-1	Ground Water Basins in the Central Coastal Area . . . . .	31
C-2	Average Depth to Water in Wells, Spring 1958 to Spring 1970 . . . . .	35
<u>Table Number</u>	TABLES	
C-1	Average Change of Ground Water Levels and Summary of Well Measurements Reported . . . . .	34
C-2	Ground Water Levels at Wells . . . . .	40
Appendix D: SURFACE WATER QUALITY		
	Introduction . . . . .	55
<u>Figure Number</u>	FIGURES	
D-1	Surface Water Observation Stations . . . . .	56
<u>Table Number</u>	TABLES	
D-1	Sampling Station Data and Index . . . . .	60
D-2	Mineral Analyses of Surface Water . . . . .	62
D-3	Miscellaneous Constituents in Surface Water . . . . .	80
D-4	Salinity Observations at Bay and Delta Stations . . . . .	94
D-5	Nutrients in Surface Water . . . . .	97
D-6	Pesticides in Surface Water and Sediment . . . . .	106
D-7	Plankton Analysis of Surface Water . . . . .	110
D-8	Daily Maximum and Minimum and Monthly Average Water Temperature . . . . .	111
D-9	Daily Maximum, Minimum and Average Specific Conductance .	112

## TABLE OF CONTENTS (Continued)

	<u>Page</u>
Appendix E: GROUND WATER QUALITY	
Introduction . . . . .	117
Index to Ground Water Quality Data . . . . .	118

<u>Table Number</u>	TABLES	
E-1	Mineral Analyses of Ground Water . . . . .	119
E-2	Trace Element Analyses of Ground Water . . . . .	132

Appendix F: WASTE WATER	
Introduction . . . . .	135

<u>Table Number</u>	TABLES	
F-1	Quantity of Waste Water Discharged and Reused . . . . .	136

## ACKNOWLEDGMENTS

In the preparation of this report, valuable assistance and contributions were received from many public and private agencies. This cooperation is gratefully acknowledged. Special mention is made of the following agencies:

### Federal

U. S. Army Corps of Engineers  
U. S. Army, Post Engineer, Fort Ord  
U. S. Bureau of Reclamation  
U. S. Coast Guard  
U. S. Geological Survey  
U. S. Soil Conservation Service  
National Weather Service

### State

Department of Public Health  
Department of Veterans Affairs  
Division of Highways  
Division of Forestry  
University of California,  
Agricultural Extension Service  
California Regional Water Quality Control Board  
North Coast Region  
California Regional Water Quality Control Board  
San Francisco Bay Region  
California Regional Water Quality Control Board  
Central Coast Region  
State Water Resources Control Board

### Local

Alameda County Flood Control and  
Water Conservation District  
Alameda County Water District  
Marin County  
Mendocino County  
Monterey County Flood Control and  
Water Conservation District  
Napa County  
San Benito County  
San Luis Obispo County Flood Control  
and Water Conservation District  
Santa Clara County Flood Control and  
Water District  
Santa Clara Valley Water Conservation  
District  
Santa Cruz County, Department of Public  
Works  
Solano Irrigation District  
Sonoma County Flood Control and Water  
Conservation District  
South Santa Clara Valley Water  
Conservation District

State of California  
The Resources Agency  
DEPARTMENT OF WATER RESOURCES

RONALD REAGAN, Governor, State of California  
NORMAN B. LIVERMORE, Jr., Secretary for Resources  
WILLIAM R. GIANELLI, Director, Department of Water Resources  
JOHN R. TEERINK, Deputy Director

This report was prepared in the

CENTRAL DISTRICT

John M. Haley . . . . . District Engineer  
Vernon Bengal . . . . . Chief, Water Resources Evaluation Branch  
Edward J. Labrie . . . . . Chief, Water Supply Section

assisted by

Grant C. Ardell . . . . . Water Resources Engineering Associate  
Joseph L. Clausse . . . . . Water Resources Engineering Associate  
Emil M. Padjen . . . . . Water Resources Engineering Associate

A portion of the data was furnished by the

SAN JOAQUIN DISTRICT

Carl L. Stetson . . . . . District Engineer  
Floyd I. Bluhm . . . . . Chief, Water Supply and Utilization Section  
G. Donald Meixner . . . . . Chief, Planning and Investigations Section  
Cledith L. Chastain . . . . . Chief, Water Supply Unit  
Victor B. McIntyre . . . . . Chief, Water Quality Unit

and by the

NORTHERN DISTRICT

Albert J. Dolcini . . . . . District Engineer  
George R. Baumli . . . . . Chief, Planning Branch  
Wayne S. Gentry . . . . . Chief, Operations Branch

Reviewed and coordinated by  
Division of Resources Development  
Environmental Quality Branch  
Water Resources Evaluation Section

## ABSTRACT

Report contains tables showing data on climate; surface water flow; ground water levels; surface and ground water quality; and waste water in the Central Coastal Area for the 1969-70 water year. Figures show the location of climatological observation stations and ground water basins; the average depth to water in wells; the location of surface water measurement and surface water quality stations; and major drainage and hydrographic unit boundaries.



Appendix A  
CLIMATOLOGICAL DATA



## INTRODUCTION

This appendix summarizes monthly precipitation, wind movement, and evaporation data for the Central Coastal Area from July 1, 1969, to September 30, 1970. Seventeen cooperating agencies and 22 local observers supplied the data. Detailed daily and hourly data not published here are available in the files of the Department of Water Resources.

To insure accuracy, stations are inspected regularly to see that the equipment is properly maintained and that the observations generally are taken in accordance with National Weather Service standards.

Each station in this appendix has been assigned an identification number. The letter and first digit denote the drainage basin as shown below. The remaining digits denote the sequence of the station in alphabetical order.

### Central Coastal Area


D0 Santa Cruz Coast  
D1 Pajaro-San Benito Rivers  
D2 Lower Salinas River  
D3 Upper Salinas River  
D4 Monterey Coast  
T9 Upper Salinas River

### San Francisco Bay Area


E0 San Francisco Bay  
E1 Coast-Marin  
E2 Marin-Sonoma  
E3 Napa-Solano  
E4 East Bay  
E5 Alameda Creek  
E6 Santa Clara Valley  
E7 Bayside-San Mateo  
E8 Coast-San Mateo

### North Coastal Area


F8 Mendocino Coast  
F9 Russian River



CLIMATOLOGICAL OBSERVATION STATIONS 1969-70



CLIMATOLOGICAL OBSERVATION STATIONS 1969-70



CLIMATOLOGICAL OBSERVATION STATIONS 1969-70

TABLE A-1

INDEX OF CLIMATOLOGICAL STATIONS  
CENTRAL COASTAL AREA

An explanation of the column headings and the code symbols used in the climatological station listing follows:

40-Acre Tract - This denotes the location of the station within the section in which it is located. The letter code is derived from the diagram to the right.

D	C	B	A
E	F	G	H
M	L	K	J
N	P	Q	R

Base and Meridian - The code for this column is as follows:

M - Mount Diablo Base and Meridian

Cooperator Number - This number is assigned from the following list:

000	Private Cooperator
403	Sonoma County Flood Control and Water Conservation District
407	San Benito County
411	Marin County
413	Marin Municipal Water District
414	Santa Clara Valley Water Conservation District
418	Vallejo Water Department
426	Santa Clara County Flood Control and Water District
801	Pomology Department, University of California, Davis
804	California Department of Beaches and Parks
805	California Department of Fish and Game
806	California Department of Water Resources
808	California Division of Forestry
809	California Division of Highways
900	National Weather Service
901	U. S. Corps of Engineers, San Francisco District
907	State Climatologist (unpublished National Weather Service)
909	U. S. Soil Conservation Service

Cooperator's Index Number - This is the number assigned to the station by the agency responsible for or handling the records of the station. The National Weather Service number is only shown in this column when it differs from the alpha order number.

County - This is a standard code for California counties and adjacent areas as shown below:

Alameda	60	San Francisco	80
Contra Costa	07	San Luis Obispo	40
Marin	21	San Mateo	41
Mendocino	23	Santa Clara	43
Monterey	27	Santa Cruz	44
Napa	28	Solano	48
San Benito	35	Sonoma	49

TABLE A-1 (Cont.)  
INDEX OF CLIMATOLOGICAL STATIONS

CENTRAL COASTAL AREA

Station		Elevation (in Feet)	Section	Township	Range	40-Acre Tract	Base & Meridian	Latitude			Longitude			Cooperator Number	Cooperator's Index Number	Record Began	Record Ended	Years Missing	County Code
Number	Name							0	1	11	0	1	11						
E6 0053	ALAMITOS PERCOLATION POND	185	SEC 09	T08S	R01E	F	M	37	15	18	121	52	18	414		1959			43
E4 0064	ALAMO 1 N	410	SEC 12	T01S	R02W	C	M	37	52	00	122	02	00	900		1957			07
E6 0125	ALMADEN RESERVOIR	640	SEC 11	T09S	R01E	E	M	37	10	00	121	50	00	414		1936			43
F9 0135	ALPINE DAM	680	SEC 10	T01N	R07W	R	M	37	56	30	122	38	18	413		1925			21
E3 0212	ANGWIN PACIFIC UNION COLLEGE	1815	SEC 05	T08N	R05W	K	M	38	34	17	122	26	05	900		1939			28
D2 0322	ARROYO SECO	800	SEC 36	T19S	R04E		M	36	14	00	121	29	00	900		1931			27
T9 0360-01	ATASCADERO MAINT STATION	940	SEC 26	T28S	R12E	R	M	35	27	30	120	38	24	809	L145	1948	1969		40
E3 0372	ATLAS ROAD DUTRA	1660	SEC 25	T07N	R04W	G	M	38	25	36	122	14	53	900		1940			28
D0 0677	BEN LOMOND NO. 3	720	SEC 10	T10S	R01W		M	37	05	00	122	04	00	900		1967			44
E4 0693	BERKELEY	299		T01S	R03W		M	37	52	00	122	15	00	900		1887			60
D4 0790	BIG SUR STATE PARK	235	SEC 30	T19S	R02E		M	36	15	00	121	47	00	900		1914			27
E3 0814-48	BIRDS LANDING	60	SEC 14	T03N	R01E	B	M	38	08	17	121	52	07	000		1912		08	48
E6 0850	BLACK MOUNTAIN 2 SW	2331	SEC 36	T07S	R03W		M	37	18	00	122	10	00	900		1943			43
F9 0876	BLAKES LANDING	40	SEC 13	T04N	R01W	L	M	38	11	42	122	55	00	000		1956			21
F9 0969	BON TEMPE DAM	723	SEC 11	T01N	R07W	D	M	37	57	24	122	36	36	413		1958			21
F8 0973	BOONVILLE HWY MAINT STN	342	SEC 02	T13N	R14W	F	M	39	00	54	123	22	20	900	PN0971	1936			23
D0 1005	BOULDER CREEK LOCATELLI RCH	2175	SEC 16	T09S	R03W	Q	M	37	08	32	122	11	43	900		1943			44
D3 1034	BRADLEY	540	SEC 08	T24S	R11E		M	35	52	00	120	48	00	900		1946			27
D3 1142	BRYSON	925	SEC 34	T24S	R08E		M	35	48	00	121	05	00	900		1946			27
D1 1170	BUENA VISTA	1640	SEC 27	T13S	R07E	R	M	36	46	00	121	11	00	900		1932			35
E7 1206	BURLINGAME	10		T04S	R05W		M	37	35	00	122	21	00	900		1946			41
E4 1216	BURTON RANCH	530	SEC 09	T01S	R02W		M	37	52	00	122	05	00	900		1955			07
D1 1247	BUZZARD LAGOON	1275	SEC 26	T10S	R01E	M	M	37	02	00	121	50	00	000		1959			44
E5 1281	CALAVERAS RESERVOIR	805	SEC 24	T05S	R01E		M	37	29	12	121	49	06	900		1874			60
E6 1285	CALERO RESERVOIR	500	SEC 04	T09S	R02E	E	M	37	10	48	121	45	48	414		1958			43
E3 1312	CALISTOGA	364	SEC 36	T09N	R07W	K	M	38	35	05	122	34	59	900		1873			28
E6 1341-10	CAMBRIAN PARK	24	SEC 12	T08S	R01W	C	M	37	15	12	121	55	24	426					43
E6 1377-01	CAMPBELL WATER COMPANY	192	SEC 35	T01S	R01W	C	M	37	17	00	121	57	00	000		1897		09	43
D4 1534	CARMEL VALLEY	425	SEC 03	T17S	R02E		M	36	29	00	121	44	00	900		1957			27
E3 1537	CARNEROS VALLEY	300	SEC 13	T05N	R05W	G	M	38	17	00	121	21	30	901		1931			28
F9 1602	CAZADERO	1040	SEC 13	T08N	R12W	R	M	38	31	48	123	07	31	900		1939			49
D1 1739	CHITTENDEN PASS	125	SEC 12	T12S	R03E		M	36	54	00	121	36	00	900		1945			44
D1 1739-01	CHITTENDEN	104	SEC 11	T12S	R03E	K	M	36	54	08	121	36	17	909		1960			44
T9 1743	CHOLAME ALLEY RANCH	1975	SEC 12	T26S	R16E		M	35	41	00	120	12	00	900		1925			40
D1 1766	CIENEGA	900	SEC 18	T14S	R06E	B	M	36	42	54	121	20	48	407		1950			35
F9 1838	CLOVERDALE 3 SSE	320	SEC 29	T11N	R01W		M	38	46	00	122	59	00	900		1950			49
F8 1840	CLOVERDALE 11 W	1820	SEC 17	T11N	R12W		M	38	46	00	123	13	00	900		1939			49
E3 1919	COLLINSVILLE	34	SEC 22	T03N	R01E	F	M	38	05	26	121	51	17	000		1946			48
E4 1962	CONCORD 3 E	200		T01N	R01W		M	37	58	00	121	59	00	900		1954			07
D1 2048	CORRALITOS	260	SEC 12	T11S	R01E		M	36	59	00	121	48	00	900		1958			44
F9 2105	COYOTE DAM	720	SEC 34	T16N	R12W	E	M	39	12	00	123	11	00	901		1960			23
E6 2109	COYOTE RESERVOIR	800	SEC 09	T10S	R04E	C	M	37	05	06	121	32	24	414		1938			43
D0 2159	CREST RANCH	2640	SEC 06	T10S	R02W	N	M	37	05	06	122	08	00	000		1948	1969		44
E4 2177	CROCKETT	12	SEC 32	T03N	R03W		M	38	02	00	122	13	00	900		1918			07
D0 2290	DAVENPORT	273	SEC 32	T10S	R03W	Q	M	37	01	00	122	12	00	900		1910			44
D2 2362	DEL MONTE	46		T15S	R01E		M	36	36	00	121	52	00	900		1911			27
E3 2399-48	DENVERTON 1 S	22	SEC 08	T04N	R01E	F	M	38	12	23	121	53	28	000		1950	1966		48
E3 2580	DUTTONS LANDING	20	SEC 09	T04N	R04W	R	M	38	12	07	122	18	11	900		1955			28
E3 2933	FAIRFIELD	13	SEC 25	T05N	R02W	M	M	38	15	01	122	02	25	900		1940			48
E3 2934	FAIRFIELD FIRE STATION	34	SEC 24	T05N	R02W	N	M	38	15	36	122	02	26	900		1951			48
F8 3161	FORT BRAGG	80	SEC 06	T18N	R17W	N	M	39	26	45	123	48	24	900		1895			23
F8 3164	FORT BRAGG AVIATION	74	SEC 25	T18N	R18W	K	M	39	23	34	123	48	51	900		1940			23
D2 3186	FORT ORD	134					M	36	41	00	121	46	00	900					27
F8 3191	FORT ROSS	116	SEC 30	T08N	R12W	D	M	38	31	00	123	15	00	900		1874			49
D1 3232	FREEDOM 8 NNW	1495	SEC 24	T10S	R01E		M	37	03	00	121	49	00	900		1952			44
D1 3238	FREMONT PEAK	2500	SEC 35	T13S	R04E	F	M	36	45	36	121	29	54	000		1950			35
E5 3387	GERBER RANCH	2140	SEC 36	T06S	R04E	P	M	37	22	00	121	29	12	900		1912			43
D1 3417	GILROY	194	SEC 06	T11S	R04E		M	37	00	00	121	34	00	900		1957			43
E6 3419	GILROY 8 NE	1050	SEC 29	T10S	R05E		M	37	02	00	121	27	00	900		1942			43
D1 3422	GILROY 14 ENE	1350	SEC 05	T10S	R06E		M	37	06	00	121	20	00	900		1940			43
D2 3502	GONZALES 9 ENE	2350	SEC 15	T16S	R06E		M	36	33	00	121	18	00	900		1943			35
F9 3577	GRATON	200	SEC 21	T07N	R09W	P	M	38	25	51	122	51	49	000		1928			49
D2 3591	GREENFIELD BAKER	280		T18S	R07E		M	36	19	24	121	14	36	901		1958			27
E3 3612-01	GREEN VALLEY	414	SEC 14	T05N	R03W	D	M	38	17	00	122	10	00	418		1893		18	48
E3 3651-48	GRIZZLY ISLAND	1	SEC 33	T04N	R01W	A	M	38	09	15	121	58	26	805		1968			48
E6 3681	GUADALUPE RESERVOIR	450	SEC 29	T08S	R01E	Q	M	37	12	00	121	53	00	414		1936			43
F9 3683	GUERNEVILLE	145	SEC 29	T08N	R10W	P	M	38	30	15	122	59	40	900		1939			49
E8 3714	HALF MOON BAY	60	SEC 29	T05S	R05W	P	M	37	27	41	122	26	01	900		1965			41
D2 3722	HAMES VALLEY	725	SEC 32	T23S	R10E		M							000		1963			27
E4 3863	HAYWARD 6 ESE	715	SEC 21	T03S	R01W	N	M	37	39	08	121	59	09	900		1940			60



TABLE A-1 (Cont.)  
INDEX OF CLIMATOLOGICAL STATIONS

CENTRAL COASTAL AREA

Station		Elevation (In Feet)	Section	Township	Range	40-Acre Tract	Base & Meridian	Latitude			Longitude			Cooperator Number	Cooperator's Index Number	Record Began	Record Ended	Years Missing	County Code
Number	Name							O	I	II	O	I	II						
F9 3875	HEALDSBURG	101	SEC 19	T09N	R09W	M		38	37	00	122	50	00	900		1877			49
F9 3878	HEALDSBURG NO. 2	102		T09N	R09W	M		38	37	00	122	50	00	900		1943			49
D1 3925	HERNANDEZ 2 NW	2160	SEC 29	T17S	R10E	M		36	25	00	120	55	00	900		1940			35
D1 3928	HERNANDEZ 7 SE	2765	SEC 06	T19S	R12E	M		36	18	00	120	42	00	900		1940			35
D1 4022	HOLLISTER 1 SW	279		T13S	R05E	M		36	50	00	121	25	00	900		1874			35
D1 4025	HOLLISTER 2	284	SEC 10	T12S	R05E	M		36	51	00	121	24	00	900		1938			35
D1 4035	HOLLISTER 10 ENE	2578	SEC 08	T12S	R07E	M		36	55	00	121	14	00	900		1962			35
F9 4480	KELLOGG	1800	SEC 09	T09N	R07W	M		38	40	00	122	40	00	900		1936			49
E2 4500	KENTFIELD	80	SEC 08	T01N	R06W	Q	M	37	56	47	122	33	02	900		1888			21
F9 4502	KENT LAKE	360	SEC 25	T02N	R08W	D	M	37	59	54	122	42	30	413		1954			21
D2 4555	KING CITY	320	SEC 08	T20S	R08E	M		36	12	00	121	08	00	900		1887			27
E4 4633	LAFAYETTE 2 NNE	540		T01N	R02W	M		37	55	00	122	06	00	900		1956			07
F9 4652	LACUNITAS LAKE	785	SEC 12	T01N	R07W	M	M	37	56	48	122	35	42	413		1881			21
E8 4660	LA HONDA	670	SEC 14	T07S	R04W	M		37	19	00	122	16	00	900		1950			41
E3 4677	LAKE CURRY	386	SEC 19	T06N	R02W	B	M	38	21	18	122	07	18	418		1926	09		28
E6 4682	LAKE ELSMAN	1145	SEC 23	T09S	R01W	J	M	37	07	56	121	55	47	426		1951			43
T9 4767	LA PANZA RANCH	1550	SEC 20	T29S	R17E	M		35	23	00	120	10	00	900		1948			40
E6 4916	LEROY ANDERSON DAM	700	SEC 10	T09S	R03E	K	M	37	09	48	121	37	48	414		1950			43
E6 4922	LEXINGTON RESERVOIR	700	SEC 05	T09S	R01W	J	M	37	10	36	121	59	18	414		1951			43
E5 4996	LIVERMORE SEWAGE PLANT	405	SEC 12	T03S	R01E	A	M	37	41	28	121	48	20	000		1961			60
E5 4997	LIVERMORE COUNTY F D	490	SEC 17	T03S	R02E	M		37	40	00	121	46	00	900		1966			60
D3 5017	LOCKWOOD 2 N	1104	SEC 34	T22S	R08E	M		35	58	00	121	05	00	900		1940			27
E6 5123	LOS GATOS	428		T08S	R01W	M		37	13	00	121	59	00	900		1885			43
D0 5125	LOS GATOS 4 SW	2215	SEC 01	T09S	R02W	M		37	11	00	122	02	00	900		1957			43
D4 5184	LUCIA WILLOW SPRINGS	360	SEC 05	T24S	R05E	M		35	53	00	121	27	00	900		1941			27
E3 5333	MARE ISLAND NAVY	52		T03N	R03W	M		38	06	00	122	16	12	900		1867			48
E4 5371	MARTINEZ 3 S	225		T02N	R02W	M		37	58	00	122	08	00	900		1941			07
E4 5372	MARTINEZ 3 SSE	280		T02N	R02W	M		37	58	00	122	06	00	900		1956			07
E4 5377	MARTINEZ FIRE STATION	26		T02N	R02W	M		38	01	00	122	08	00	900		1891	1970		07
E4 5378	MARTINEZ WATER PLANT	40		T02N	R02W	M		38	01	00	122	07	00	900		1970			07
E2 5647	MILL VALLEY	10	SEC 33	T01N	R06W	B	M	37	53	48	122	31	36	411		1944			21
D2 5795	MONTEREY	335		T15S	R01E	M		36	36	00	121	54	00	900		1878			27
D2 5799	MONTEREY N A L F	162				M		36	36	00	121	52	00	900					
D1 5844	MORGAN HILL 2 E	225		T09S	R03E	M		37	08	00	121	37	00	900		1943			43
E6 5846	MORGAN HILL 6 WSW	660		T09S	R02E	M		37	09	00	121	46	00	900					43
D1 5853	MORGAN HILL S C S	350	SEC 20	T09S	R03E	M		37	08	00	121	39	00	900		1945			43
E4 5915	MOUNT DIABLO NORTH GATE	2070	SEC 02	T01S	R01W	R	M	37	52	07	121	56	05	900		1952			07
E5 5933	MOUNT HAMILTON	4206		T07S	R03E	M		37	20	00	121	39	00	900		1881			43
D1 5973	MOUNT MADONNA	1800	SEC 35	T10S	R02E	M		37	01	00	121	43	00	900		1945			44
D1 5973-11	MOUNT MADONNA COUNTY PARK	1880	SEC 01	T11S	R02E	B	M	37	00	42	121	42	12	909		1937			43
F9 5996	MOUNT TAMALPAIS 2 SW	1480		T01N	R07W	M		37	54	00	122	36	00	900		1959			21
E1 6027	MUIR WOODS	170				M		37	54	00	122	34	00	900		1940			21
T9 6056	NACIMIENTO DAM	770	SEC 15	T25S	R10E	M		35	46	00	120	53	00	900		1957			40
E3 6074	NAPA STATE HOSPITAL	73	SEC 14	T05N	R04W	J	M	38	16	40	122	15	50	900		1877			28
F8 6105	NAVARRO 1 NW	220	SEC 18	T15N	R15W	M		39	09	50	123	33	47	900		1958			23
E5 6144	NEWARK	14	SEC 01	T05S	R02W	Q	M	37	31	18	122	01	43	900		1891			60
F9 6187	NICASIO	200	SEC 28	T03N	R08W	C	M	38	05	00	122	45	00	413					21
E5 6199-10	NILES PINNA	75	SEC 21	T04S	R01W	B	M	37	34	00	121	58	00	000		1962			60
F9 6290	NOVATO 8 WNW	350	SEC 24	T04N	R08W	M		38	08	00	122	43	00	900		1943			21
E2 6290-02	NOVATO FIRE HOUSE	18	SEC 18	T03N	R06W	E	M	38	06	30	122	33	42	411		1957			21
E4 6332-01	OAKLAND 39TH AVENUE		SEC 04	T02S	R03W	B	M	37	47	30	122	11	37	907		1960			60
E4 6333	OAKLAND CITY HALL	40	SEC 35	T01S	R04W	C	M	37	48	00	122	16	00	900		1948	1970		60
E4 6335	OAKLAND WB AIRPORT	3		T02S	R03W	M		37	44	00	122	12	00	900		1939			60
E3 6351	OAKVILLE 1 WNW	165	SEC 21	T07N	R05W	G	M	38	26	46	122	25	07	900		1906			28
E2 6356	OAKVILLE 4 SW NO. 2	1685	SEC 01	T06N	R06W	A	M	38	23	55	122	27	54	900		1963			28
F9 6370	OCCIDENTAL	960	SEC 34	T07N	R10W	D	M	38	24	46	122	57	43	900		1940			49
D1 6610	PAICINES OHRWALL RANCH	950	SEC 12	T14S	R05E	M		36	44	00	121	22	00	900		1924			35
E6 6646	PALO ALTO JUNIOR MUSEUM	43	SEC 01	T06S	R03W	B	M	37	26	43	122	08	22	900		1953			43
D2 6650	PALOMA	1835	SEC 23	T18S	R04E	M		36	21	00	121	30	00	900		1940			27
D1 6689-01	PARADISE VALLEY	345	SEC 31	T09S	R03E	L	M	37	06	17	121	40	58			1897			43
D3 6703	PARKFIELD	1482	SEC 35	T23S	R14E	M		35	53	00	120	26	00	900		1938			27
T9 6730	PASO ROBLES	700	SEC 33	T26S	R12E	M		35	38	00	120	41	00	900		1887			40
T9 6736	PASO ROBLES 5 NW	1040	SEC 11	T26S	R11E	M		35	41	00	120	45	00	900		1940			40
T9 6742	PASO ROBLES FAA AIRPORT	803	SEC 13	T26S	R12E	M		35	40	00	120	38	00	900		1944			40
E6 6791-43	PENITENCIA RAIN GAGE	255	SEC 23	T06S	R01E	L	M	37	24	00	121	49	54	426					43
E2 6826	PETALUMA FIRE STATION NO. 2	16	SEC 33	T05N	R07W	A	M	38	14	28	122	37	44	900		1871			49
E2 6826-01	PETALUMA BURNS	240	SEC 02	T04N	R08W	F	M	38	13	00	122	42	48	901		1959			49
F8 6851-01	PHILO 2 NW	240		T14N	R15W	M		39	05	30	123	28	30	000		1953			23
F8 6851-02	PHILO 4 NW	240	SEC 33	T15N	R15W	M		39	01	00	123	37	00	403					23
F9 6853	PHOENIX LAKE DAM	175	SEC 12	T01N	R07W	M	M	37	57	18	122	34	24	413		1937			21

TABLE A-1 (Cont.)  
**INDEX OF CLIMATOLOGICAL STATIONS**  
 CENTRAL COASTAL AREA

Station		Elevation (In Feet)	Section	Township	Range	40-Acre Tract	Base & Meridian	Latitude			Longitude			Cooperator Number	Cooperator's Index Number	Record Began	Record Ended	Years Missing	County Code
Number	Name							O	I	II	O	I	II						
D2 6926	PINNACLES NATIONAL MONUMENT	1310	SEC 02	T17S	R07E		M	36	29	00	121	11	00	900		1937			35
E5 6991-05	PLEASANTON NURSERY	345	SEC 20	T03S	R01E	C	M	37	40	00	122	53	00	000		1939			60
F8 7009	POINT ARENA	122	SEC 12	T12N	R17W		M	38	55	00	123	42	00	900		1940			23
E4 7070	PORT CHICAGO N A D	50		T02N	R01W		M	38	01	00	122	01	00	900		1946			07
E8 7086	PORTOLA STATE PARK	422	SEC 08	T08S	R03W	Q	M	37	14	42	122	12	42	901		1959			41
F9 7108	POTTER VALLEY 3 SE	1100	SEC 27	T17N	R11W		M	39	18	00	123	04	00	900		1952			23
F9 7109	POTTER VALLEY POWERHOUSE	1014	SEC 06	T17N	R11W		M	39	22	00	123	08	00	900		1911			23
D2 7150	PRIEST VALLEY	2300	SEC 17	T20S	R12E		M	36	11	00	120	42	00	900		1898			27
D1 7190	QUIEN SABE HAY CAMP	1630	SEC 27	T12S	R07E	M	M	36	51	30	121	11	48	000		1949			35
D1 7249	RANCHO QUIEN SABE	1800	SEC 04	T13S	R07E	D	M	36	50	12	121	12	48	000		1931			35
E6 7339	REDWOOD CITY	31		T05S	R03W		M	37	29	00	122	14	00	900		1899			41
F9 7351	REDWOOD VALLEY	718	SEC 09	T16N	R12W		M	39	16	00	123	12	00	900		1937			23
E4 7414	RICHMOND	55					M	37	56	00	122	21	00	900		1950			07
D4 7539-01	ROOSEVELT RANCH	1100	SEC 24	T20S	R02E	F	M	36	10	48	121	41	48	000		1946			27
E3 7643	SAINT HELENA	225	SEC 31	T08N	R05W	C	M	38	30	25	122	27	40	900		1907			28
E3 7646	SAINT HELENA 4 WSW	1792	SEC 04	T07N	R06W		M	38	30	00	122	32	00	900		1939			21
E4 7661	SAINT MARYS COLLEGE	625	SEC 17	T01S	R02W		M	37	50	00	122	06	00	900		1942			07
D2 7668	SALINAS 2 E	80		T14S	R03E		M	36	40	00	121	37	00	900		1958			27
D2 7669	SALINAS FAA AIRPORT	80		T14S	R03E		M	36	40	00	121	36	00	900		1873			27
T9 7672	SALINAS DAM	1380	SEC 08	T30S	R14E		M	35	20	00	120	30	00	900		1942			40
E2 7707-01	SAN ANSELMO	100	SEC 31	T02N	R06W	L	M	37	58	36	122	33	42	411		1957			21
D3 7714	SAN ANTONIO MISSION	1060	SEC 18	T22S	R07E		M	36	01	00	121	15	00	900		1959			27
D2 7716	SAN ARDO	440	SEC 09	T22S	R10E		M	36	02	00	120	54	00	900		1894			27
D1 7719	SAN BENITO	1355	SEC 27	T16S	R08E	H	M	36	30	30	121	04	54	900		1936			35
D4 7731	SAN CLEMENTE DAM	600	SEC 23	T17S	R02E		M	36	26	12	121	42	30	900	NPGS18	1940			27
D1 7755	SAN FELIPE HIGHWAY STATION	365	SEC 32	T10S	R06E		M	37	01	00	121	20	00	900		1943			43
E8 7767	SAN FRANCISCO SUNSET	300		T02S	R06W		M	37	46	00	122	30	00	900		1948			80
E7 7769	SAN FRANCISCO WB AIRPORT	8		T04S	R05W		M	37	37	00	122	23	00	900		1928			41
E7 7772	SAN FRANCISCO F O B	52		T02S	R05W		M	37	47	00	122	25	00	900		1931			80
E8 7807	SAN GREGORIO 2 SE	245	SEC 23	T07S	R05W	Q	M	37	18	14	122	21	38	900		1964			41
E6 7821	SAN JOSE	70		T07S	R01E		M	37	21	00	121	54	00	900		1874			43
E6 7824-01	SAN JOSE DECID F F S	90	SEC 15	T07S	R01W	J	M	37	19	00	121	57	00	801		1935			43
D1 7834	SAN JUAN BAUTISTA 3 SSE	615	SEC 10	T13S	R04E		M	36	49	00	121	31	00	900		1943			35
D1 7835	SAN JUAN BAUTISTA MISSION	200		T12S	R04E		M	36	50	42	121	32	00	804		1900		02	35
E7 7864	SAN MATEO	30	SEC 29	T04S	R04W		M	37	34	00	122	19	00	900		1874			41
E2 7880	SAN RAFAEL	31			R06W		M	37	58	00	122	32	00	900		1948			21
E2 7880-08	SAN RAFAEL NO. 1	25	SEC 34	T02N	R06W	R	M	37	58	24	122	31	30	413		1876			21
E6 7912	SANTA CLARA UNIVERSITY	88	SEC 02	T07S	R01W	P	M	37	20	52	121	56	27	900		1881			43
D0 7916	SANTA CRUZ	125		T11S	R01W		M	36	59	00	122	01	00	900		1866			44
T9 7930	SANTA MARGARITA 2 SW	1200	SEC 36	T29S	R12E		M	35	22	00	120	38	00	900		1940			40
T9 7933	SANTA MARGARITA BOOSTER	1100	SEC 25	T29S	R12E		M	35	22	00	120	38	00	900		1931		03	40
F9 7964	SANTA ROSA SEWAGE PLANT	20	SEC 21	T07N	R08W	P	M	38	26	24	122	45	12	000		1956			49
F9 7964-01	SANTA ROSA LAGUNA																		
F9 7964-02	SANTA ROSA OAKMONT																		
F9 7965	SANTA ROSA	167		T07N	R08W		M	38	27	00	122	42	00	900		1888			49
E6 7998-01	SARATOGA CLARK	272	SEC 32	T07S	R01W	F	M	37	16	48	121	59	42	414		1956			43
E6 7998-02	SARATOGA GAP MAINT STATION	2600	SEC 06	T08S	R02W	Q	M	37	16	06	122	07	18	809					43
E6 7998-03	SARATOGA KRIEGE	290	SEC 12	T08S	R02W	F	M	37	15	00	122	02	00	426		1960			43
E6 8068	SEARSVILLE LAKE	350	SEC 12	T06S	R03W		M	37	24	00	122	14	00	900		1949			41
F9 8072	SEBASTOPOL 4 SSE	145	SEC 24	T06N	R09W	E	M	38	21	06	122	48	42	900		1935			49
F8 8272	SKAGGS SPRING LAS LOMAS	1930	SEC 36	T10N	R12W	B	M	38	40	38	123	08	04	900		1939			49
D2 8276	SLACK CANYON	1730	SEC 22	T21S	R12E	M	M	36	05	00	120	40	00	900		1955			27
D2 8338	SOLEDAD	204		T17S	R06E		M	36	26	00	121	19	00	900		1874			27
D2 8338-01	SOLEDAD C T F	230	SEC 12	T17S	R05E	B	M	36	28	26	121	22	34	806		1961			27
E2 8351	SONOMA	20		T05N	R05W		M	38	17	00	122	27	00	900		1952			49
E0 8376	S E FARALLON	27					M	37	42	00	123	00	00	900		1941			80
D2 8446	SPRECKELS HIGHWAY BRIDGE	60		T15S	R03E		M	36	36	00	121	41	00	900		1905			27
D2 8446-01	SPRECKELS	55	SEC 16	T15S	R03E		M	36	37	14	121	39	27	000		1905			27
E6 8519	STEVENS CREEK RESERVOIR	600	SEC 28	T07S	R02W	H	M	37	18	00	122	05	00	414		1937			43
D1 8680	SUNSET BEACH STATE PARK	85		T12S	R01E		M	36	54	00	121	50	00	900		1956			44
E2 8779	TAMALPAIS VALLEY	250	SEC 05	T01N	R06W	B	M	37	52	42	122	32	36	901		1959			21
T9 8849	TEMPLETON	773	SEC 29	T27S	R12E		M	35	32	54	120	42	20	000		1886		05	40
F9 8885	THE GEYSERS	1668	SEC 14	T11N	R09W	G	M	38	48	02	122	49	32	900		1939			49
E2 8920-21	TIBURON TOPHAM	400	SEC 06	T01S	R05W	K	M	37	52	24	122	27	12	000		1960			21
F9 9122	UKIAH	623	SEC 17	T15N	R12W		M	39	09	00	123	12	00	900		1877			23
F9 9124	UKIAH 4 WSW	1900		T15N	R12W		M	39	08	00	123	17	00	900		1951			23
E4 9185	UPPER SAN LEANDRO FIL	390	SEC 11	T02S	R03W	C	M	37	46	00	122	10	00	900		1944			07
D1 9189	UPPER TRES PINOS	2050	SEC 07	T15S	R09E		M	36	38	00	121	02	00	900		1940			35
D3 9221	VALLETON	950	SEC 32	T23S	R12E		M	35	53	00	120	42	00	900		1940			27
E6 9270	VASONA RESERVOIR	300	SEC 10	T08S	R01W	M	M	37	14	36	121	58	00	426					43

TABLE A-1 (Cont.)  
INDEX OF CLIMATOLOGICAL STATIONS

CENTRAL COASTAL AREA

Station		Elevation (In Feet)	Section	Township	Range	40-Acre Tract	Base & Meridian	Latitude			Longitude			Cooperator Number	Cooperator's Index Number	Record Began	Record Ended	Years Missing	County Code
Number	Name							0	1	11	0	1	11						
F9 9273	VENADO	1260	SEC 19	T09N	R10W	M		38	37	00	123	01	00	900		1939		49	
E3 9305	VETERANS HOME	170	SEC 01	T06N	R05W	M		38	23	00	122	22	00	000		1912		28	
E4 9420	WALMAR SCHOOL	128				M		37	57	00	122	05	00	900		1954		07	
E4 9423	WALNUT CREEK 2 ESE	245	SEC 36	T01N	R02W	M		37	53	00	122	02	00	900		1887		07	
E4 9426	WALNUT CREEK 2 ENE	220	SEC 30	T01N	R02W	M		37	54	00	122	01	00	900		1944		07	
E4 9427	WALNUT CREEK 4 E	265	SEC 29	T01N	R01W	G M		37	54	23	121	59	40	900		1954		07	
D1 9473	WATSONVILLE WATERWORKS	95	SEC 32	T11S	R02E	M		36	56	00	121	46	00	900		1880		44	
E3 9675-41	WILD HORSE VALLEY	1240	SEC 10	T05N	R03W	D M		38	17	53	122	11	13	418				48	
F9 9770	WOODACRE	430	SEC 21	T02N	R07W	G M		38	00	24	122	38	30	808	049770	1950		21	
E6 9814	WRIGHTS	1600	SEC 23	T09S	R01W	M		37	08	00	121	57	00	900		1918		43	
F8 9851	YORKVILLE	1120	SEC 08	T12N	R12W	M M		38	54	18	123	18	46	900		1939		23	

TABLE A-2  
PRECIPITATION DATA

Terms, abbreviations, and symbols used  
in this table are as follows:

- No record or record incomplete.
- \* Amount included in the following measurement. Time distribution unknown.
- E Wholly or partially estimated.
- T Trace, an amount too small to measure.
- V Includes total from previous month.
- RB Record began.
- RE Record ended.

Precipitation values are shown to the nearest hundredth (.01) of an inch, except Fischer and Porter recording rain gage values which are shown to the nearest tenth (.1) of an inch.

TABLE A-2 (Cont.)  
PRECIPITATION DATA

Precipitation in inches

Station Name	Total July 1 to June 30	1969							1970							Total Oct. 1 to Sept. 30	
		July	Aug.	Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.		Sept.
CENTRAL COASTAL AREA																	
SANTA CRUZ D0																	
BEN LOMOND NO. 3	41.05	0	0	0.08	3.50	1.77	8.92	19.51	3.86	2.67	0.21	0.06	0.47	0	0	T	40.97
BOULDER CREEK LOCATEI RCH	68.37	0	0	0.07	6.11	2.28	21.87	26.68	5.60	4.28	0.52	0.21	0.75	0	0	0	68.30
CREST RANCH	-	-	-	-	RE												
DAVENPORT	26.44	0	0.03	0.02	1.32	1.07	5.07	11.21	2.19	4.57	0.21	0.03	0.72	T	T	0	26.39
LOS GATOS 4 SW	47.66	0	0	0	2.52	1.55	13.17	19.95	4.25	5.30	0.62	0	0.30	0	0	0	47.66
SANTA CRUZ	30.25	0	0	0.07	1.77	1.34	6.75	13.03	3.11	3.39	0.23	0.03	0.53	0	0	0	30.18
PAJARO-SAN BENITO RIVERS D1																	
BUENA VISTA	12.83 E	0	0	0.16	0.79	0.56	2.31	5.53E	1.71E	1.47E	0.19	0	0.11E	0	0	0	12.67 E
BUZZARD LAGOON	41.81	0	0	0	3.34	1.39	11.97	16.90	2.59	4.77	0.32	0	0.53	0	0	0	41.81
CHITTENDEN PASS	20.92 E	0	0	0.15	1.62	1.10	5.23	7.68	1.49	2.81	0.48	0 E	0.36	0	0	0.02	20.79 E
CHITTENDEN	20.22	0	0	0.15	1.53	1.04	4.69	7.75	1.48	2.72	0.50	0	0.36	0	0	0	20.07
CIENEGA	18.54	0	0	0.24	0.91	0.91	3.42	9.12	1.25	1.96	0.50	0	0.23	0	0	0	18.30
CORRALITOS	31.9 E	0.2	0	0	2.8	1.2	8.5 E	13.1 E	2.3	3.3	0.2 E	0	0.3	0	0	0	31.7 E
FREEDOM 8 NNW	46.19 E	0	0	0.02	3.54	1.70	14.21E	17.74E	4.00E	4.22E	0.29E	0	0.47	0	0	0	46.17 E
FREMONT PEAK	28.96	0	0	0	2.24	1.38	6.88	12.12	3.52	1.67	0.33	0.06	0.76	0	0	0	28.96
GILROY	22.43	0	0	0.13	1.76	1.11	4.57	8.99	2.49	2.85	0.36	0	0.17	0	0	0	22.30
GILROY 14 ENE	22.18	0	0	0.59	1.88	1.02	3.50	9.45	2.44	2.68	0.47	0	0.15	0	0	0	21.59
HERNANDEZ 2 NW	12.26	0	0	1.06	0.38	0.96	1.24	4.37	1.53	2.41	0.31	0	T	0	0	0	11.20
HERNANDEZ 7 SE	14.92	0	0	0.97	0.60	1.02	2.10	5.14	2.95	1.99	0.15	0	0	0	0	0	13.95
HOLLISTER 1 SW	12.46	0	0	0.18	0.73	0.79	2.27	5.42	1.03	1.60	0.35	0	0.09	0	0	0	12.28
HOLLISTER 2	12.4	0	0	0.2	0.7	0.8	2.2	5.4	1.3	1.4	0.3	0	0.1	0	0	0	12.2
HOLLISTER 10 ENE	-	0	0	-	-	-	-	-	-	-	-	0	-	0	0	0	-
MORGAN HILL 2 E	18.32	0	0	0.11	1.48	1.35	3.00	6.87	1.89	3.30	0.27	T	0.05	0	0	0	18.21
MORGAN HILL S C S	22.0	0	0	0.1	1.6	1.0	4.9	8.4	3.6	2.1	0.2	0	0.1	0	0	0	21.9
MOUNT MADONNA	37.18	0	0	0.04	2.99	1.75	10.52	15.16	2.52	3.22	0.25	0	0.73	0	0	0	37.14
MOUNT MADONNA COUNTY PARK	27.29	0.05	0	0.14	2.18	1.50	6.98	10.64	1.88	3.12	0.37	0.03	0.40	0	0	0	27.10
PAICINES OHRWALL RANCH	13.48	0	0	0	0.82	0.57	2.56	5.98	1.13	1.82	0.47	0	0.13	0	0	0	13.48
PARADISE VALLEY	22.24	0	0	0	1.40	1.07	5.67	9.20	3.40	1.50	T	0	0	0	0	0	22.24
QUIEN SABE HAY CAMP	18.70	0	T	0.45	1.21	0.73	3.58	7.65	1.56	1.91	1.14	0.03	0.44	0	0	0	18.25
RANCHO QUIEN SABE	17.68	0	0	0	1.29	0.80	3.47	7.68	1.48	2.96	0	0	0	0	0	0	17.68
SAN BENITO	10.54 E	0	0	0.50	0.44E	0.90	1.43	4.02E	1.95	1.19	0.11	0	0	0	0	0	10.04 E
SAN FELIPE HIGHWAY STN	19.19	0	0	0.36	1.39	1.04	3.14	8.14	2.32	2.04	0.64	0	0.12	0	0	0	18.83
SAN JUAN BAPTISTA 3 SSE	17.70 E	0	0	0.11E	0.86	1.22	3.76	7.31	1.62E	2.25	0.30E	0	0.27	0	0	0	17.59 E
SAN JUAN BAPTISTA MISSION	18.19	0	0	0.11	1.12	0.62	4.34	7.29	1.40	2.56	0.46	0	0.29	0	0	0	18.08
SUNSET BEACH STATE PARK	20.5 E	0	0.1	0.1	1.9	1.0	4.7	6.9	2.5 E	2.8	0.2 E	0	0.3 E	0	0	0	20.3 E
UPPER TRES PINOS	12.37 E	0	0	0.74	0.75	0.73	1.60E	4.82E	1.81E	1.64E	0.28E	0	0	0	0	0	11.63 E
WATSONVILLE WATERWORKS	21.86	0	0	0.09	2.27	1.07	5.83	7.28	1.66	3.24	0.14	0	0.28	0	0	0	21.77
LOWER SALINAS RIVER D2																	
ARROYO SECO	19.35 E	0	0	0.24E	0.40	0.63	2.84	8.74	4.07	2.22	0.18	0	0.03	0	0	0	19.11
DEL MONTE	12.25	0	0	0.11	0.14	0.40	2.4	4.6	2.1	2.2	0.1	0.1	0.1	0	0	0	12.14
FORT ORD	12.92	T	T	0.09	0.60	0.71	2.49	4.20	2.37	2.16	0.03	T	0.27	T	T	T	12.83
GONZALES 9 ENE	12.37 E	0	0	0.02	0.58	0.95	1.76	4.93	2.14E	1.44E	0.46	0	0.09	0	0	0	12.35 E
GREENFIELD BAKER	7.06	0	0	0.14	0.11	0.56	0.49	2.79	0.95	1.73	0.29	0	0	0	0	0	6.92
HAMES VALLEY	9.58	0	0	0.30	0.07	0.69	0.70	2.93	3.55	1.00	0.34	0	T	0	0	0	9.28
KING CITY	7.93	0	0	0.35	0.07	0.56	0.46	2.98	1.14	2.30	0.07	0	0	0	0	0	7.58
MONTEREY	16.08	0.04	T	0.12	0.50	0.72	3.08	5.91	2.04	2.97	0.35	0.05	0.30	0.03	0.06	0.02	16.03
MONTEREY N A L F	11.68	T	T	0.10	0.30	0.43	2.44	4.46	1.61	2.00	0.19	T	0.15	T	T	T	11.58
PALOMA	17.97	0	T	0.05	0.22	0.90	2.65	6.83	2.70	3.11	1.26	0.22	0.03	0	0	0	17.92
PINNACLES NATL MONUMENT	11.75	0	0	0.19	0.35	1.24	0.91	4.24	1.99	2.20	0.60	0	0.03	0	0	0	11.56
PRIEST VALLEY	14.93	0	0	0.48	0.58	1.16	1.80	4.59	2.63	3.54	0.15	0	T	0	0	0	14.45
SALINAS 2 E	14.97	0	0	0	0.70	0.90	3.98	5.34	1.68	1.90	T	0	0.47	T	0	T	14.97
SALINAS FAA AIRPORT	13.00	T	T	0.03	0.67	0.72	2.74	4.96	1.83	1.72	0.11	T	0.22	T	0	0	12.97
SAN ARDO	8.18	0	0	0.40	0	0.75	0.40	3.04	0.62	2.97	T	0	0	0	0	0	7.78
SLACK CANYON	9.42 E	0	0	0.40	0.45	0.82E	0.89	3.10	1.97	1.79	0	0	0	0	0	0	9.02 E
SOLEDAD	8.20	0	0	0.25	0.24	0.60	0.68	3.11	1.01	2.05	0.26	0	T	0	0	0	7.95
SOLEDAD C T F	8.22	0	0	0.12	0.30	0.45	0.94	3.08	1.31	1.86	0.16	0	0	0	0	0	8.10
SPRECKELS HIGHWAY BRIDGE	13.26	0.01	0	0.25	0.53	0.78	2.63	5.01	1.49	2.04	0.13	0.01	0.38	0	0	0	13.00
SPRECKELS	12.23	T	0	0	0.62	1.22	2.33	4.28	1.20	2.17	0.09	0.01	0.31	0	0	0	12.23
UPPER SALINAS RIVER D3																	
BRADLEY	7.33 E	0	0 E	0.22E	0.04	0.41	0.59	2.56	1.08	2.19	0.24	0	0	0	0	0	7.11
BRYSON	16.89	0	0	0.13	0.50	1.20	2.01	7.35	3.01	2.69	0	0	0	0	0	0	16.76
LOCKWOOD 2 N	11.23	0	0	0.18	0.10	0.76	0.91	4.19	1.24	3.56	0.29	0	0	0	0	0	11.05
PARKFIELD	10.20 E	0 E	0	0.06	0.32	0.59	1.31	3.70	0.91	3.31	0	0	0	0	0	0	10.14
SAN ANTONIO MISSION	17.50	0	0	0.54	0.45	0.89	2.07	7.91	2.58	3.06	0	0	0	0	0	0	16.96
VALLETON	7.46	0	0	0.20	0.06	0.65	0.56	2.32	1.63	2.04	0	0	0	0	0	0	7.26
MONTEREY COAST D4																	
BIG SUR STATE PARK	42.00	0	0	0.11	2.43	2.79	11.46	15.28	4.01	4.47	0.90	0	0.55	0	0.02E	0.02E	41.93 E
CARMEL VALLEY	15.52	0	0	0.02	0.48	0.57	2.82	5.85	2.05	2.87	0.73	0.08	0.05	0	0	0	

TABLE A-2 (Cont.)  
PRECIPITATION DATA

Precipitation in inches

Station Name	Total July 1 to June 30	1969						1970									Total Oct. 1 to Sept. 30
		July	Aug.	Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	
UPPER SALINAS RIVER T9																	
ATASCADERO MAINT STN	-	0.40	0	RE													
CHOLAME ALLEY RANCH	6.05	0	0	0.08	0.14	0.45	0.48	2.02	1.75	1.13	0	0	0	0	0	0	5.97
LA PANZA RANCH	5.50 E	0	0	0.10	0.05	0.45	0.49E	1.74	1.58	1.05	0.04	0	0	0	0	0	5.40 E
NACIMIENTO DAM	9.62	0	0	0.13	0.08	0.60	0.70	3.56	1.04	3.51	0	0	0	0	0	0	9.49
PASO ROBLES	9.22	0.25	0	T	0.24	0.44	0.68	3.71	1.66	1.83	0.37	0	0.04	0	0	0	8.97
PASO ROBLES 5 NW	9.30 E	0	0	0.20	0.13	0.40E	0.42	3.80	2.43	1.86	0.06	0	0	0	0	0	9.10 E
PASO ROBLES FAA AIRPORT	7.21	0.30	0	0.15	0.10	0.42	0.45	2.51	1.43	1.74	0.11	0	T	0	0	0	6.76
SALINAS DAM	12.83	T	0	T	0.34	1.01	0.65	5.27	1.57	3.98	0.01	0	T	0	0	0	12.83
SANTA MARGARITA 2 SW	22.46	0	0	0.07	1.46	1.32	3.51	9.91	3.00	3.02	0.11	0	0.06	0	0	0	22.39
SANTA MARGARITA BOOSTER	23.86	T	0	0.06	1.50	1.32	3.15	11.67	1.68	4.29	0.15	0	0.04	0	0	0	23.80
TEMPLETON	11.79	0.58	0	0.10	0.30	0.41	1.20	5.17	0.94	2.85	0.24	0	0	0	0	0	11.11
SAN FRANCISCO BAY AREA																	
SAN FRANCISCO BAY E0																	
S E FARALLON	15.50 E	0	0	0.06	1.87	1.22E	4.01	5.13	1.51	1.43	0.05	0	0.22	0	0	0	15.44 E
COAST-MARIN E1																	
MUIR WOODS	49.38 E	0	0	0.06	3.41	1.33	16.21E	20.61E	3.43	2.66	0.35	0.37	0.95	0	0	0	49.32 E
MARIN-SONOMA E2																	
KENTFIELD	62.14	0	0	0.03	5.92	1.68	19.97	26.83	4.15	2.77	0.19	0.15	0.45	0	0	0	62.11
MILL VALLEY	37.32	0	0.10	0	1.00	4.10	9.63	10.44	8.92	1.94	1.19	0	0	-	-	-	-
NOVATO FIRE HOUSE	28.56	0	0	0	2.20	0.87	7.68	13.30	2.23	1.82	0.01	0	0.45	0	0	0	28.56
OAKVILLE 4 SW NO. 2	49.50	0	0	0	2.88	1.82	15.18	21.41	4.07	3.41	0.27	0	0.46	0	0	0	49.50
PETALUMA FIRE STN NO. 2	29.88 E	0	0	T	1.65	0.88	8.54E	13.34	2.34	2.48	0.17	0	0.48	0	0	0	29.88 E
PETALUMA BURNS	37.63	0	0	0.01	2.23	1.39	11.51	16.17	3.26	2.49	0.11	0	0.46	0	0	0	37.62
SAN ANSELMO	54.65	0	0	0	4.52	1.17	16.94	24.80	4.49	1.87	0.56	0	0.30	0	0	0	54.65
SAN RAFAEL	46.48	0	0	0.09	4.73	1.19	14.24	19.85	3.53	2.41	0.12	0.06	0.26	0	0	0	46.39
SAN RAFAEL NO. 1	45.47	0	0	0.09	4.93	1.17	14.05	19.17	2.52	3.13	0.09	0.05	0.27	0	0	0	45.38
SONOMA	33.23	0	0	T	1.80	1.08	8.23	16.31	2.93	2.16	0.24	0	0.48	0	0	0	33.23
TAMALPAIS VALLEY	39.13	0	0	T	3.64	1.38	10.21	16.33	3.57	2.60	0.20	0.25	0.95	0	0	0	39.13
TIBURON TOPHAM	39.32	0	0	0.10	3.20	1.17	12.81	15.98	2.55	2.86	0	0	0.65	0	0	0	39.22
NAPA-SOLANO E3																	
ANGWIN PACIFIC UNION COL	51.98	T	0	0	3.05	1.56	15.15	24.00	3.54	3.78	0.41	T	0.49	0	0	0	51.98
ATLAS ROAD DUTRA	-	0	0	0	2.5	-	-	-	-	2.2	0.7	0	0.4	0	0	0	-
BIRDS LANDING	20.80	T	T	T	1.82	0.38	5.09	9.91	1.47	1.43	0.21	0	0.49	0	0	0	20.80
CALISTOGA	47.79	0	0	0	2.63	1.03	13.93	22.17	4.22	3.12	0.33	0.02	0.34	0	0	0	47.79
CARNEROS VALLEY	37.83	0	0	T	2.36	1.18	10.40	18.67	2.16	2.30	0.16	0	0.60	0	0	T	37.83
COLLINSVILLE	-	-	-	-	-	0.39	3.90	6.24	1.03	1.11	0.45	0	0	0	0	0	-
DUTTONS LANDING	25.25	0	0	0	2.21	1.37	5.74	11.07	2.13	1.97	0.21	0	0.55	0	0	0	25.25
FAIRFIELD	23.62 E	0	0	0	2.08E	0.40	6.06	11.66	1.37E	1.54E	0.10	0	0.41	0	0	0	23.62 E
FAIRFIELD FIRE STATION	24.26	0	0	0	2.12	0.46	6.16	11.75	1.36	1.86	0.16	0	0.39	0	0	0	24.26
GREEN VALLEY	38.28	0	0	0	2.39	1.07	10.14	18.73	3.12	1.83	0.46	0	0.54	0	0	0	38.28
GRIZZLY ISLAND	19.52	0	0	0	1.69	0.45	5.87	8.38	1.19	1.51	0.07	T	0.36	0	0	0	19.52
LAKE CURRY	31.12	0	0	0	1.97	0.71	8.53	14.65	3.07	1.19	0.65	0	0.35	0	0	0	31.12
MARE ISLAND NAVY	23.28	0	0	0	1.54	1.39	5.59	10.77	1.89	1.41	0.05	0	0.64	0	0	0	23.28
NAPA STATE HOSPITAL	29.86	0	0	0	3.14	1.30	7.22	13.77	1.92	1.97	0.08	T	0.46	0	0	0	29.86
OAKVILLE 1 WNW	39.48	0	0	0.01	2.30	1.39	11.50	17.63	3.15	3.05	0.15	0.01	0.29	0	0	0	39.47
SAINT HELENA	44.26	T	0	T	2.80	1.32	13.56	19.75	3.29	2.92	0.22	0.05	0.35	0	0	0	44.26
SAINT HELENA 4 WSW	46.3 E	0	0	0	1.6	1.8	15.9 E	17.2 E	5.3	3.5	0.4	0.1	0.5	0	0	0	46.3 E
VETERANS HOME	44.00	0	0	0	2.62	1.34	13.00	19.44	4.06	2.99	0.18	0	0.37	0	0	0	44.00
WILD HORSE VALLEY	36.16	0	0	0	2.18	1.12	10.43	16.35	3.27	1.89	0.37	0	0.55	0	0	0	36.16
EAST BAY E4																	
ALAMO 1 N	24.53	0	0	T	1.76	0.66	7.57	9.78	2.28	1.69	0.42	T	0.37	0	0	0	24.53
BERKELEY	27.28	0	0	T	2.12	1.43	8.47	11.14	1.85	1.71	T	T	0.56	0	0	0	27.28
BURTON RANCH	26.20	0	0	T	2.22	0.80	8.81	10.13	1.96	1.63	0.27	T	0.38	0	0	0	26.20
CONCORD 3 E	16.01 E	0	0	T	1.24	0.66	4.96	6.12	1.15	1.24	0.09	0	0.55E	0	0	0	16.01 E
CROCKETT	21.98	0	0	0	1.43	1.05	5.52	9.80	1.81	1.69	0.01	0	0.67	0	0	0	21.98
HAYWARD 6 ESE	25.96	0	0	0	1.78	0.74	5.47	12.60	2.18	2.15	0.47	0	0.57	0	0	0	25.96
LAFAYETTE 2 NNE	28.03	0	0	T	2.36	0.82	9.42	11.22	1.93	1.47	0.19	T	0.62	0	0	0	28.03
MARTINEZ 3 S	22.86	0	0	0	1.67	0.68	6.77	9.44	2.05	1.38	0.22	0	0.65	0	0	0	22.86
MARTINEZ 3 SSE	22.25	0	0	T	1.73	0.69	6.85	8.93	1.92	1.26	0.19	T	0.68	0	0	0	22.25
MARTINEZ FIRE STATION	-	0	0	T	1.20	0	6.24	RE									
MARTINEZ WATER PLANT	-						RB	8.82	1.43	1.41	0.20	0	0.07	0	0	0	-
MOUNT DIABLO NORTH GATE	25.04	0	0	0.01	2.15	0.86	7.37	10.21	1.99	1.64	0.27	0.03	0.51	0	0	0	25.03
OAKLAND 39TH AVENUE	26.40	0	0	T	2.63	0.91	7.41	10.96	1.97	1.55	0.08	0.02	0.87	0	0	0	26.40
OAKLAND CITY HALL	-	0	0	0	2.38	-	-	-	-	-	0	0	-	0	0	RE	
OAKLAND WB AIRPORT	18.56	T	0	T	2.06	0.71	4.33	7.78	1.69	1.24	0.02	T	0.73	T	T	0	18.56
PORT CHICAGO N A D	15.47	0	0	0	1.17	0.58	4.73	6.39	1.15	0.75	0.15	0	0.55	0	0	0	15.47
RICHMOND	25.84	0	0	0	2.44	0.67	7.63	10.72	1.75	1.89	0.29	0.01	0.44	0	0	0	25.84
SAINT MARYS COLLEGE	31.34	0	0	0	2.49	0.95	10.49	12.96	2.26	1.58	0.13	T	0.48	0	0	0	31.34
UPPER SAN LEANDRO FIL	22.91	0	0	0	2.31	0.73	5.70	9.71	1.59	1.99	0.06	0.01	0.81	0	0	0	22.91
WALMAR SCHOOL	22.59	0	0	0	1.59	0	7.38	9.63	1.83	1.17	0.26	T	0.73	0	0	0	22.59

**TABLE A-2 (Cont.)**  
**PRECIPITATION DATA**

Precipitation in Inches

Station Name	Total July 1 to June 30	1969						1970									Total Oct. 1 to Sept. 30
		July	Aug.	Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	
EAST BAY E4 (Continued)																	
WALNUT CREEK 2 ESE	20.93	0	0	T	1.71	0.60	6.50	8.02	1.80	1.35	0.49	0.03	0.43	0	0	0	20.93
WALNUT CREEK 2 ENE	19.22	0	0	0	1.42	0.66	6.00	7.69	1.56	1.14	0.28	0	0.47	0	0	0	19.22
WALNUT CREEK 4 E	17.13	0	0	T	1.34	0.62	5.34	6.82	1.46	1.03	0.14	T	0.38	0	0	0	17.13
ALAMEDA CREEK E5																	
CALAVERAS RESERVOIR	19.71	0	0	0	1.31	0.92	3.37	8.34	1.80	2.67	0.81	0.13	0.36	0	0	0	19.71
GERBER RANCH	18.51	0	0	0.68	0.99	0.64	3.03	7.60	1.89	2.95	0.72	0	0.01	0	0 E	0 E	17.83 E
LIVERMORE COUNTY F D	12.70	0	0	0	1.10	0.49	2.34	5.38	1.18	1.42	0.40	0.07	0.32	0	0	0	12.70
LIVERMORE SEWAGE PLANT	12.52	0	0	0.03	0.99	0.46	2.24	5.55	1.59	0.90	0.41	0.07	0.28	0	0	0	12.49
MOUNT HAMILTON	17.69 E	0	T	0.05	0.99	1.09	2.82E	7.55	2.23	1.78	0.75	0.09	0.34	0	0	0	17.64 E
NEWARK	10.32	0	0	0.05	0.47	0.36	1.23	5.36	0.93	1.51	0.20	0.01	0.20	0	0	0	10.27
NILES PINNA	-	-	-	-	1.93	0.40	2.87	8.53	2.07	2.28	0.27	0.38	0	0	0	0	18.73
PLEASANTON NURSERY	12.48	0	0	T	1.56	0.57	3.84	1.95	1.68	2.10	0.63	T	0.15	0	0	0	12.48
SANTA CLARA VALLEY E6																	
ALAMITOS PERCOLATION POND	11.26	0	0	0.10	0.64	0.58	1.90	4.44	1.07	2.50	T	0.03	0	0	0	0	11.16
ALMADEN RESERVOIR	26.61	0	0	0.10	1.56	0.84	5.43	10.77	3.14	4.64	0.13	0	0	0	0	0	26.51
BLACK MOUNTAIN 2 SW	31.73	0	0	T	2.04	1.20	7.43	13.74	3.44	2.57	0.62	0.18	0.51	0	0	0	31.73
CALERO RESERVOIR	18.67	0	0	0.15	1.15	0.75	2.95	8.25	2.04	3.22	0.16	0	0	0	0	0	18.52
CAMBRIAN PARK	-	0	0	0.06	0.71	0.69	2.04	5.52	-	-	-	-	-	0	0	0	-
CAMPBELL WATER COMPANY	12.63	0	0	0.10	0.78	0.79	1.98	5.37	1.40	2.08	0.10	0.02	0.01	0	0	0	12.53
COYOTE RESERVOIR	19.47	0	0	0.17	1.63	1.20	2.23	8.69	2.42	2.74	0.35	0	0.04	0	0	0	19.30
GILROY 8 NE	19.99	0	0	0.49	1.23	1.32	3.35	8.22	2.90	1.93	0.38	0	0.17	0	0	0	19.50
GUADALUPE RESERVOIR	22.11	0	0	0.11	1.19	1.13	4.38	8.50	2.41	4.28	0.11	0	0	0	0	0	22.00
LAKE ELSMAN	37.10	0	0	0.02	2.32	1.46	10.90	15.04	5.45	1.42	0.28	0.02	0.19	0	0	0	37.08
LEROY ANDERSON DAM	17.92	0	0	0.08	1.37	1.26	3.06	6.76	2.04	3.00	0.32	0.03	T	0	0	0	17.84
LEXINGTON RESERVOIR	33.56	0	0	0.03	1.85	1.13	8.54	13.58	3.53	4.61	0.21	0	0.08	0	0	0	33.53
LOS GATOS	16.79	0	0	0.02	0.66	0.90	3.41	6.28	2.12	3.18	0.20	0.01	0.01	0	0	0	16.77
MORGAN HILL 6 WSW	34.26 E	0	0	0.03	1.98	1.10	9.78	13.18E	4.12E	3.67E	0.27E	0	0.13	0	0	0	34.23 E
PALO ALTO JUNIOR MUSEUM	13.07	0	0	0.03	0.70	0.51	2.20	6.77	1.38	1.22	0.15	0.01	0.10	0	0	0	13.04
PENITENCIA RAIN GAGE	14.14	0	0	0	1.01	0.89	1.84	5.22	1.58	2.87	0.45	0.06	0.22	0	0	0	14.14
REDWOOD CITY	18.83	0	0	0.01	1.24	0.73	4.11	8.77	2.04	1.43	0.40	0.04	0.06	0	0	0	18.82
SAN JOSE	11.32	0	0	0.14	0.62	0.93	1.57	4.02	1.45	2.26	0.21	0.02	0.10	0	0	0	11.18
SAN JOSE DECIDUOUS F F S	10.42	0	0	0.07	0.44	1.01	1.72	4.42	1.30	1.35	0.11	0	T	0	0	0	10.35
SANTA CLARA UNIVERSITY	11.05	0	0	0.07	0.54	0.85	1.40	4.35	1.22	2.48	0.12	0	0.02	0	0	0	10.98
SARATOGA CLARK	16.38	0	0	0.02	0.61	1.00	2.68	6.91	1.90	3.07	0.19	0	0	0	0	0	16.36
SARATOGA GAP MAINT STN	-	-	-	-	2.85	1.60	12.09	20.98	4.10	3.98	-	-	0.50	0	0	0	-
SARATOGA KRIEGE	17.10	0	0	T	0.70	1.13	2.66	7.35	1.91	3.33	0.02	0	0	0	0	0	17.10
SEARSVILLE LAKE	-	0	0	T	2.44	0.82	7.79	-	-	1.60	0.30	0.05	0.31	0	0	0	-
STEVENS CREEK RESERVOIR	25.70	0	0	0.04	1.02	0.94	5.18	11.39	3.21	3.37	0.44	0	0.11	0	0	0	25.66
VASONA RESERVOIR	16.28	0	0	0.02	0.71	1.24	2.46	6.51	1.84	3.16	0.34	0	T	0	0	0	16.26
WRIGHTS	45.77	0	0	T	2.85	1.72	13.43	18.82	3.52	4.71	0.41	0	0.31	0	0	0	45.77
BAYSIDE-SAN MATEO E7																	
BURLINGAME	19.13	0	0	0	1.89	0.05	4.48	9.13	1.90	1.21	0.30	0	0.17	0	0	0	19.13
SAN FRANCISCO WB AIRPORT	19.58	T	T	0.02	1.96	0.69	4.59	8.33	2.18	1.22	0.22	0.01	0.36	T	T	T	19.56
SAN FRANCISCO F O B	20.80	T	T	0.01	2.61	0.45	6.15	7.81	1.56	1.55	0.06	0.03	0.57	T	T	0	20.79
SAN MATEO	16.34	0	0	0.04	1.29	0.59	3.01	8.35	1.59	1.16	0.11	0	0.20	0	0	0	16.30
COAST-SAN MATEO E8																	
HALF MOON BAY	20.89	0	0	0.21	1.73	0.76	4.55	8.49	2.31	2.04	0.32	0.27	0.21	0	0	0	20.68
LA HONDA	26.85 E	0	0	0.04E	2.28	1.14	6.31	11.17	3.05	1.95	0.36	0.11	0.44	0	0	0	26.81
PORTOLA STATE PARK	43.59	0	0	0.02	3.95	1.87	12.31	15.78	5.69	3.05	0.49	0.21	0.22	0	T	0	43.57
SAN FRANCISCO SUNSET	22.54	0	0	0.10	2.84	0.93	5.96	7.67	2.15	1.94	0.03	0.12	0.80	0	0	0	22.44
SAN GREGORIO 2 SE	25.73	0.11	0.04	0.11	2.12	1.05	6.12	9.95	3.03	2.30	0.25	0.31	0.34	0.01	0.14	0.01	25.63
NORTH COASTAL AREA																	
MENDOCINO COAST F8																	
BOONVILLE HWY MAINT STN	50.66	0	0	0.16	2.27	2.03	13.89	24.14	3.91	2.56	0.96	0.15	0.59	0	0	0	50.50
CLOVERDALE 11 W	-	0	0	0.03	-	-	-	25.72E	7.78E	2.65	0.54	0.24	0.58	0	0	0	-
FORT BRAGG	41.78	0.02	0.03	0.58	2.77	2.76	14.30	13.43	3.28	3.25	0.59	0.40	0.37	0	0.03	0.07	41.25
FORT BRAGG AVIATION	51.78 E	0	0	0.41	1.89	2.15	15.05E	23.73E	3.82	3.23	0.51	0.54	0.45	0	0	0	51.37 E
FORT ROSS	42.16	0.06	0.03	0.17	2.65	1.69	12.04	18.42	3.37	2.74	0.50	0.08	0.41	0	0.11	0.02	42.03
NAVARRO 1 NW	46.09	0	0	0.10	2.59	1.83	12.72	20.29	4.29	2.56	0.73	0.27	0.71	0	0	0	45.99
PHILO 2 NW	49.82	0	0	0.08	2.54	1.91	13.56	23.96	3.79	2.45	0.71	0.17	0.65	0	0	0	49.74
PHILO 4 NW	51.22	0	0	0.14	3.14	2.24	13.62	22.81	4.19	3.18	0.88	0.27	0.75	0	0	0	51.08
POINT ARENA	46.30	0	0	0.30	2.24	3.85	14.19	18.34	3.35	2.56	0.73	0.31	0.43	0	0	0	46.00
SKAGGS SPRING LAS LOMAS	78.12	0	0	0	3.73	3.20	22.06	36.83	6.11	4.54	0.83	0.20	0.62	0	0	0	78.12
YORKVILLE	67.8	0	0	0.1	3.4	2.8	19.0	32.2	5.9	3.0	0.7	0.1	0.6	0	0	0	67.7
RUSSIAN RIVER F9																	
ALPINE DAM	60.15	0	0	0	4.30	1.63	17.22	28.38	4.76	3.40	0.46	0	0	0	0	0	60.15
BLAKES LANDING	30.04	0	0	0.10	2.80	4.60	5.12	11.15	4.05	1.87	0.05	0	0.30	0	0	0	29.94
BON TEMPE DAM	50.33	0	0	0	4.47	1.36	14.71	22.05	4.07	3.20	0.47	0	0	0	0	0	50.33
CAZADERO	93.23	0	0	0.03	5.05	2.72	30.01	42.67	7.56	4.89	0.24	0.06	0	0	0	0	93.20
CLOVERDALE 3 SSE	57.32	0	0	0	2.23	1.97	18.22	25.72	4.80	3.57	0.30	0.07	0.44	0	0	0	57.32

TABLE A-2 (Cont.)  
PRECIPITATION DATA

Precipitation in Inches																	
Station Name	Total July 1 to June 30	1969									1970						Total Oct. 1 to Sept. 30
		July	Aug.	Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	
RUSSIAN RIVER F9 (Continued)																	
COYOTE DAM	40.33	0	0	0	2.34	1.60	10.51	18.43	3.48	2.38	1.08	0.08	0.43	0	0	0	40.33
GRATON	52.14	0	0	0.02	3.40	1.25	16.52	22.59	4.45	3.26	0.21	T	0.44	0	0	0	52.12
GUERNEVILLE	63.52	0	0	0.01	3.66	1.67	19.57	29.08	5.61	3.15	0.08	0.06	0.53	0	0	0	63.51
HEALDSBURG	56.52	0	0	0.01	2.71	1.56	18.58	25.24	5.20	2.63	0.12	0.02	0.45	0	0	0	56.51
HEALDSBURG NO. 2	53.17	0	0	0	2.46	1.42	17.37	23.72	4.58	3.02	0.12	0	0.48	0	0	0	53.17
KELLOGG	66.54	0	0	0	2.78	2.01	21.14	29.14	5.67	4.44	0.68	0.05	0.63	0	0	0	66.54
KENT LAKE	88.47	0	0	0.01	6.58	3.11	25.92	40.84	6.38	5.27	0.36	0	0	0	0	0	88.46
LAGUNITAS LAKE	64.31	0	0	0	5.60	1.78	20.43	28.00	4.66	3.54	0.30	0	0	0	0	0	64.31
MOUNT TAMALPAIS 2 SW	47.8 E	0	0	0.1	3.7	1.5 E	12.9	20.0	4.5	2.9 E	0.3	0.5	1.4	0	0	0	47.7 E
NICASIO	39.69	0	0	0.02	2.78	1.83	11.96	16.74	3.00	3.22	0.14	0	0	0	0	0	39.67
NOVATO 8 WNW	34.84 E	0	0	0	2.37	1.43	9.64E	15.30E	3.09	2.26	0.21E	0	0.54E	0	0	0	34.84 E
OCCIDENTAL	71.49	0	0	0.16	4.16	1.66	23.17	32.13	5.31	3.86	0.38	0.04	0.62	0	0	0	71.33
PHOENIX LAKE DAM	62.93	0	0	0	5.25	1.67	19.51	27.84	4.67	3.70	0.29	0	0	0	0	0	62.93
POTTER VALLEY 3 SE	36.04	0	0	0	1.83	1.50	9.94	16.44	3.28	1.98	0.62	0.15	0.30	0	0	0	36.04
POTTER VALLEY POWERHOUSE	52.75	0	0	0	2.95	1.58	14.86	25.30	3.84	2.43	0.97	0.30	0.52	0	0	0	52.75
REDWOOD VALLEY	42.77 E	0	0	0	2.28	1.60	11.45	19.64E	3.80E	2.45	0.79	0.24E	0.52	0	0	0	42.77 E
SANTA ROSA SEWAGE PLANT	35.25	0	0	0.02	2.43	1.01	10.94	14.29	3.17	2.87	0.08	0.03	0.41	0	0	0	35.23
SANTA ROSA LAGUNA	39.85	0	0	0	2.60	1.39	11.80	17.04	3.43	3.06	0.07	0	0.46	0	0	0	39.85
SANTA ROSA OAKMONT	39.09	0	0	0.03	2.21	1.30	12.02	16.24	3.37	3.71	0.21	T	0	0	0	0	39.06
SANTA ROSA	38.44	0	0	0.03	2.42	1.19	11.79	15.89	3.17	3.44	0.07	0	0.44	0	0	0	38.41
SEBASTOPOL 4 SSE	39.7 E	0	0	0.1	2.5	1.2	11.6	17.7 E	3.6	2.5	0.1	0	0.4	0	0	0	39.6 E
THE GEYSERS	66.98 E	0	0	0	1.86	2.48	21.00E	30.35	7.23E	2.99	0.58E	0.07E	0.42	0	0	0	66.98 E
UKIAH	48.71	0	0	0.01	2.42	1.80	12.85	23.52	3.92	2.27	1.24	0.16	0.52	0	0	0	48.70
UKIAH 4 WSW	55.93	0	0	0.08	3.12	2.32	14.17	25.89	5.17	2.74	1.40	0.46	0.58	0	0	0	55.85
VENADO	85.9 E	0	0	0	3.5	2.5	23.4 E	43.9	8.5	3.1	0.3	0.1	0.6	0	0	0	85.9 E
WOODACRE	56.80	0	0	0.04	4.82	1.89	15.84	26.21	4.13	3.02	0.36	0.08	0.41	0	0	0	56.76



TABLE A-3  
EVAPORATION DATA

The definition of terms and the abbreviations used in connection with Table A-3 are as follows:

· EVAP	The total amount of water evaporated from the pan in inches for the month.
WIND	The amount of movement of air over the pan in miles for the month.
AVG MAX	The arithmetic average of daily maximum water temperatures in degrees Fahrenheit for the month.
AVG MIN	The arithmetic average of daily minimum water temperatures in degrees Fahrenheit for the month.
-	Record incomplete.
RB	Record began.
RE	Record ended.

TABLE A-3 (Cont.)  
EVAPORATION DATA

Evaporation in Inches  
Wind in Total Miles  
Water Temperature in Degrees Fahrenheit

Station Name		Total July 1 to June 30	1969						1970									Total Oct. 1 to Sept. 30	
			July	Aug	Sept	Oct	Nov	Dec	Jan.	Feb.	Mar	Apr	May	June	July	Aug.	Sept.		
CENTRAL COASTAL AREA																			
LOWER SALINAS RIVER D2																			
SOLEDAD C T F	EVAP	69.30	7.87	7.90	5.92	5.25	4.25	2.75	2.57	3.06	5.32	6.68	8.93	8.80	9.18	8.19	7.56	72.54	
	WIND	55163	5187	4128	3966	3859	3696	4167	4478	3631	4148	5406	6362	6135	5456	5173	4145	56656	
	AVG MAX		84.3	81.0	80.3	73.1	68.3	62.6	62.4	67.5	71.5	71.4	78.1	79.3	82.2	80.4	79.6		
	AVG MIN		51.8	52.0	54.8	46.8	43.9	42.4	42.9	43.1	44.2	42.3	49.1	52.1	54.7	54.0	50.6		
SPRECKELS	EVAP							RB	2.68	3.32	7.09	11.75	10.10	9.42	7.78	10.18	9.81	-	
	WIND							RB	2203	1350	1830	2920	2660	2770	2280	1720	1041	-	
UPPER SALINAS RIVER T9																			
NACIMIENTO DAM	EVAP	-	11.02	10.77	7.86	5.03	2.86	1.75	1.40	2.49	4.52	-	-	-	11.03	9.66	8.10	-	
SAN FRANCISCO BAY AREA																			
NAPA-SOLANO E3																			
DUTTONS LANDING	EVAP	67.34	9.72	9.10	6.29	5.52	2.35	1.48	1.11	2.14	4.68	6.69	9.29	8.97	9.31	7.61	7.99	67.14	
	WIND	26531	3240	2319	2390	2062	1260	1649	1660	1160	1167	2524	3383	3717	3471	2895	2051	26995	
	AVG MAX		84.6	85.9	83.5	72.9	66.0	57.7	55.8	65.0	73.5	74.1	80.9	81.6	85.0	82.7	82.5		
	AVG MIN		55.6	55.1	54.5	50.4	45.8	42.9	45.0	45.2	46.1	44.1	51.4	53.7	55.8	54.9	53.7		
GRIZZLY ISLAND	EVAP	65.21	10.25	9.98	7.66	5.18	2.26	1.24	1.05	2.03	4.70	2.67	8.43	9.76	10.53	9.21	8.87	65.93	
	WIND	20127	2062	1718	1837	1645	936	1336	1670	1109	1489	1621	1995	2709	1952	2128	1733	20323	
	AVG MAX		89.4	89.8	84.8	73.0	64.5	55.7	56.1	63.5	70.7	73.9	83.0	85.0	89.6	86.1	83.5		
	AVG MIN		60.2	57.5	56.3	49.9	44.7	43.2	44.2	44.6	45.5	45.3	51.8	54.2	56.9	54.5	53.1		
ALAMEDA CREEK E5																			
LIVERMORE SEWAGE PLANT	EVAP	85.30	13.08	12.85	9.43	5.98	3.62	1.84	0.89	3.00	6.24	6.93	10.62	10.82	12.55	11.07	10.92	84.48	
	WIND	32920	3680	2620	2470	2530	1690	2450	2660	1960	2620	2930	3650	3660	3010	2450	1995	31605	
NEWARK	EVAP	72.66	9.38	8.86	6.45	4.92	2.51	1.75	2.15	2.85	6.10	8.04	9.99	9.66	9.91	8.56	9.17	75.61	
	WIND	-	1184	795	985	1591	591	705	-	-	-	-	4198	4121	3446	3443	2824	-	
SANTA CLARA VALLEY E6																			
ALAMITOS PERCOLATION POND	EVAP	61.32	8.76	8.42	6.29	4.20	2.34	1.63	1.06	2.01	4.93	5.71	8.12	7.85	9.36	7.94	7.49	62.64	
	WIND	-	1124	814	793	950	781	1111	1399	860	-	1472	1501	1395	1232	1193	981	-	
LEROY ANDERSON DAM	EVAP	65.79	10.63	10.59	7.42	4.75	2.23	1.42	1.54	2.06	4.60	5.64	7.44	7.47	9.29	7.90	7.17	61.51	
	WIND	16818	1804	1661	1497	1476	1122	1263	1261	1110	1525	1597	1337	1165	1137	964	1146	15103	
LEXINGTON RESERVOIR	EVAP	57.26	9.22	8.54	6.02	3.91	1.61	1.20	1.08	2.00	4.08	4.84	7.67	7.09	8.78	7.74	6.98	56.98	
	WIND	-	-	518	703	818	496	1273	1300	447	638	480	-	903	929	777	839	-	
BAYSIDE-SAN MATEO E7																			
BURLINGAME	EVAP	66.78	9.41	8.37	5.94	5.14	2.91	1.69	1.88	2.27	5.40	7.53	7.79	8.45	9.33	8.52	7.45	68.36	
	WIND	32457	2628	2528	2411	2668	1552	2530	2678	1752	2997	4124	3214	3375	2717	2848	2218	32673	
	AVG MAX		78.2	76.9	74.5	75.5	-	63.3	60.5	66.6	70.2	68.0	78.6	78.0	81.9	79.5	80.7	-	
	AVG MIN		53.7	49.5	53.9	-	-	46.7	46.1	48.4	47.8	46.4	52.2	64.9	55.8	54.5	52.0	-	
NORTH COASTAL AREA																			
RUSSIAN RIVER F9																			
COYOTE DAM	EVAP	70.34	12.05	10.71	8.78	4.37	1.79	1.58	1.36	1.96	4.29	5.47	7.27	10.71	12.39	11.21	8.67	71.07	
	WIND	-	1603	1663	1511	1367	862	1243	1158	871	1334	1564	-	1896	1841	1772	1539	-	
	AVG MAX		92.3	87.6	83.8	68.4	61.9	54.5	51.8	60.3	65.9	67.2	76.8	85.1	88.3	85.1	81.0		
	AVG MIN		59.8	54.7	53.3	45.9	39.8	41.9	42.5	40.5	40.5	39.0	46.5	52.0	54.6	51.8	48.9		
SANTA ROSA SEWAGE PLANT	EVAP	68.20	9.58	9.77	6.95	5.55	2.62	1.45	1.00	1.61	5.39	6.88	8.93	8.47	9.14	8.49	7.77	67.30	
	WIND	25139	2841	2213	1999	1653	1077	1858	2250	1299	2013	2463	2663	2810	2506	2289	1770	24651	

Appendix B

SURFACE WATER MEASUREMENTS



## INTRODUCTION

This appendix contains surface water data for the period from October 1, 1969, through September 30, 1970. These data consist of the amounts of water imported to the report area, daily mean gage heights, daily maximum and minimum tides, and corrections and revisions to previously published reports of surface water data. Station locations are shown on Figure D-1, pages 56, 57, 58 and 59.

In addition to data collected and published by the Department of Water Resources in this appendix, the U. S. Geological Survey collects and publishes data on many additional gaging stations for the same report area. This work is done under a federal-state cooperative contract or through local cooperative arrangements with other local or governmental agencies. The data published in the following reports, together with this report, present a comprehensive analysis of water resources for the area:

1. "Water Resources Data for California, Part 1: Surface Water Records, Volume 1: Colorado River Basin, Southern Great Basin, and Pacific Slope Basins excluding Central Valley". U. S. Geological Survey.

2. Bulletin No. 120, "Water Conditions in California, Fall Issue". Department of Water Resources.

3. Bulletin No. 157, "Index to Stream Gaging Stations in and Adjacent to California, 1970". Department of Water Resources. This index contains the period of record -- with the number of years missing -- and more information for stations in the report area. The index also identifies the agency from which a particular record may be obtained.

TABLE B-1

## SURFACE WATER IMPORTS TO THE CENTRAL COASTAL AREA

IMPORT	1970 Water Year												TOTAL
	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	
<u>CITY OF VALLEJO FROM CACHE SLOUGH</u> a													
Total acre-feet	1,100	741	683	699	792	815	1,390	1,590	1,550	1,640	1,640	1,450	14,090
Average cubic feet per second	18	12	11	11	14	13	23	26	26	27	27	24	19
Monthly quantities in percent of seasonal	7.8	5.3	4.8	5.0	5.6	5.8	9.9	11.3	11.0	11.6	11.6	10.3	
<u>CONTRA COSTA CANAL</u> b													
Total acre-feet *	6,426	4,651	5,784	3,017	4,651	4,443	7,616	10,219	11,724	13,008	13,188	9,572	94,299
Average cubic feet per second *	104	78	94	49	84	72	128	166	197	212	214	161	130
Monthly quantities in percent of seasonal	6.8	4.9	6.1	3.2	4.9	4.7	8.1	10.9	12.4	13.8	14.0	10.2	
<u>HETCH HETCHY AQUEDUCT</u> c													
Total acre-feet	21,693	18,192	20,879	11,526	0	6,196	19,035	24,128	20,763	21,433	21,626	20,874	206,345
Average cubic feet per second	353	306	340	187	0	101	320	392	349	349	352	351	285
Monthly quantities in percent of seasonal	10.5	8.8	10.1	5.6	0	3.0	9.2	11.7	10.1	10.4	10.5	10.1	
<u>MOKELUMNE RIVER AQUEDUCT</u> d													
Total acre-feet	18,956	18,195	18,765	16,032	12,393	16,274	18,062	18,827	18,595	19,197	19,126	18,651	213,073
Average cubic feet per second	308	306	305	261	223	265	304	306	313	312	311	313	294
Monthly quantities in percent of seasonal	8.9	8.6	8.8	7.5	5.8	7.6	8.5	8.8	8.7	9.0	9.0	8.8	
<u>POTTER VALLEY POWERHOUSE FROM EEL RIVER</u> e													
Total acre-feet	18,410	15,060	13,060	17,930	16,420	17,790	6,370	5,600	7,650	8,320	8,840	15,910	151,400
Average cubic feet per second	299	253	212	292	296	289	107	91	129	135	144	267	209
Monthly quantities in percent of seasonal	12.2	10.0	8.6	11.8	10.8	11.8	4.2	3.7	5.1	5.5	5.8	10.5	
<u>PUTAH SOUTH CANAL</u> b													
Total acre-feet *	6,259	1,454	1,799	1,087	1,492	4,007	23,736	31,515	29,351	32,877	27,807	24,518	185,902
Average cubic feet per second *	102	24	29	18	27	65	399	513	493	535	452	412	257
Monthly quantities in percent of seasonal	3.4	0.7	1.0	0.6	0.8	2.1	12.8	16.9	15.8	17.7	15.0	13.2	
<u>SOUTH BAY AQUEDUCT</u>													
Total acre-feet	9,831	8,175	9,209	10,475	4,892	5,029	12,104	13,818	12,143	11,322	11,185	7,630	115,813
Average cubic feet per second	160	137	150	170	88	82	203	225	204	184	182	128	160
Monthly quantities in percent of seasonal	8.5	7.1	8.0	9.0	4.2	4.3	10.4	11.9	10.5	9.8	9.7	6.6	
*Amounts are total diversion into the canal; only an unknown portion of this is imported to the Central Coastal Area.													

- a Data furnished by City of Vallejo.  
b Data furnished by U. S. Bureau of Reclamation.  
c Data furnished by City of San Francisco.  
d Data furnished by East Bay Municipal Utility District.  
e Data furnished by U. S. Geological Survey.

TABLE B-2  
DAILY MEAN GAGE HEIGHT  
(IN FEET)

WATER YEAR	STATION NO.	STATION NAME
1970	E31400	RECTOR RESERVOIR NEAR YOUNTVILLE

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	DAY
1	359.03	356.00	355.12	370.12	370.27	370.28	369.81	367.36	364.09 E	360.59	356.57	352.62	1
2	358.89	355.89	355.13	370.12	370.27	370.26	369.75	367.27	363.99 E	360.39	356.42	352.52	2
3	358.77	355.82	355.14	370.13	370.27	370.25	369.67	367.17	363.88 E	360.28	356.30	352.40	3
4	358.65	355.82	355.14	370.22	370.26	370.43	369.61	367.05	363.78 E	360.17	356.18	352.21	4
5	358.54	355.91	355.15	370.12	370.26	370.31	369.52	366.91	363.67 E	360.03	356.05	352.09	5
6	358.39	355.82	355.17	370.12	370.24	370.30	369.43	366.81 E	363.57 E	359.89	355.90	351.96	6
7	358.29	355.72	355.21	370.12	370.25	370.27	369.37	366.70 E	363.46 E	359.78	355.78	351.82	7
8	358.25	355.63	355.26	370.15	370.25	370.27	369.29	366.60 E	363.36 E	359.63	355.71	351.70	8
9	358.16	355.54	355.28	370.66	370.25	370.25	369.22	366.49 E	363.26 E	359.50	355.59	351.59	9
10	358.06	355.44	355.33	370.40	370.25	370.24	369.14	366.39 E	363.15 E	359.36	355.46	351.48	10
11	357.94	355.32	355.63	370.34	370.30	370.23	369.07	366.28 E	363.05 E	359.22	355.32	351.34	11
12	357.79	355.21	355.94	370.30	370.26	370.22	368.98	366.18 E	362.94 E	359.10	355.19	351.22	12
13	357.68	355.11	356.06	370.88	370.47	370.22	368.87	366.07 E	362.84 E	358.97	355.07	351.10	13
14	357.58	355.05	356.12	370.73	370.37	370.21	368.80	365.98 E	362.73 E	358.78	354.93	351.03	14
15	357.68	355.05	356.17	370.81	370.34	370.19	368.73	365.87 E	362.63 E	358.65	354.78	350.97	15
16	357.63	355.07	356.21	370.85	370.66	370.19	368.66	365.76 E	362.52 E	358.52	354.66	350.93	16
17	357.52	355.08	356.24	370.59	370.45	370.18	368.58	365.66 E	362.42	358.40	354.50	350.77	17
18	357.42	355.08	356.30	370.42	370.37	370.16	368.48	365.55 E	362.33	358.31	354.36	350.80	18
19	357.31	355.08	357.59	370.45	370.31	370.16	368.40	365.45 E	362.19	358.23	354.24	350.75	19
20	357.16	355.08	360.77	371.00	370.30	370.16	368.30	365.43 E	362.02	358.16	354.09	350.70	20
21	357.06	355.08	365.85	370.98	370.29	370.16	368.22	365.24 E	361.85	358.04	353.97	350.63	21
22	356.97	355.09	366.96	370.79	370.27	370.16	368.13	365.13 E	361.71	357.91	353.87	350.58	22
23	356.86	355.10	368.74	371.85	370.27	370.16	368.04	365.03 E	361.58	357.78	353.73	350.52	23
24	356.77	355.11	370.41	370.68	370.25	370.13	367.94	364.93 E	361.47	357.64	353.59	350.47	24
25	356.68	355.11	370.26	370.48	370.21	370.13	367.85	364.82 E	361.32	357.51	353.45	350.40	25
26	356.58	355.11	370.25	370.42	370.21	370.12	367.78	364.72 E	361.18	357.37	353.34	350.33	26
27	356.50	355.11	370.16	370.44	370.20	370.09	367.72	364.61 E	361.07	357.25	353.19	350.27	27
28	356.39	355.12	370.16	370.39	370.20	370.03	367.64	364.51 E	360.94	357.10	353.10	350.21	28
29	356.28	355.12	370.14	370.34		370.00	367.56	364.40 E	360.81	356.97	353.00	350.17	29
30	356.18	355.12	370.15	370.30		369.94	367.47	364.30 E	360.70	356.81	352.88	350.10	30
31	356.10		370.13	370.30		369.89		364.20 E		356.68	352.76		31

CREST STAGES

DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE
1-23-70	2145	372.66									

E — ESTIMATED  
NR — NO RECORD  
NF — NO FLOW

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.D.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
38 26 24	122 20 36	SE 19 7N 4W					MAY 1948-DATE	5-48		0.00	USCGS

Rector Reservoir is located on Rector Creek about 3 miles northeast of Yountville. Gaging station is located on the outlet tower of the reservoir. Elevation of reservoir floor is 250 feet. Spillway elevation is 370 feet.

TABLE B-3  
DAILY MAXIMUM AND MINIMUM TIDES  
SACRAMENTO RIVER AT COLLINSVILLE

STATION NO	WATER YEAR
891110	1970

DATE	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEP	DATE
1	6.04 1.88	5.14 1.49	5.04 1.53	5.80 2.55	6.79 3.38	6.99 2.87	5.34 1.46	4.56 0.96	6.23 1.53	4.53 1.33	6.13 1.70	5.66 1.97	1
2	5.51 1.99	5.03 1.61	5.05 1.65	5.70 2.03	6.93 2.88	6.60 2.12	5.48 1.46	5.13 1.32	6.36 1.42	6.14 1.28	5.94 1.66	5.50 2.11	2
3	5.02 1.48	5.20 1.70	5.53 2.06	6.19 1.88	7.22 2.77	6.53 1.91	5.58 1.27	5.51 1.35	6.55 1.51	6.26 1.48	5.84 1.84	5.48 2.25	3
4	5.26 1.43	5.49 1.89	5.76 2.17	6.67 1.79	7.81 3.02	7.47 2.53	5.38 1.36	5.97 1.45	6.50 1.39	6.24 1.58	5.77 1.92	5.75 2.64	4
5	5.24 1.49	5.93 2.68	5.89 1.87	6.69 1.47	7.76 2.81	7.13 2.26	5.56 1.57	6.15 1.28	6.70 1.68	6.24 1.76	5.40 1.86	5.60 2.26	5
6	5.32 1.43	5.87 2.31	6.20 1.72	6.74 1.45	7.48 2.67	6.72 2.01	5.87 1.58	6.31 1.22	6.50 1.47	5.98 1.60	5.06 1.92	5.71 1.91	6
7	5.11 1.56	6.20 2.29	6.63 1.81	7.09 1.65	7.08 2.63	6.62 2.35	6.07 1.26	6.00 0.89	6.22 1.43	5.72 1.75	5.20 2.07	5.96 1.88	7
8	5.49 1.92	6.53 2.06	7.08 1.87	7.42 2.18	6.74 2.70	6.54 2.60	5.85 0.95	6.08 1.04	6.03 1.42	5.47 1.86	5.36 2.00	6.23 1.97	8
9	5.49 1.99	6.73 2.00	7.13 1.79	7.87 2.84	6.68 3.00	6.63 2.80	5.82 0.94	5.92 1.04	5.30 1.11	5.27 2.06	5.66 2.22	6.15 1.86	9
10	5.73 2.01	6.86 1.88	7.24 1.75	6.87 3.82	6.78 3.29	6.84 2.64	5.74 0.94	5.75 0.99	4.98 1.22	5.40 2.10	5.94 2.11	6.24 1.69	10
11	5.61 1.66	6.85 1.73	7.10 4.14	6.27 2.06	6.75 3.11	6.67 2.40	5.41 0.82	5.15 0.96	5.09 1.28	5.56 2.37	6.22 2.08	6.43 1.73	11
12	6.18 1.80	6.73 1.55	6.84 1.90	6.14 2.05	6.75 3.46	6.43 2.14	5.07 0.86	4.66 0.83	5.33 1.65	5.82 2.48	6.42 2.08	6.83 2.00	12
13	6.57 1.93	6.45 3.83	6.31 1.88	6.39 2.32	6.85 3.13	6.09 2.02	5.48 1.84	4.64 0.84	5.75 2.19	6.06 2.17	6.58 1.96	5.42 2.13	13
14	6.52 3.40	6.35 1.47	5.74 1.74	7.01 2.96	6.26 2.43	5.85 2.00	4.58 0.84	4.93 1.01	5.73 1.93	6.37 2.03	4.88 1.87	6.29 1.84	14
15	6.98 1.71	6.13 1.66	5.69 1.75	6.66 2.84	6.09 2.27	5.39 1.78	4.45 1.01	5.24 1.46	6.11 1.52	6.55 1.93	6.70 1.94	5.98 1.88	15
16	6.67 2.08	5.45 1.80	6.09 2.00	7.55 3.58	6.54 3.03	5.32 1.68	4.81 1.27	5.61 1.92	6.48 1.49	4.65 1.74	6.60 1.90	5.86 2.05	16
17	6.33 1.84	5.11 1.42	6.22 2.40	7.19 3.51	6.46 2.30	5.12 1.51	4.95 1.37	4.68 1.89	4.54 1.32	6.59 1.57	6.45 1.95	5.96 1.92	17
18	5.94 1.68	5.05 1.41	6.23 2.10	7.22 3.64	6.11 1.96	4.82 1.49	5.02 1.32	5.96 1.76	6.48 1.17	6.74 1.71	6.15 2.02	6.23 2.63	18
19	5.54 1.47	5.20 1.45	7.07 2.62	7.57 4.19	5.78 1.86	5.19 1.50	4.98 1.45	6.13 1.47	6.62 1.19	6.64 1.65	5.88 2.18	6.34 2.06	19
20	5.57 1.43	5.72 1.72	7.23 2.51	7.40 3.97	6.27 2.22	5.52 1.66	4.94 0.86	6.19 1.06	6.73 1.58	6.50 1.78	5.94 2.13	6.18 1.93	20
21	5.68 1.63	6.19 1.80	7.54 2.46	7.63 4.24	6.22 2.29	5.40 1.79	5.47 1.07	6.26 1.04	6.68 1.61	6.19 1.76	6.11 2.37	5.78 1.81	21
22	5.89 2.12	6.36 1.68	6.75 1.89	7.45 4.30	5.81 2.20	5.39 1.98	5.56 0.82	6.48 1.09	6.47 1.56	5.76 1.77	6.09 2.27	5.50 1.45	22
23	6.07 2.20	6.18 1.45	6.98 2.30	8.04 5.70	5.56 2.40	5.53 1.98	5.58 0.82	6.47 0.98	6.30 1.72	5.79 2.12	6.00 1.96	5.56 1.44	23
24	6.21 1.98	6.15 1.40	6.81 2.04	7.56 4.88	5.75 2.81	5.66 1.84	5.71 0.82	6.44 1.21	5.59 1.51	5.95 2.41	6.02 1.72	5.42 1.53	24
25	6.21 1.73	6.16 1.42	6.87 2.20	7.11 5.79	6.02 2.72	5.90 1.70	5.88 0.85	6.69 1.55	5.48 1.63	6.04 2.52	6.03 1.66	5.30 1.46	25
26	6.36 1.74	6.01 1.48	6.21 1.94	6.77 4.98	6.01 2.57	6.04 1.68	6.05 0.89	6.14 1.33	5.80 2.01	6.23 2.21	6.00 1.60	4.82 1.48	26
27	6.33 1.65	5.94 3.99	5.41 1.70	7.15 5.06	6.25 2.62	5.72 1.49	5.92 0.97	5.76 1.41	5.93 2.32	6.36 2.11	6.03 1.56	5.37 1.67	27
28	6.08 1.47	5.70 1.52	5.27 1.66	6.37 4.62	6.51 2.84	6.00 1.50	5.13 0.82	5.44 1.24	6.08 1.84	6.33 1.99	4.91 1.68	5.42 1.89	28
29	5.90 3.88	5.35 1.57	5.32 1.82	6.39 4.28		5.90 1.50	4.83 0.82	5.57 1.50	6.00 1.48	4.74 1.77	6.18 1.95	5.39 2.12	29
30	5.59 1.44	4.90 1.52	5.40 2.02	6.75 4.23		5.75 1.48	4.90 0.84	5.85 1.73	6.13 1.28	6.27 1.76	6.16 1.94	5.46 2.15	30
31	5.34 1.45		5.46 2.26	6.77 3.87		5.50 1.47		4.43 1.43		6.18 1.70	5.90 1.92		31
MAXIMUM	6.98	6.86	7.54	8.04	7.81	7.47	6.07	6.69	6.73	6.74	6.70	6.83	MAXIMUM
MINIMUM	1.43	1.40	1.53	1.45	1.86	1.47	0.82	0.83	1.11	1.28	1.56	1.44	MINIMUM

E - Estimated  
NR - No Record

CREST STAGES											
DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.D.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CFS	GAGE HT.	DATE			FROM	TO		
38 04 25	121 51 18	SW 27 3N 1E		9.2	4-6-1958			1929		0.00	USED
								1929		-3.05	USCGS
									1964	-3.54	USCGS
										-3.00	USCGS

Station located 0.4 mile southwest of Collinsville, 3.3 miles northeast of Pittsburg.



TABLE B-3 (CONT.)  
DAILY MAXIMUM AND MINIMUM TIDES

SUISUN BAY AT BENICIA

in feet

STATION NO	WATER YEAR
EO3300	1970

DATE	OCT	NOV.	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEP	DATE
1	NR NR	2.36 -2.07	2.32 0.45	2.82 -1.10	3.58 -1.78	4.15 -1.35	2.60 -3.51	NR NR	3.70 -2.60	3.58 -2.98	3.41 -2.54	NR NR	
2	NR NR	2.22 -1.80	2.36 -0.21	2.79 -1.98	3.80 -2.53	3.71 -2.35	2.78 -3.18	NR NR	3.77 -2.93	3.71 -3.02	3.29 -2.54	NR NR	2
3	2.16 -2.03	2.39 -1.76	2.88 -1.20	3.21 -2.48	4.13 -2.87	3.70 -2.86	3.01 -2.89	NR NR	2.17 -3.03	3.71 -2.78	3.13 -2.26	NR NR	3
4	2.43 -2.02	2.69 -1.59	3.09 -1.41	3.79 -2.80	4.76 -2.82	4.73 -2.32	2.71 -2.75	NR NR	3.77 -2.98	3.64 -2.72	3.08 -2.05	NR NR	4
5	2.43 -1.97	3.21 -0.79	3.27 -1.93	3.90 -3.28	4.81 -3.08	4.38 -2.80	3.05 -2.52	NR NR	3.77 -2.79	3.44 -2.51	2.66 -2.02	NR NR	5
6	2.48 -2.10	3.26 -1.39	3.59 -2.22	4.09 -3.37	4.65 -3.05	4.05 -3.01	3.39 -2.65	NR NR	3.57 -2.91	3.24 -2.60	2.39 -1.87	NR NR	6
7	2.63 -2.06	3.63 -1.44	4.04 -2.36	4.54 -3.04	4.31 -2.84	3.99 -2.47	3.43 -3.07	NR NR	3.28 -2.68	2.88 -2.35	2.58 -1.61	NR NR	7
8	2.67 -1.73	4.00 -1.87	4.57 -2.45	4.85 -2.55	3.90 -2.43	3.88 -2.07	3.24 -3.38	NR NR	3.07 -2.61	2.57 -2.21	2.79 -1.22	NR NR	8
9	2.73 -1.69	4.14 -2.14	4.56 -2.66	5.43 -1.80	3.96 -1.70	4.03 -1.76	3.15 -3.32	3.03 -3.16	2.61 -2.68	2.58 -1.87	3.06 -1.25	NR NR	9
10	3.07 -1.73	4.24 -2.37	4.66 -2.74	4.23 -2.51	4.10 -1.20	4.14 -1.90	2.94 -3.22	2.87 -3.05	2.16 -2.45	2.71 -1.65	3.17 -1.42	NR NR	10
11	3.04 -2.15	4.21 -2.57	4.51 -2.47	3.57 -2.32	4.00 -1.26	3.98 -2.07	2.55 -3.22	2.28 -2.86	2.31 -2.19	2.77 -1.16	3.42 -1.70	NR NR	11
12	3.54 -2.08	4.07 -2.75	4.22 -2.43	3.48 -1.82	3.94 -0.88	3.64 -2.28	2.27 -2.85	1.87 -2.92	2.65 -1.68	3.13 -1.29	NR NR	NR NR	12
13	3.89 -2.04	3.76 -2.78	3.62 -2.49	3.66 -0.74	3.96 -1.15	3.26 -2.16	2.40 -2.07	1.84 -2.68	2.92 -1.17	3.37 -1.64	NR NR	NR NR	13
14	3.82 -2.26	3.58 -2.49	2.95 0.09	4.18 -0.63	3.39 -1.76	2.96 -2.03	1.74 -2.78	2.23 -2.31	2.98 -1.70	3.63 -2.04	NR NR	NR NR	14
15	4.26 -1.81	3.32 0.83	3.06 -2.35	3.76 -1.31	3.24 -2.04	2.50 -2.11	2.07 -2.54	2.53 -1.78	3.38 -2.31	3.77 -2.39	NR NR	NR NR	15
16	3.75 1.02	2.75 -2.23	3.46 -1.92	4.44 -1.14	3.71 -1.23	2.43 -2.29	2.31 -2.26	2.88 -1.47	3.68 -2.53	3.98 -2.71	NR NR	NR NR	16
17	3.40 -2.19	2.45 -2.71	3.59 -1.40	4.06 -1.73	3.56 -2.44	2.26 -2.57	2.31 -2.34	3.13 -1.86	3.70 -2.92	4.15 -2.95	NR NR	3.47 -2.10	17
18	3.13 -2.30	2.49 -2.58	3.58 -1.86	4.05 -1.82	3.25 -2.86	2.18 -2.88	NR NR	3.32 -2.17	3.90 -3.29	4.08 -2.98	NR NR	3.63 -2.04	18
19	2.76 -2.48	2.67 -2.26	4.43 -1.38	4.38 -1.64	3.10 -2.76	2.54 -2.73	NR NR	3.47 -2.60	2.10 -3.32	4.09 -3.00	NR NR	3.63 -2.08	19
20	2.82 -2.58	3.21 -2.17	4.61 -1.67	4.23 -1.74	3.47 -2.45	2.72 -2.55	NR NR	1.75 -3.18	4.12 -3.22	4.01 -2.81	NR NR	3.30 -2.13	20
21	2.94 -2.31	3.63 -2.22	4.67 -1.97	4.45 -1.41	3.39 -2.40	2.64 -2.31	NR NR	3.58 -3.40	4.00 -3.19	3.61 -2.61	NR NR	2.99 -2.15	21
22	3.24 -1.76	3.77 -2.48	3.93 -2.56	4.22 -1.45	3.03 -2.26	2.69 -1.99	NR NR	3.75 -3.42	3.79 -2.99	3.17 -2.37	NR NR	2.71 -2.37	22
23	3.46 -1.79	3.57 -2.77	4.18 -2.03	4.75 -0.35	2.76 -1.68	2.87 -2.07	NR NR	3.72 -3.45	3.57 -2.75	3.26 -1.89	NR NR	2.75 -2.25	23
24	3.62 -2.08	3.50 -2.89	4.02 -2.43	4.17 -0.91	3.06 -1.12	3.00 -2.24	NR NR	3.72 -3.06	2.74 -2.77	3.38 -1.50	NR NR	2.62 -2.21	24
25	3.62 -2.38	3.45 -2.75	3.90 -2.42	3.66 -0.73	3.23 -1.35	3.28 -2.41	NR NR	3.75 -2.80	2.87 -2.38	3.43 -1.44	NR NR	2.54 -2.27	25
26	3.69 -2.44	3.36 -2.55	3.29 -2.75	3.35 -0.21	NR NR	3.36 -2.41	NR NR	3.14 -2.96	3.26 -1.75	3.60 -1.77	NR NR	2.58 -2.25	26
27	3.59 -2.51	3.21 -2.47	2.46 -2.87	3.82 -0.51	NR NR	3.05 -2.86	NR NR	2.78 -2.57	3.34 -1.57	3.65 -1.94	NR NR	2.70 -2.09	27
28	3.32 -2.60	2.94 -2.32	2.30 -2.45	3.08 -0.26	3.74 -1.09	3.21 -2.70	NR NR	2.81 -2.60	3.50 -2.12	3.63 -2.02	NR NR	2.65 -1.79	28
29	3.14 -2.47	2.66 -2.18	2.29 -1.94	3.18 -0.33		3.08 -2.72	NR NR	3.00 -2.19	3.41 -2.63	3.62 -2.31	NR NR	2.71 -1.58	29
30	2.81 -2.33	2.19 -1.98	2.34 -0.02	3.47 -0.62		2.89 -2.94	NR NR	3.30 -2.05	3.52 -2.99	3.55 -2.40	NR NR	2.82 -1.54	30
31	2.58 1.16		2.45 -0.59	3.51 -1.13		2.71 -3.27		3.63 -2.42		3.43 -2.51	NR NR		31
MAXIMUM	NR	4.24	4.67	5.43	NR	4.73	NR	NR	4.12	4.15	NR	NR	MAXIMUM
MINIMUM	NR	-2.89	-2.87	-3.37	NR	-3.27	NR	NR	-3.32	-3.02	NR	NR	MINIMUM

E- Estimated  
NR- No Record

CREST STAGES											
DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE	DATE	TIME	STAGE

LOCATION			MAXIMUM DISCHARGE			PERIOD OF RECORD		DATUM OF GAGE			
LATITUDE	LONGITUDE	1/4 SEC. T. & R. M.D.B.&M.	OF RECORD			DISCHARGE	GAGE HEIGHT ONLY	PERIOD		ZERO ON GAGE	REF. DATUM
			CF5	GAGE HT.	DATE			FROM	TO		
38 02 27	122 08 04	SW 6 2N 2W		5.7	4-6-1958		JUN 29-APR 40 APR 40-DATE	1929	1940	-2.21	USCGS
								1940	1942	-5.00	USCGS
								1942		0.00	USCGS

Station located on channel side of wharf (formerly located on inshore side of wharf) immediately southeast of Benicia. Maximum gage height listed does not indicate maximum discharge. Period of record intermittent from 1929 to 1940.

TABLE B-4

## CORRECTIONS AND REVISIONS TO PREVIOUSLY PUBLISHED REPORTS OF SURFACE WATER DATA

Location of Error or Revision					Change or Revision	
Report	Page	Mile & Bank	Name	Item	From	To
Bulletin No. 23-62	394		Suisun Bay at Benicia Arsenal	<u>1962</u> Daily Maximum and Minimum Tides for the period 3-1-62 to 3-28-62, inclusive	Published values	2.00 feet lower than published values
				Maximum for March 1962	16.72	14.72
Bulletin No. 130-63	B-7		Suisun Bay at Benicia Arsenal	<u>1963</u> Maximum Gage Height of Record	6.72	5.7
				Date of Maximum Gage Height of Record	3-5-62	4-6-58
Bulletin No. 130-64	48		Suisun Bay at Benicia Arsenal	<u>1964</u> Maximum Gage Height of Record	6.72	5.7
				Date of Maximum Gage Height of Record	3-5-62	4-6-58
Bulletin No. 130-64	52		City of Vallejo from Cache Slough	Total acre-feet	Published values	Values published in Bulletin No. 130-66 Table B-2
				Average cubic feet per second	Published values	Values published in Bulletin No. 130-66 Table B-2
				Monthly quantities in percent of seasonal	Published values	Values published in Bulletin No. 130-66 Table B-2
Bulletin No. 130-67	44		Sacramento River at Collinsville	<u>1967</u> Daily Maximum and Minimum Tides		<u>Notation:</u> In order machine process the data it was necessary to avoid negative ga heights. Subtract 10.00 feet to obtain gage heights.
Bulletin No. 130-67	45		Suisun Bay at Benicia Arsenal	Daily Maximum and Minimum Tides		<u>Notation:</u> In order machine process the data it was necessary to avoid negative ga heights. Subtract 10.00 feet to obtain gage heights.

Appendix C

GROUND WATER MEASUREMENTS




# INTRODUCTION

This appendix contains ground water level measurements from 403 wells for the period October 1, 1969, through September 30, 1970. It contains tables which summarize the measurements and bar graphs of average depth to water in selected basins.


There are 28 ground water basins or areas in the Central Coastal Area for which data are reported. Wells are selected to reflect the ground water conditions of the area. These wells are continuously reviewed, and when conditions dictate, replacement wells are located and measured.

Two numbering systems are used by the Department to facilitate processing of water level measurement data. The two systems are the Region and Basin Designation and the State Well Numbering System as described below.

The regions used in this report are geographic areas defined in Section 13200 of the Water Code. That portion of Northern California covered by this report comprises the southern portion of North Coastal Region No. 1, the northern portion of Central Coastal Region No. 3, and all of San Francisco Bay Region No. 2. A decimal system of the form 0-00.00 has been selected according to geographic regions, ground water basins, and subbasins or subareas as follows:



The State Well Numbering System is based on township, range, and section subdivisions of the public land survey. The number of a well, assigned in accordance with this system, is referred to as the State Well Number, as illustrated below:




This number identifies and locates the well. In the example, the well is in Township 17 North, Range 11 West, Tract J of Section 18, located in the Mount Diablo Base and Meridian. A section is divided into 40-acre tracts as follows:

D	C	B	A
E	F	G	H
M	L	K	J
N	P	Q	R


Sequence numbers in a tract are generally assigned in chronological order. The example designates the fourth well to be assigned a number in Tract J.

INDEX TO GROUND WATER MEASUREMENT DATA  
IN THE CENTRAL COASTAL AREA

<u>Number</u>	<u>Basin</u>	<u>Page</u>
NORTH COASTAL REGION 1-00.00 (Figure C-1, Sheet 1)		
1-14.00	Potter Valley . . . . .	34, 41
1-15.00	Ukiah Valley . . . . .	34, 41
1-16.00	Sanel Valley . . . . .	34, 41
1-17.00	Alexander Valley . . . . .	34, 41
1-18.00	Santa Rosa Valley	
1-18.01	Santa Rosa Area . . . . .	34, 41
1-18.02	Healdsburg Area . . . . .	34, 41
1-19.00	Anderson Valley . . . . .	
1-20.00	Point Arena . . . . .	
1-21.00	Fort Bragg Terrace . . . . .	
1-98.00	Lower Russian River Valley . . . . .	
SAN FRANCISCO BAY REGION 2-00.00 (Figure C-1, Sheet 2)		
2-01.00	Petaluma Valley . . . . .	34, 42
2-02.00	Napa-Sonoma Valley	
2-02.01	Napa Valley . . . . .	34, 42
2-02.02	Sonoma Valley . . . . .	34, 43
2-03.00	Suisun-Fairfield Valley . . . . .	34, 43
2-04.00	Pittsburg Plain . . . . .	34, 44
2-05.00	Clayton Valley . . . . .	
2-06.00	Ygnacio Valley . . . . .	34, 44
2-09.00	Santa Clara Valley	
2-09.01	East Bay Area . . . . .	34, 44
2-09.02	South Bay Area . . . . .	34, 45
2-10.00	Livermore Valley . . . . .	34, 46
2-22.00	Half Moon Bay Terrace . . . . .	
2-24.00	San Gregorio Valley . . . . .	
2-26.00	Pescadero Valley . . . . .	
CENTRAL COASTAL REGION 3-00.00 (Figure C-1, Sheet 3)		
3-01.00	Soquel Valley . . . . .	
3-02.00	Pajaro Valley . . . . .	34, 48
3-03.00	Gilroy-Hollister Valley	
3-03.01	South Santa Clara County . . . . .	34, 48
3-03.02	San Benito County . . . . .	34, 50
3-04.00	Salinas Valley	
3-04.01	Pressure Area . . . . .	34, 50
3-04.02	East Side Area . . . . .	34, 50
3-04.03	Forebay Area . . . . .	34
3-04.04	Arroyo Seco Cone . . . . .	34, 50
3-04.05	Upper Valley Area . . . . .	34, 50
3-04.06	Paso Robles Basin . . . . .	34, 51
3-04.08	Seaside Area . . . . .	34, 51
3-04.09	Langley Area . . . . .	34
3-04.10	Corral De Tierra Area . . . . .	34
3-07.00	Carmel Valley . . . . .	34, 51
3-26.00	West Santa Cruz Terrace . . . . .	



## GROUND WATER BASINS IN THE CENTRAL COASTAL AREA



GROUND WATER BASINS IN THE CENTRAL COASTAL AREA







TABLE C-1

AVERAGE CHANGE OF GROUND WATER LEVELS  
AND SUMMARY OF WELL MEASUREMENTS REPORTED


Ground Water Basin or Area		Average Change Spring 1969 to Spring 1970 in Feet	Measuring Agency	Number of Wells Reported		
Name	Number			Monthly 1969-70	Fall 1969	Spring 1970
NORTH COASTAL REGION						
Potter Valley	1-14.00	-0.3	Department of Water Resources		2	2
Ukiah Valley	1-15.00	-1.1	Department of Water Resources		2	2
Sanel Valley	1-16.00	-0.1	Department of Water Resources		3	3
Alexander Valley	1-17.00	-0.8	Department of Water Resources		6	6
Santa Rosa Valley	1-18.00					
Santa Rosa Area	1-18.01	-1.0	Department of Water Resources		13	13
Healdsburg Area	1-18.02	+0.9	U. S. Geological Survey	9		
SAN FRANCISCO BAY REGION						
Petaluma Valley	2-01.00	+1.5	Department of Water Resources			6
Napa-Sonoma Valley	2-02.00					
Napa Valley	2-02.01	-0.3	Napa County Department of Water Resources		5	112 5
Sonoma Valley	2-02.02	-0.9	Department of Water Resources			5
Suisun-Fairfield Valley	2-03.00	-1.5	Solano County Department of Water Resources	7	17	16
Pittsburg Plain	2-04.00	-0.2	Department of Water Resources			6
Ygnacio Valley	2-06.00	-2.1	Department of Water Resources			5
Santa Clara Valley	2-09.00					
East Bay Area	2-09.01	-2.3	Alameda County FC & WCD Alameda County Water District	3 3	6 3	6 2
South Bay Area	2-09.02	+5.6	Santa Clara Valley WCD U. S. Geological Survey	17 3	3	3
Livermore Valley	2-10.00	-0.6	Alameda County FC & WCD	8	58	58
CENTRAL COASTAL REGION						
Pajaro Valley	3-02.00	+0.6*	Monterey County FC & WCD Department of Water Resources		5	
Gilroy-Hollister Valley	3-03.00	+2.2		6		
South Santa Clara County	3-03.01	-4.5	City of Gilroy Santa Clara Valley WCD Department of Water Resources	5 10 5		2
San Benito County	3-03.02	+5.0	San Benito County Department of Water Resources			2
Salinas Valley	3-04.00	+0.8				
Pressure Area	3-04.01	+0.8*	Monterey County FC & WCD	3	4	
East Side Area	3-04.02	+2.2*	Monterey County FC & WCD		1	
Forebay Area	3-04.03	-0.2*				
Arroyo Seco Cone	3-04.04	+5.4*	Monterey County FC & WCD	2		
Upper Valley Area	3-04.05	+1.1*	Monterey County FC & WCD	3	2	
Paso Robles Basin	3-04.06	-5.2	San Luis Obispo FC & WCD		23	43
Seaside Area	3-04.08	+0.7*	Post Engineer, Fort Ord	2		
Langley Area	3-04.09	+2.2*				
Corral de Tierra Area	3-04.10	+2.9*				
Carmel Valley	3-07.00	+4.5*	Monterey County FC & WCD	4		
TOTAL				92	155	297

\*Average change determined from water level measurements made during fall of 1968 and fall of 1969.

AVERAGE DEPTH TO WATER IN FEET




AVERAGE DEPTH TO WATER IN WELLS  
SPRING 1958 TO SPRING 1970




AVERAGE DEPTH TO WATER IN WELLS  
SPRING 1958 TO SPRING 1970


AVERAGE DEPTH TO WATER IN FEET



AVERAGE DEPTH TO WATER IN WELLS  
SPRING 1958 TO SPRING 1970



AVERAGE DEPTH TO WATER IN WELLS  
SPRING 1958 TO SPRING 1970



AVERAGE DEPTH TO WATER IN WELLS  
SPRING 1958 TO SPRING 1970

TABLE C-2 GROUND WATER LEVELS AT WELLS

An explanation of the column headings and the code symbols follows:

State Well Number - Refer to the explanation under Introduction.

Ground Surface Elevation - The numbers in this column are the elevations in feet above mean sea level (USGS Datum) of the ground surface at the well. Elevations are usually taken from topographic maps and the accuracy is controlled by topographic standards.

Date - The date shown is when the depth measurement given in the next column was made.

Ground Surface to Water Surface - This is the measured depth in feet from the ground surface to the water surface in the well; certain of the depth measurements in the column may be preceded by a number in parentheses to indicate a questionable measurement. The code applicable to these "questionable measurements" is as follows:

- |                                      |  |
|--------------------------------------|--|
| (1) Pumping                          | (6) Other                              |
| (2) Nearby pump operating            | (7) Recharge operation at or near well |
| (3) Casing leaking or wet            | (8) Oil in casing                      |
| (4) Pumped recently                  | (9) Caved or deepened                  |
| (5) Air or pressure gage measurement |  |

When a measurement was attempted, but could not be obtained, then only a number in parentheses is shown in the column. The code applicable to these "no measurements" is as follows:

- |                               |                              |
|-------------------------------|------------------------------|
| (1) Pumping                   | (6) Well has been destroyed  |
| (2) Pump house locked         | (7) Special                  |
| (3) Tape hung up              | (8) Casing leaking or wet    |
| (4) Cannot get tape in casing | (9) Temporarily inaccessible |
| (5) Unable to locate well     | (0) Measurement discontinued |

The words FLOW and DRY are shown in this column to indicate a flowing or dry well, respectively. A minus preceding the number in this column indicates that the static water level in the well is this distance in feet above the ground surface.

Water Surface Elevation - This is the elevation in feet above mean sea level (USGS Datum) of the water surface in the well. It was derived by subtraction of the depth measurement from the ground surface elevation.

Agency Supplying Data - Each number in this column is the code number for the agency supplying data for that measurement. The agencies supplying data for this report and the code numbers assigned to them are as follows:

<u>Code</u>	<u>Agency</u>
2100	Monterey County Flood Control and Water Conservation District
2400	Santa Clara County Flood Control and Water District
5000	U. S. Geological Survey
5005	Post Engineer, Fort Ord
5050	Department of Water Resources
5100	Alameda County Flood Control and Water Conservation District
5101	Napa County
5102	Santa Cruz County
5109	Solano County
5117	San Luis Obispo County Flood Control and Water Conservation District
5151	San Benito County
5200	City of Gilroy
5401	Alameda County Water District



TABLE C-2 (Cont.)

## GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
NORTH COASTAL REGION 1-00.00						SANTA ROSA AREA 1-18.01 (Continued)					
POTTER VALLEY 1-14.00						8N/09W-36N01M 90.0 10-08-69 9.8 80.2 5050					
17N/11W-18J01M	955.0	10-08-69	0.5	954.5	5050			3-26-70	5.0	85.0	5050
		3-26-70	-0.3	955.3	5050	8N/09W-36P01M 90.0 10-08-69 55.2 34.8 5050					
17N/11W-32J01M	905.0	10-08-69	2.5	902.5	5050			3-26-70	51.0	39.0	5050
		3-26-70	2.7	902.3	5050	HEALDSBURG AREA 1-18.02					
UKIAH VALLEY 1-15.00						8N/09W-03P01M 77.0 10-15-69 8.9 68.1 5000					
15N/12W-08L01M	640.0	10-08-69	26.9	613.1	5050			11-14-69 (1)	10.1	66.9	5000
		3-26-70	17.8	622.2	5050			12-15-69	7.8	69.2	5000
15N/12W-35M01M	600.0	10-08-69	7.8	592.2	5050			1-19-70 (1)	6.7	70.3	5000
		3-26-70	3.3	596.7	5050			2-16-70	4.6	72.4	5000
SANEL VALLEY 1-16.00								3-13-70	4.6	72.4	5000
13N/11W-18E01M	490.0	10-08-69	12.5	477.5	5050			4-15-70	10.4	66.6	5000
		3-26-70 (1)	10.2	479.8	5050			5-15-70 (4)	6.8	70.2	5000
13N/11W-19P01M	488.0	10-08-69	18.6	469.4	5050			6-15-70	8.1	68.9	5000
		3-26-70	8.9	479.1	5050	8N/09W-22L01M 67.0 10-15-69 35.1 31.9 5000					
13N/11W-20G01M	515.0	10-08-69	12.7	502.3	5050			11-14-69	31.0	36.0	5000
		3-26-70	4.7	510.3	5050			12-15-69	29.9	37.1	5000
ALEXANDER VALLEY 1-17.00								1-19-70	19.8	47.2	5000
10N/09W-18B01M	230.0	10-08-69	20.7	209.3	5050			2-16-70	24.0	43.0	5000
		3-26-70	14.9	215.1	5050			3-13-70	25.0	42.0	5000
10N/09W-26L02M	205.0	10-08-69	17.9	187.1	5050			4-15-70	31.7	35.3	5000
		3-26-70	1.6	203.4	5050			5-15-70	30.4	36.6	5000
10N/09W-33C01M	180.0	10-08-69	8.5	171.5	5050	9N/09W-20E02M 100.0 10-15-69 20.0 80.0 5000					
		3-26-70	5.5	174.5	5050			11-14-69	18.2	81.8	5000
11N/10W-08P01M	305.0	10-08-69	12.0	293.0	5050			12-15-69 (1)	14.4	85.6	5000
		3-26-70	8.1	296.9	5050			1-19-70	13.3	86.7	5000
11N/10W-17P02M	292.0	10-08-69	9.4	282.6	5050			2-16-70 (1)	14.6	85.4	5000
		3-26-70	7.4	284.6	5050			3-13-70	15.4	84.6	5000
11N/10W-19F02M	346.0	10-08-69	13.4	332.6	5050			4-15-70 (1)	18.0	82.0	5000
		3-26-70	5.3	340.7	5050			5-15-70 (1)	26.1	73.9	5000
SANTA ROSA VALLEY 1-18.00								6-15-70	18.0	82.0	5000
SANTA ROSA AREA 1-18.01						9N/09W-20K04M 97.0 10-15-69 7.2 89.8 5000					
6N/08W-07P02M	95.0	10-07-69	32.7	62.3	5050			11-14-69	6.2	90.8	5000
		3-25-70	22.6	72.4	5050			12-15-69	4.9	92.1	5000
6N/08W-13R01M	115.0	10-07-69	25.8	89.2	5050			1-19-70	0.6	96.4	5000
		3-25-70	15.0	100.0	5050			2-16-70	1.1	95.9	5000
6N/08W-15J03M	95.0	10-07-69	26.0	69.0	5050			3-13-70	1.2	95.8	5000
		3-25-70	13.5	81.5	5050			4-15-70	3.4	93.6	5000
6N/08W-15R01M	95.0	10-07-69	31.5	63.5	5050	9N/09W-28N01M 90.0 10-15-69 26.0 64.0 5000					
		3-25-70	20.4	74.6	5050			11-14-69	19.2	70.8	5000
7N/06W-19N01M	465.0	10-07-69	26.5	438.5	5050			12-15-69	15.8	74.2	5000
		3-25-70	4.4	460.6	5050			1-19-70	14.7	75.3	5000
7N/07W-06R01M	275.0	10-07-69	13.0	262.0	5050			2-16-70	15.9	74.1	5000
		3-25-70	5.0	270.0	5050			3-13-70	17.0	73.0	5000
7N/08W-11M01M	160.0	10-07-69	9.0	151.0	5050			4-15-70	18.2	71.8	5000
		3-25-70	6.9	153.1	5050			5-15-70	18.5	71.5	5000
7N/08W-24H01M	190.0	10-07-69	12.0	178.0	5050			6-15-70	19.0	71.0	5000
		3-25-70	9.6	180.4	5050			7-15-70	21.7	68.3	5000
7N/08W-24H02M	190.0	10-07-69	(8)		5050	9N/10W-12C01M 120.0 10-15-69 14.4 105.6 5000					
		3-25-70	(8)		5050			11-14-69	14.0	106.0	5000
7N/09W-01C01M	90.0	10-08-69	22.9	67.1	5050			12-15-69	12.5	107.5	5000
		3-26-70	20.4	69.6	5050			1-19-70	9.9	110.1	5000
7N/09W-35D02M	135.0	10-07-69	36.4	98.6	5050			2-16-70	12.2	107.8	5000
		3-25-70	29.0	106.0	5050			3-13-70	13.0	107.0	5000
								4-15-70	13.9	106.1	5000
								5-15-70	14.2	105.8	5000
								6-15-70	14.9	105.1	5000
								7-15-70 (1)	18.9	101.1	5000
								8-14-70	14.8	105.2	5000
								9-15-70	14.9	105.1	5000

TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
HEALDSBURG AREA 1-18.02 (Continued)						NAPA VALLEY 2-02.01					
10N/10W-22D01M	180.0	10-15-69	10.8	169.2	5000	5N/04W-10F01M	30.0	3-24-70	3.6	26.4	5101
		11-14-69	5.3	174.7	5000	5N/04W-11F03M	16.0	3-24-70	9.7	6.3	5101
		12-15-69	3.7	176.3	5000	5N/04W-11M01M	13.0	10-07-69	8.9	4.1	5050
		1-19-70	4.4	175.6	5000		3-27-70	7.0	6.0	5050	
		2-16-70	(7)		5000	5N/04W-12F01M	130.0	3-24-70	33.6	96.4	5101
		3-13-70	8.1	171.9	5000	5N/04W-12H01M	121.0	3-24-70	51.7	69.3	5101
		4-15-70	9.6	170.4	5000	5N/04W-13H01M	132.0	3-24-70	8.9	123.1	5101
		5-15-70 (1)	13.2	166.8	5000	5N/04W-13H02M	120.0	3-24-70	(4)		5101
		6-15-70 (1)	13.7	166.3	5000	5N/04W-14C01M	17.0	3-24-70	15.8	1.2	5101
		7-15-70	21.2	158.8	5000	5N/04W-15C02M	22.0	3-24-70	18.8	3.2	5101
		8-14-70	11.8	168.2	5000	5N/04W-15E01M	22.0	3-24-70	15.5	6.5	5101
		9-15-70	11.4	168.6	5000	5N/04W-19R02M	110.0	3-24-70	13.4	96.6	5101
10N/10W-26M01M	161.0	10-15-69	13.9	147.1	5000	5N/04W-20R02M	50.0	3-24-70	0.9	49.1	5101
		11-14-69	11.1	149.9	5000	5N/04W-21B01M	75.0	3-25-70	14.6	60.4	5101
		12-15-69	9.2	151.8	5000	5N/04W-22M01M	12.0	3-25-70	-0.7	12.7	5101
		1-19-70	4.7	156.3	5000	5N/04W-28R01M	37.0	3-25-70	28.9	8.1	5101
		2-16-70	7.4	153.6	5000	5N/04W-29H01M	77.0	3-25-70	42.2	34.8	5101
		3-13-70	9.1	151.9	5000	6N/03W-31B01M	240.0	3-25-70	104.0	136.0	5101
		4-15-70	10.4	150.6	5000	6N/03W-31F01M	145.0	3-25-70	40.3	104.7	5101
		5-15-70	10.9	150.1	5000	6N/03W-31H01M	180.0	3-25-70	74.8	105.2	5101
		6-15-70	11.2	149.8	5000	6N/03W-31N01M	170.0	3-25-70	59.4	110.6	5101
		7-15-70	11.5	149.5	5000	6N/03W-31N02M	167.0	3-25-70	30.5	136.5	5101
		8-14-70	12.4	148.6	5000	6N/04W-05R01M	67.0	3-25-70	3.8	63.2	5101
		9-15-70	13.2	147.8	5000	6N/04W-06L02M	80.0	3-25-70	7.4	72.6	5101
10N/10W-35Q01M	142.0	10-15-69	5.8	136.2	5000	6N/04W-06N01M	75.0	3-25-70	18.1	56.9	5101
		11-14-69	6.0	136.0	5000	6N/04W-06P01M	75.0	3-26-70	7.4	67.6	5101
		12-15-69	4.7	137.3	5000	6N/04W-07N01M	135.0	3-26-70	16.0	119.0	5101
		1-19-70	0.2	141.8	5000	6N/04W-08E01M	70.0	3-26-70	6.3	63.7	5101
		2-16-70	0.6	141.4	5000	6N/04W-15Q01M	67.0	3-26-70	51.9	15.1	5101
		3-13-70	0.8	141.2	5000	6N/04W-16P01M	62.0	3-26-70	14.0	48.0	5101
		4-15-70	2.4	139.6	5000	6N/04W-17A01M	67.0	10-07-69	13.1	53.9	5050
		5-15-70	2.2	139.8	5000		3-27-70	3.3	63.7	5050	
		6-15-70	2.6	139.4	5000	6N/04W-18A02M	85.0	3-26-70	20.1	64.9	5101
		7-15-70	3.8	138.2	5000	6N/04W-19B01M	125.0	3-26-70	16.2	108.8	5101
		8-14-70	4.9	137.1	5000	6N/04W-21G01M	61.0	3-26-70	0.9	60.1	5101
		9-15-70	5.7	136.3	5000	6N/04W-22P01M	53.0	3-26-70	21.3	31.7	5101
SAN FRANCISCO BAY REGION 2-00.00						6N/04W-23J01M	87.0	3-26-70	37.9	49.1	5101
PETALUMA VALLEY 2-01.00						6N/04W-26N01M	32.0	3-26-70	10.7	21.3	5101
3N/06W-01Q01M	2.0	3-25-70	FLOW		5050	6N/04W-27L02M	50.0	10-07-69	52.0	-2.0	5050
5N/07W-19N01M	45.0	3-25-70	3.5	-1.5	5050		3-27-70	23.5	26.5	5050	
5N/07W-20B02M	-1.0	3-25-70	-3.9	-2.9	5050	6N/04W-27N01M	50.0	3-27-70	17.6	32.4	5101
5N/07W-21H01M	65.0	3-25-70	22.5	-2.5	5050	6N/04W-28N01M	62.0	3-27-70	4.1	57.9	5101
5N/07W-26R01M	53.6	3-25-70	15.3	38.3	5050	6N/04W-29B01M	92.0	3-27-70	7.5	84.5	5101
5N/07W-35K01M	18.8	3-25-70	6.4	12.4	5050	6N/04W-30C01M	149.0	3-27-70	5.3	143.7	5101
NAPA-SONOMA VALLEY 2-02.00						6N/04W-32J06M	94.0	3-27-70	6.0	88.0	5101
NAPA VALLEY 2-02.01											
4N/04W-02L01M	25.0	3-23-70	6.3	18.7	5101						
4N/04W-04C01M	12.0	3-23-70	5.9	6.1	5101						
4N/04W-05B01M	31.0	3-23-70	8.7	22.3	5101						
4N/04W-05D02M	22.0	3-23-70	3.1	18.9	5101						
4N/04W-12M01M	48.0	3-23-70	13.8	34.2	5101						
4N/04W-14C02M	34.0	3-25-70	30.4	3.6	5101						
4N/04W-25K01M	37.0	3-23-70	2.2	34.8	5101						
5N/03W-05M01M	255.0	3-23-70	95.0	160.0	5101						
5N/04W-03G01M	18.0	3-23-70	5.0	13.0	5101						
5N/04W-04G01M	63.5	3-23-70	32.3	31.2	5101						
5N/04W-04Q01M	58.0	3-23-70	10.8	47.2	5101						
5N/04W-05P01M	121.0	3-23-70	1.5	119.5	5101						
5N/04W-05P02M	122.0	3-24-70	12.5	109.5	5101						

TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
NAPA VALLEY 2-02.01 (Continued)						NAPA VALLEY 2-02.01 (Continued)					
6N/04W-32L02M	107.0	3-27-70	24.2	82.8	5101	8N/06W-03M01M	330.0	4-02-70	30.8	299.2	5101
6N/04W-35G03M	38.0	3-27-70	17.5	20.5	5101	8N/06W-04F01M	330.0	4-02-70	65.1	264.9	5101
6N/04W-36H01M	105.0	3-27-70	20.8	84.2	5101	8N/06W-06L04M	335.0	4-02-70	7.0	328.0	5101
6N/05W-12R01M	180.0	3-27-70	14.5	165.5	5101	8N/06W-09D02M	290.0	4-02-70	12.0	278.0	5101
7N/04W-30L01M	112.0	3-27-70	3.5	108.5	5101	8N/06W-09H01M	290.0	4-03-70	2.8	287.2	5101
7N/04W-30M01M	114.0	3-27-70	1.4	112.6	5101	8N/06W-09H02M	291.5	4-03-70	1.5	290.0	5101
7N/04W-32B02M	180.0	3-30-70	1.8	178.2	5101	8N/06W-10Q01M	290.0	10-07-69 3-27-70	6.8 2.1	283.2 287.9	5050 5050
7N/05W-03G01M	188.0	3-30-70	36.0	152.0	5101	8N/06W-14N01M	285.0	4-03-70	11.2	273.8	5101
7N/05W-03G02M	188.0	3-30-70	11.2	176.8	5101	8N/06W-14Q01M	250.0	4-03-70	6.4	243.6	5101
7N/05W-04R02M	172.0	3-30-70	3.8	168.2	5101	8N/06W-23M01M	285.0	4-03-70	5.4	279.6	5101
7N/05W-05A01M	182.0	3-30-70	3.0	179.0	5101	8N/06W-24B01M	300.0	4-03-70	7.5	292.5	5101
7N/05W-06F01M	245.0	3-30-70	16.0	229.0	5101	8N/06W-25G02M	230.0	4-03-70	11.3	218.7	5101
7N/05W-06J01M	215.0	3-30-70	13.5	201.5	5101	9N/06W-31Q01M	340.0	4-03-70	1.7	338.3	5101
7N/05W-08A01M	175.0	3-30-70	9.5	165.5	5101	9N/06W-32M01M	360.0	4-02-70	11.0	349.0	5101
7N/05W-08M01M	190.0	3-30-70	16.1	173.9	5101	9N/07W-24L01M	460.0	4-01-70	8.9	451.1	5101
7N/05W-09Q01M	155.0	3-30-70	(8)		5101	9N/07W-25N01M	380.0	4-01-70	3.9	376.1	5101
7N/05W-09Q02M	155.0	10-07-69 3-27-70	16.9 7.6	138.1 147.4	5050 5050	9N/07W-25N02M	380.0	4-01-70	4.5	375.5	5101
7N/05W-09Q03M	155.0	3-31-70	3.9	151.1	5101	9N/07W-26P01M	400.0	4-01-70	0.8	399.2	5101
7N/05W-10C01M	162.2	3-31-70	11.9	150.3	5101	9N/07W-35K01M	399.0	4-02-70	1.1	397.9	5101
7N/05W-14B02M	139.0	3-31-70	5.6	133.4	5101	SONOMA VALLEY 2-02.02					
7N/05W-14J01M	140.0	3-30-70	3.5	136.5	5101	5N/05W-17C01M	85.0	3-25-70	14.8	70.2	5050
7N/05W-15A01M	143.0	3-31-70	9.4	133.6	5101	5N/05W-18R01M	43.0	3-25-70	2.8	40.2	5050
7N/05W-15F01M	141.0	3-31-70	0.5	140.5	5101	5N/05W-28N01M	11.0	3-25-70	6.3	4.7	5050
7N/05W-16L01M	171.0	3-31-70	9.6	161.4	5101	5N/05W-29N01M	16.0	3-25-70	5.9	10.1	5050
7N/05W-16N02M	193.0	3-31-70	9.7	183.3	5101	5N/05W-30J03M	16.0	3-25-70 (4)	9.7	6.3	5050
7N/05W-17B02M	161.0	3-31-70	9.4	151.6	5101	SUISUN-FAIRFIELD VALLEY 2-03.00					
7N/05W-21G01M	152.0	3-31-70	-0.9	152.9	5101	4N/02W-04D02M	26.0	10-23-69 6-01-70	10.5 5.3	15.5 20.7	5109 5109
7N/05W-22E03M	140.0	3-31-70	0.0	140.0	5101	4N/02W-06A01M	35.0	10-14-69 10-23-69 11-14-69 12-16-69 1-16-70 2-19-70 3-16-70 4-15-70 5-14-70 6-01-70 6-15-70 7-17-70 8-17-70 9-15-70	15.3 15.3 15.4 15.1 10.7 12.4 12.5 12.9 13.0 12.7 11.8 14.2 13.7 13.9	19.7 19.7 19.6 19.9 24.3 22.6 22.5 22.1 22.0 22.3 23.2 20.8 21.3 21.1	5050 5109 5050 5050 5050 5050 5050 5050 5050 5109 5050 5050 5050 5050
7N/05W-22H01M	133.0	4-01-70	8.9	124.1	5101	4N/02W-07D01M	17.0	10-23-69 6-01-70	9.1 2.3	7.9 14.7	5109 5109
7N/05W-23D02M	127.0	4-01-70	2.9	124.1	5101	4N/02W-09A01M	7.0	10-08-69 10-14-69 11-14-69 12-16-69 1-16-70 2-19-70 3-16-70 4-15-70 5-14-70 6-01-70	1.9 0.9 0.9 1.0 FLOW FLOW FLOW FLOW -0.3 -0.4	5.1 6.1 6.1 6.0 FLOW FLOW FLOW FLOW 7.3 7.4	5109 5050 5050 5050 5050 5050 5050 5050 5050 5050
7N/05W-23Q01M	115.0	4-01-70	3.4	111.6	5101						
7N/05W-24P01M	127.0	4-01-70	0.7	126.3	5101						
7N/05W-25A01M	163.0	4-01-70	8.1	154.9	5101						
7N/05W-26D02M	127.0	4-01-70	1.8	125.2	5101						
7N/05W-34C02M	190.0	4-01-70	7.8	182.2	5101						
7N/05W-35F02M	175.0	4-01-70	3.6	171.4	5101						
7N/05W-36N01M	141.0	4-01-70	3.5	137.5	5101						
7N/06W-01A01M	264.0	4-02-70	10.3	253.7	5101						
8N/05W-30P01M	220.0	4-02-70	1.0	219.0	5101						
8N/05W-31H01M	212.0	4-02-70	10.2	201.8	5101						
8N/05W-31P02M	237.0	4-02-70	17.1	219.9	5101						
8N/05W-31R01M	210.0	4-02-70	6.1	203.9	5101						
8N/05W-32K04M	192.0	4-02-70	6.7	185.3	5101						

TABLE C-2 (Cont.)

## GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SUISUN-FAIRFIELD VALLEY 2-03.00 (Continued)						SUISUN-FAIRFIELD VALLEY 2-03.00 (Continued)					
4N/02W-09A01M (Continued)	7.0	6-15-70	0.1	6.9	5050	5N/02W-29F01M	46.0	10-23-69	12.7	33.3	5109
		7-17-70	0.3	6.7	5050			6-01-70	28.5	17.5	5109
		8-17-70	0.6	6.4	5050	5N/02W-30J01M	65.0	10-14-69	21.3	43.7	5050
		9-15-70	0.7	6.3	5050			11-14-69	22.7	42.3	5050
4N/02W-09H01M	4.0	10-14-69	1.2	2.8	5050			12-16-69	24.2	40.8	5050
		11-14-69	1.3	2.7	5050			1-16-70	17.2	47.8	5050
		12-16-69	FLOW		5050			2-19-70	15.0	50.0	5050
		1-16-70	(9)		5050			3-16-70	16.3	48.7	5050
		2-19-70	(1)		5050			4-15-70	18.1	46.9	5050
		3-16-70	FLOW		5050			5-14-70	16.3	48.7	5050
		4-15-70	-0.1	4.1	5050			6-15-70	16.1	48.9	5050
		5-14-70	0.6	3.4	5050			7-17-70	16.6	48.4	5050
		6-15-70	1.6	2.4	5050			8-17-70	18.8	46.2	5050
		7-17-70	(8)		5050			9-15-70	18.7	46.3	5050
		8-17-70 (1)	2.8	1.2	5050	PITTSBURG PLAIN 2-04.00					
		9-15-70	0.5	3.5	5050	2N/01E-15N01M	40.0	3-24-70	32.7	7.3	5050
4N/03W-01D01M	37.0	10-23-69	7.3	29.7	5109			4-06-70	19.8	15.2	5050
4N/03W-13G01M	47.0	6-01-70	3.8	33.2	5109	2N/01E-15P01M	35.0	3-24-70	22.6	2.4	5050
		10-23-69	20.3	26.7	5109						
4N/03W-13G01M	47.0	6-01-70	17.3	29.7	5109	2N/01W-11L01M	30.0	3-24-70	28.8	1.2	5050
		10-22-69	13.2	25.8	5109						
5N/01E-19R01M	39.0	5-29-70	16.0	23.0	5109	YGNACIO VALLEY 2-06.00					
		10-22-69	10.2	78.3	5109	1N/01W-07K01M	83.0	3-24-70 (4)	10.3	72.7	5050
5N/01W-02N01M	88.5	5-06-70	(1)	5109	1N/02W-11N01M						
5N/01W-07E01M	115.0	10-21-69	9.6	105.4	5109	1N/02W-13P01M	100.0	3-24-70	7.0	93.0	5050
		5-06-70	13.3	101.7	5109						
5N/01W-25R01M	25.0	10-21-69	14.1	10.9	5109	2N/02W-36E01M	48.0	3-24-70 (4)	15.4	32.6	5050
		6-01-70	(1)		5109						
5N/02W-08G03M	143.0	10-23-69	12.5	130.5	5109	EAST BAY AREA ABOVE HAYWARD FAULT 2-09.01					
		5-06-70	9.5	133.5	5109	4S/01W-35P03M	115.3	11-05-69	119.9	-4.6	5401
5N/02W-14N03M	100.0	10-23-69	9.5	90.5	5109			12-03-69	124.5	-9.2	5401
		5-06-70	7.5	92.5	5109			1-06-70	112.2	3.1	5401
5N/02W-21P03M	60.0	10-14-69 (4)	14.3	45.7	5050			2-10-70	106.0	9.3	5401
		10-23-69	11.2	48.8	5109			3-04-70	103.3	12.0	5401
		11-14-69	11.8	48.2	5050			5-06-70	118.4	-3.1	5401
		12-16-69	12.2	47.8	5050			6-01-70	125.9	-10.6	5401
		1-16-70	7.2	52.8	5050			6-30-70	130.4	-15.1	5401
		2-19-70	5.9	54.1	5050			8-05-70	134.0	-18.7	5401
		3-16-70	7.1	52.9	5050			9-01-70	133.8	-18.5	5401
		4-15-70	7.4	52.6	5050			9-29-70	137.7	-22.4	5401
		5-06-70	7.8	52.2	5109	EAST BAY AREA UPPER AQUIFER 2-09.01					
		5-14-70	7.7	52.3	5050	3S/02W-08M03M	48.0	10-08-69	18.7	29.3	5100
		6-15-70	5.7	54.3	5050			11-05-69	17.5	30.5	5100
		5N/02W-24B04M	58.0	7-17-70	9.5			50.5	5050	12-03-69	16.7
8-17-70	10.5			49.5	5050			12-30-69	15.7	32.3	5100
5N/02W-25R01M	7.0	9-15-70	11.3	48.7	5050			1-28-70	14.5	33.5	5100
		10-21-69	(6)		5109			2-25-70	13.7	34.3	5100
		10-14-69	5.5	1.5	5050			3-25-70	18.2	29.8	5100
		10-21-69	5.0	2.0	5109			4-22-70	17.7	30.3	5100
		11-14-69	4.9	2.1	5050			5-20-70	17.7	30.3	5100
		12-16-69	4.6	2.4	5050			7-15-70	18.7	29.3	5100
		1-16-70	(9)		5050			8-12-70	18.7	29.3	5100
		2-19-70	0.3	6.7	5050			9-11-70	20.7	27.3	5100
		3-16-70	1.1	5.9	5050	3S/02W-08R05M	64.0	10-00-69	30.7	33.3	5100
		4-15-70	3.7	3.3	5050			4-00-70	30.9	33.1	5100
		5-14-70	4.4	2.6	5050						
		6-01-70	4.5	2.5	5109						
5N/02W-27J02M	24.0	6-15-70	3.9	3.1	5050						
		7-17-70	5.1	1.9	5050						
		8-17-70	5.4	1.6	5050						
		9-15-70	5.5	1.5	5050						
		10-14-69	7.0	17.0	5050						
		10-23-69	7.8	16.2	5109						
		11-14-69	6.5	17.5	5050						
		12-16-69	6.2	17.8	5050						
		1-16-70 (2)	25.0	-1.0	5050						
		2-19-70 (2)	29.0	-5.0	5050						
		3-16-70 (2)	32.7	-8.7	5050						
		4-15-70 (2)	34.0	-10.0	5050						
5-14-70 (2)	29.4	-5.4	5050								
6-01-70	10.0	14.0	5109								
6-15-70	5.9	18.1	5050								
7-17-70	16.1	7.9	5050								
8-17-70	6.7	17.3	5050								
9-15-70	6.0	18.0	5050								

TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
EAST BAY AREA UPPER AQUIFER 2-09.01 (Continued)						SOUTH BAY AREA 2-09.02																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
3S/02W-19J01M	30.0	10-08-69	5.8	24.2	5100	6S/01E-21R01M	138.0	10-30-69	174.6	-36.6	2400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
		11-05-69	5.3	24.7	5100			12-01-69	161.7	-23.7	2400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
		12-03-69	4.8	25.2	5100			12-31-69	154.8	-16.8	2400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
		12-30-69	4.9	25.1	5100			1-29-70	149.7	-11.7	2400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
		1-28-70	4.6	25.4	5100			3-02-70	146.6	-8.6	2400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
		2-25-70	5.8	24.2	5100			4-01-70	145.8	-7.8	2400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
		3-25-70	8.7	21.3	5100			4-30-70	147.3	-9.3	2400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
		4-22-70	8.8	21.2	5100			5-26-70	151.6	-13.6	2400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
		5-20-70	8.7	21.3	5100			6-24-70	159.4	-21.4	2400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
		7-15-70	9.4	20.6	5100			7-30-70	161.7	-23.7	2400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
		8-12-70	9.4	20.6	5100			9-01-70	163.2	-25.2	2400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
		9-11-70	9.7	20.3	5100																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
3S/03W-24Q02M	7.0	10-00-69	9.0	-2.0	5100	6S/01E-23P02M	240.5	10-30-69	122.6	117.9	2400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
		4-00-70	8.5	-1.5	5100			12-01-69	124.8	115.7	2400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
4S/01W-18H03M	47.0	10-01-69	58.6	-11.6	5401			12-31-69	124.4	116.1	2400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
		11-04-69	60.0	-13.0	5401			1-29-70	123.3	117.2	2400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
		12-02-69	60.3	-13.3	5401			3-02-70	122.4	118.1	2400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
		1-05-70	57.5	-10.5	5401			4-01-70	124.4	116.1	2400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
		2-09-70	55.1	-8.1	5401			4-30-70	126.6	113.9	2400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
		3-03-70	54.4	-7.4	5401			6-01-70	120.3	120.2	2400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
		3-31-70	54.3	-7.3	5401			7-01-70	119.4	121.1	2400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
		5-06-70	55.0	-8.0	5401			7-29-70	124.5	116.0	2400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
		6-01-70	56.8	-9.8	5401			9-01-70	122.6	117.9	2400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
		6-29-70	57.7	-10.7	5401	6S/01E-30M01M	43.0	10-01-69	106.7	-63.7	2400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
		8-06-70	71.2	-24.2	5401			10-31-69	86.8	-43.8	2400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
		8-19-70	62.1	-15.1	5401			12-02-69	73.4	-30.4	2400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
9-01-70	62.6	-15.6	5401	1-02-70	60.2			-17.2	2400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
9-29-70	64.3	-17.3	5401	1-30-70	53.8			-10.8	2400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
4S/01W-22P05M	80.0	10-00-69	39.6	40.4	5100			2-26-70	48.6	-5.6	2400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
		4-00-70	(7)		5100			4-01-70 (6)	50.0	-7.0	2400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
4S/02W-13C02M	36.4	9-29-70	46.7	-10.3	5401			4-30-70	69.6	-26.6	2400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
4S/02W-24Q02M	33.4	10-00-69	39.4	-6.0	5100			8-05-70	98.2	-55.2	2400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
		4-00-70	42.8	-9.4	5100																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
EAST BAY AREA LOWER AQUIFER 2-09.01						6S/01W-23E01M	21.0	10-23-69	80.7	-59.7	5000																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
2S/03W-36R01M	45.0	10-00-69	92.0	-47.0	5100			11-21-69	66.2	-45.2	5000																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
		4-00-70 (1)	177.0	-132.0	5100			12-19-69	55.1	-34.1	5000																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
3S/03W-24J01M	11.0	10-08-69	47.8	-36.8	5100			1-16-70	46.9	-25.9	5000																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
		11-05-69	48.8	-37.8	5100			2-12-70	41.9	-20.9	5000																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
		12-03-69	48.2	-37.2	5100			3-12-70	37.2	-16.2	5000																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
		12-30-69	39.5	-28.5	5100			4-09-70	52.9	-31.9	5000																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
		1-28-70	38.8	-27.8	5100			5-09-70	61.0	-40.0	5000																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
		2-25-70	38.8	-27.8	5100			6-05-70	73.5	-52.5	5000																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
		3-25-70	49.9	-38.9	5100	6S/02W-16R01M	48.0	11-26-69	84.4	-36.4	2400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
		4-22-70	53.7	-42.7	5100			5-04-70	79.0	-31.0	2400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
		5-20-70	54.9	-43.9	5100			6-15-70	82.0	-34.0	2400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
		7-15-70	56.3	-45.3	5100			7-16-70	84.0	-36.0	2400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
		8-12-70	57.0	-46.0	5100			8-25-70	84.1	-36.1	2400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
		9-11-70	68.2	-57.2	5100																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
3S/03W-36R03M	5.0	10-00-69	65.6	-60.6	5100	6S/02W-25C01M	73.0	10-24-69	112.8	-39.8	2400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
		4-00-70	54.0	-49.0	5100			11-26-69	105.0	-32.0	2400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
4S/02W-02Q01M	26.0	3-25-70	55.5	-29.5	5401			1-22-70	97.6	-24.6	2400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
		9-21-70	79.8	-53.8	5401			2-27-70	100.2	-27.2	2400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
4S/02W-35R02M	15.0	11-05-69	41.9	-26.9	5401			3-27-70	100.7	-27.7	2400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
		12-03-69	40.6	-25.6	5401			5-04-70	102.4	-29.4	2400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
		1-06-70	27.2	-12.2	5401			6-05-70	104.3	-31.3	2400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
		2-10-70	28.1	-13.1	5401			7-13-70	106.2	-33.2	2400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
		3-03-70	28.9	-13.9	5401			8-25-70	105.7	-32.7	2400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
		3-24-70	27.5	-12.5	5401	6S/02W-35C01M	140.1	10-24-69	224.8	-84.7	2400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
		5-04-70	(0)		5401			1-26-70 (6)	195.0	-54.9	2400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
4S/02W-36K01M	24.0	11-06-69	53.5	-29.5	5401			3-30-70	182.7	-42.6	2400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
		12-03-69	50.4	-26.4	5401			5-04-70 (6)	184.0	-43.9	2400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
		1-01-70	(0)		5401	7S/01E-01K01M	179.0	10-06-69	142.8	36.2	2400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
5S/01W-09M01M	15.0	10-07-69	61.0	-46.0	5401			12-10-69	144.2	34.8	2400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
		4-01-70	34.1	-19.1	5401			1-15-70	141.6	37.4	2400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
		9-24-70	55.6	-40.6	5401			2-19-70	139.8	39.2	2400																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									

TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SOUTH BAY AREA 2-09.02 (Continued)						SOUTH BAY AREA 2-09.02 (Continued)					
7S/01E-16C05M	105.0	10-23-69	183.4	-78.4	5000	8S/01E-13H01M	184.6	10-02-69	22.3	162.3	2400
		11-21-69	169.6	-64.6	5000			11-06-69	19.5	165.1	2400
		12-19-69	158.9	-53.9	5000			12-29-69	19.3	165.3	2400
		1-16-70	149.1	-44.1	5000			2-05-70	17.7	166.9	2400
		1-28-70	145.0	-40.0	5000			3-09-70	18.4	166.2	2400
		2-12-70	147.3	-42.3	5000	8S/02E-20F03M	209.0	10-09-69	29.5	179.5	2400
		3-12-70	138.6	-33.6	5000			2-09-70	24.6	184.4	2400
		4-09-70	161.6	-56.6	5000			3-13-70	26.5	182.5	2400
		5-09-70	158.4	-53.4	5000			4-06-70 (2)	29.7	179.3	2400
6-05-70	174.7	-69.7	5000	5-13-70 (2)	32.6	176.4	2400				
7S/01E-31A02M	151.6	10-08-69	154.8	-3.2	2400	6-16-70	28.7	180.3	2400		
		11-05-69	146.3	5.3	2400	7-20-70	27.4	181.6	2400		
		12-31-69	127.6	24.0	2400	8-19-70	28.7	180.3	2400		
		2-04-70	120.6	31.0	2400	8S/02E-22D01M	239.7	10-15-69	13.6	226.1	2400
		3-11-70	117.8	33.8	2400			12-08-69	11.2	228.5	2400
		4-13-70 (2)	126.6	25.0	2400			1-09-70	11.5	228.2	2400
		5-07-70	119.4	32.2	2400			2-13-70	11.5	228.2	2400
		6-03-70 (2)	131.8	19.8	2400			3-18-70	11.4	228.3	2400
		6-30-70	129.0	22.6	2400			4-07-70	17.8	221.9	2400
		7-31-70	136.5	15.1	2400			5-14-70	14.4	225.3	2400
9-01-70	145.2	6.4	2400	6-16-70	12.3			227.4	2400		
7S/02E-07P01M	130.0	10-06-69	140.2	-10.2	2400			7-20-70	12.5	227.2	2400
		12-10-69	137.3	-7.3	2400			8-21-70	12.8	226.9	2400
		1-15-70	133.3	-3.3	2400	8S/01W-15B01M	331.2	2-03-70	34.4	296.8	2400
		2-19-70	127.7	2.3	2400			4-13-70	(2)		2400
		3-23-70	121.6	8.4	2400			5-05-70	(0)		2400
		4-16-70	122.4	7.6	2400	9S/02E-01J01M	314.6	10-15-69 (2)	32.3	282.3	2400
		5-21-70	124.4	5.6	2400			11-01-69 (6)	28.0	286.6	2400
		6-19-70	125.5	4.5	2400			12-08-69	27.7	286.9	2400
		7-28-70	120.7	9.3	2400			1-09-70	25.8	288.8	2400
9-11-70	121.6	8.4	2400	2-13-70	24.6			290.0	2400		
7S/02E-17H01M	349.0	10-17-69	89.8	259.2	2400			3-18-70	22.3	292.3	2400
		11-26-69	87.7	261.3	2400			4-09-70	25.0	289.6	2400
		1-13-70	84.8	264.2	2400			5-15-70	28.6	286.0	2400
		2-17-70	86.7	262.3	2400			6-04-70 (2)	31.5	283.1	2400
		3-19-70	85.6	263.4	2400			7-31-70	29.3	285.3	2400
		4-20-70	88.4	260.6	2400	9-01-70	30.5	284.1	2400		
		5-22-70	90.3	258.7	2400	9-30-70	34.8	279.8	2400		
		6-22-70	87.4	261.6	2400	9S/02E-02J02M	287.6	10-30-69	21.0	266.6	2400
		7-28-70	89.2	259.8	2400			12-01-69	18.5	269.1	2400
7S/02E-33C01M	462.0	10-17-69	20.8	441.2	2400			12-31-69	16.6	271.0	2400
		11-26-69 (1)	21.7	440.3	2400			1-29-70	13.5	274.1	2400
		1-13-70	20.8	441.2	2400			3-02-70	10.6	277.0	2400
		2-17-70	20.6	441.4	2400			3-31-70	10.8	276.8	2400
		3-19-70	19.8	442.2	2400			4-30-70	12.3	275.3	2400
		4-16-70	21.4	440.6	2400			6-04-70 (2)	17.8	269.8	2400
		5-21-70	20.3	441.7	2400			9-03-70	19.8	267.8	2400
		6-19-70	20.6	441.4	2400	LIVERMORE VALLEY 2-10.00					
		7-28-70	20.8	441.2	2400	2S/01E-31E01M	340.0	10-00-69	33.2	306.8	5100
9-11-70	21.6	440.4	2400	4-00-70	14.2			325.8	5100		
7S/02W-03P01M	216.7	10-01-69	316.0	-99.3	2400	2S/02E-21F01M	580.0	10-00-69	48.0	532.0	5100
		11-01-69	310.0	-93.3	2400			4-00-70	47.5	532.5	5110
		12-01-69	302.0	-85.3	2400	2S/02E-22N02M	545.0	10-00-69	22.0	523.0	5100
		1-01-70	297.0	-80.3	2400			4-00-70	24.0	521.0	5100
		2-01-70	292.0	-75.3	2400	2S/02E-27K01M	520.0	10-00-69	12.0	508.0	5100
		3-01-70	288.0	-71.3	2400			4-00-70 (1)	32.7	487.3	5100
		4-01-70	289.0	-72.3	2400	2S/02E-28J01M	520.0	10-00-69	13.8	506.2	5100
		5-01-70	294.0	-77.3	2400			4-00-70	7.0	513.0	5100
		7S/02W-04B01M	218.0	10-27-69 (6)	203.8	14.2	2400	2S/02E-29A02M	552.0	10-00-69	30.9
12-23-69 (6)	199.3			18.7	2400	4-00-70	31.5			520.5	5100
1-28-70 (6)	194.4			23.6	2400	2S/02E-32C01M	520.0	10-00-69	23.7	496.3	5100
3-31-70 (6)	191.8			26.2	2400			4-00-70 (1)	22.7	497.3	5100
4-29-70 (6)	197.3			20.7	2400	2S/02E-35F01M	522.0	10-00-69	15.0	507.0	5100
6-05-70 (6)	208.6			9.4	2400			4-00-70	13.2	508.8	5100
7-09-70 (6)	209.8			8.2	2400	2S/02E-36F01M	533.0	10-00-69	28.9	504.1	5100
8-12-70	225.0			-7.0	2400			4-00-70	28.5	504.5	5100
7S/02W-22A01M	340.0	10-28-69	23.3	316.7	2400	2S/01W-22K01M	440.0	10-00-69	19.2	420.8	5100
		12-23-69	24.7	315.3	2400			4-00-70	14.5	425.5	5100
		1-28-70	22.4	317.6	2400						
		3-31-70	20.8	319.2	2400						
		5-05-70	25.6	314.4	2400						
		6-08-70	24.2	315.8	2400						
		7-14-70	24.5	315.5	2400						
		8-25-70	25.7	314.3	2400						
8S/01E-07H02M	207.0	10-03-69	(6)		2400						

TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
LIVERMORE VALLEY 2-10.00 (Continued)						LIVERMORE VALLEY 2-10.00 (Continued)					
2S/01W-26C01M	416.9	10-00-69 4-00-70	37.4 31.6	379.5 385.3	5100 5100	3S/01E-16D07M (Continued)	339.4	3-04-70 4-01-70 5-12-70 6-10-70 6-24-70 8-05-70 9-02-70	89.3 86.3 87.3 107.3 111.3 123.5 122.8	250.1 253.1 252.1 232.1 228.1 215.9 216.6	5100 5100 5100 5100 5100 5100 5100
3S/01E-01G02M	417.0	10-00-69 4-00-70	50.1 36.0	366.9 381.0	5100 5100	3S/01E-16R01M	358.0	10-03-69 4-00-70	71.2 70.4	286.8 287.6	5100 5100
3S/01E-02J01M	408.0	10-00-69 4-00-70	52.1 50.1	355.9 357.9	5100 5100	3S/01E-18A01M	320.0	10-01-69 10-29-69 12-11-69 1-08-70 2-04-70 3-04-70 4-01-70 5-12-70 6-10-70 6-24-70 8-05-70 9-02-70	92.0 84.0 80.0 78.0 75.0 70.0 71.0 77.0 76.0 69.0 72.0 73.0	228.0 236.0 240.0 242.0 245.0 250.0 249.0 243.0 244.0 251.0 248.0 247.0	5100 5100 5100 5100 5100 5100 5100 5100 5100 5100 5100 5100
3S/01E-03J01M	361.0	10-00-69 4-00-70 (1)	23.3 27.9	337.7 333.1	5100 5100	3S/01E-18M05M	320.0	10-00-69 4-00-70	85.8 76.0	234.2 244.0	5100 5100
3S/01E-05M01M	333.7	10-00-69 4-00-70	11.3 7.2	322.4 326.5	5100 5100	3S/01E-19A03M	328.0	10-01-69 10-29-69 12-11-69 1-08-70 2-04-70 3-04-70 4-01-70 5-12-70 6-10-70 6-24-70 8-05-70 9-02-70	93.7 87.9 83.7 (9) 74.7 73.2 78.7 77.7 73.4 73.7 74.7 76.7	234.3 240.1 244.3 5100 253.3 254.8 249.3 250.3 254.6 254.3 253.3 251.3	5100 5100 5100 5100 5100 5100 5100 5100 5100 5100 5100 5100
3S/01E-05R02M	340.0	10-00-69 4-00-70	91.3 76.7	248.7 263.3	5100 5100	3S/01E-20B02M	340.0	10-01-69 4-01-70	106.5 80.8	233.5 259.2	5100 5100
3S/01E-06C01M	334.7	10-00-69 4-00-70	25.9 22.8	308.8 311.9	5100 5100	3S/01E-23J01M	435.0	10-03-69 4-00-70 (1)	85.9 79.5	349.1 355.5	5100 5100
3S/01E-08J02M	339.6	10-01-69 10-29-69 12-11-69 1-08-70 2-04-70 3-04-70 4-01-70 5-12-70 6-10-70 6-24-70 8-05-70 9-02-70	82.4 91.8 87.8 85.3 81.6 76.3 74.8 77.5 83.5 82.0 91.6 106.8	257.2 247.8 251.8 254.3 258.0 263.3 264.8 262.1 256.1 257.6 248.0 232.8	5100 5100 5100 5100 5100 5100 5100 5100 5100 5100 5100 5100	3S/01E-24R01M	421.9	10-08-69 4-00-70	18.0 17.2	403.9 404.7	5100 5100
3S/01E-09R02M	353.2	10-01-69 4-01-70	113.2 89.5	240.0 263.7	5100 5100	3S/01E-29E03M	311.0	10-08-69 4-00-70 (1)	45.5 51.0	265.5 260.0	5100 5100
3S/01E-10Q02M	368.7	10-01-69 4-01-70	135.5 104.5	233.2 264.2	5100 5100	3S/02E-01G01M	580.0	10-00-69 4-00-70	87.9 82.5	492.1 497.5	5100 5100
3S/01E-11H01M	372.9	10-00-69 4-00-70	141.9 123.0	231.0 249.9	5100 5100	3S/02E-03K01M	520.2	10-00-69 (1) 4-00-70	141.2 48.5	379.0 471.7	5100 5100
3S/01E-12P01M	404.0	10-00-69 4-00-70	(8) 156.3	5100 247.7	5100	3S/02E-03P01M	545.0	10-00-69 4-00-70	58.6 58.6	486.4 486.4	5100 5100
3S/01E-13P01M	396.5	10-00-69 4-00-70	(1) 147.9	5100 248.6	5100	3S/02E-06P01M	414.0	10-00-69 4-00-70	79.2 42.9	334.8 371.1	5100 5100
3S/01E-14F01M	379.1	10-00-69 4-00-70	76.1 73.1	303.0 306.0	5100 5100	3S/02E-07P02M	440.0	10-00-69 4-00-70	123.1 96.6	316.9 343.4	5100 5100
3S/01E-15L01M	363.0	10-00-69 (1) 4-00-70 (1)	139.5 80.5	223.5 282.5	5100 5100	3S/02E-08H01M	472.5	10-08-69 4-00-70	158.0 134.0	314.5 338.5	5100 5100
3S/01E-16D02M	339.4	10-01-69 10-29-69 12-11-69 1-08-70 2-04-70 3-04-70 4-01-70 5-12-70 6-10-70 6-24-70 8-05-70 9-02-70	95.2 98.2 96.7 91.2 89.2 84.2 81.2 81.2 96.2 94.2 100.2 101.2	244.2 241.2 242.7 248.2 250.2 255.2 258.2 258.2 243.2 245.2 239.2 238.2	5100 5100 5100 5100 5100 5100 5100 5100 5100 5100 5100 5100	3S/02E-08P02M	465.0	10-01-69 (4) 4-01-70	111.0 78.0	354.0 387.0	5100 5100
3S/01E-16D06M	339.4	10-01-69 10-29-69 12-11-69 1-08-70 2-04-70 3-04-70 4-01-70 5-12-70 6-10-70 6-24-70 8-05-70 9-02-70	109.2 103.7 96.2 93.2 88.2 85.2 80.2 80.2 102.7 102.5 112.2 113.5	230.2 235.7 243.2 246.2 251.2 254.2 259.2 259.2 236.7 236.9 227.2 225.9	5100 5100 5100 5100 5100 5100 5100 5100 5100 5100 5100 5100	3S/02E-09Q01M	518.0	10-00-69 4-00-70	130.0 108.0	388.0 410.0	5100 5100
3S/01E-16D07M	339.4	10-01-69 10-29-69 12-11-69 1-08-70 2-04-70	111.3 109.8 94.3 101.3 92.3	228.1 229.6 245.1 238.1 247.1	5100 5100 5100 5100 5100	3S/02E-11R03M	600.0	10-00-69 4-00-70	130.0 122.5	470.0 477.5	5100 5100
						3S/02E-11R04M	600.0	10-00-69 4-00-70	87.4 86.9	512.6 513.1	5100 5100
						3S/02E-14Q01M	649.0	10-00-69 4-00-70	9.5 7.5	639.5 641.5	5100 5100



TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
LIVERMORE VALLEY 2-10.00 (Continued)						CENTRAL COASTAL REGION 3-00.00					
3S/02E-15B04M	549.0	10-24-69 4-00-70	46.4 21.6	502.6 527.4	5100 5100	PAJARO VALLEY 3-02.00					
3S/02E-15R01M	599.0	10-08-69 4-00-70	14.0 13.3	585.0 585.7	5100 5100	11S/02E-27A01M	141.0	10-03-69 11-13-69 12-05-69 1-13-70 2-10-70 3-06-70 4-02-70 5-06-70 6-08-70	127.5 124.5 105.2 109.0 105.5 103.2 103.5 105.2 116.0	13.5 16.5 35.8 32.0 35.5 37.8 37.5 35.8 25.0	5050 5050 5050 5050 5050 5050 5050 5050 5050
3S/02E-16E02M	508.0	10-01-69 (4) 10-29-69 12-11-69 1-08-70 2-04-70 3-04-70 4-01-70 5-12-70 6-10-70 6-24-70 8-05-70 9-02-70	100.9 97.1 94.4 103.9 92.9 93.9 92.9 96.9 99.9 95.5 97.9 100.9	407.1 410.9 413.6 404.1 415.1 414.1 415.1 411.1 408.1 412.5 410.1 407.1	5100 5100 5100 5100 5100 5100 5100 5100 5100 5100 5100 5100	12S/01E-24G01M	9.4	10-03-69 11-13-69 12-05-69 1-13-70 2-10-70 3-06-70 4-02-70 5-06-70 6-08-70	17.4 7.6 14.5 5.6 6.5 5.7 6.8 10.3 11.8	-8.0 1.8 -5.1 3.8 2.9 3.7 2.6 -0.9 -2.4	5050 5050 5050 5050 5050 5050 5050 5050 5050
3S/02E-16N01M	530.0	10-00-69 4-00-70	157.4 129.6	372.6 400.4	5100 5100	12S/02E-11E04M	36.0	10-03-69 11-13-69 12-05-69 1-13-70 2-10-70 3-06-70 4-02-70 5-06-70 6-08-70	31.7 26.7 25.9 22.2 20.5 19.0 19.2 24.2 26.2	4.3 9.3 10.1 13.8 15.5 17.0 16.8 11.8 9.8	5050 5050 5050 5050 5050 5050 5050 5050 5050
3S/02E-19D01M	411.6	10-01-69 10-29-69 12-11-69 1-08-70 2-04-70 3-04-70 4-01-70 5-12-70 6-10-70 6-24-70 8-05-70 9-02-70	183.6 178.9 174.6 170.0 164.2 163.9 158.8 164.4 172.0 171.3 181.5 184.2	228.0 232.7 237.0 241.6 247.4 247.7 252.8 247.2 239.6 240.3 230.1 227.4	5100 5100 5100 5100 5100 5100 5100 5100 5100 5100 5100 5100	12S/02E-16J01M	20.5	10-03-69 11-13-69 12-05-69 1-13-70 2-10-70 3-06-70 4-02-70 5-06-70 6-08-70	23.1 16.6 16.6 13.1 10.6 10.3 10.7 13.0 23.5	-2.6 3.9 3.9 7.4 9.9 10.2 9.8 7.5 -3.0	5050 5050 5050 5050 5050 5050 5050 5050 5050
3S/02E-19H03M	460.0	10-00-69 4-00-70	96.8 98.0	363.2 362.0	5100 5100	12S/02E-31K01M	30.0	12-31-69	29.8	0.2	2100
3S/02E-22H02M	620.0	10-00-69 4-00-70	36.4 23.2	583.6 596.8	5100 5100	13S/01E-01A01M	5.0	12-31-69	2.6	2.4	2100
3S/02E-22M01M	605.0	10-23-69 4-00-70	154.5 147.1	450.5 457.9	5100 5100	13S/02E-05B01M	136.0	10-03-69 11-13-69 12-05-69 1-13-70 2-10-70 3-06-70 4-02-70 5-06-70 6-08-70	144.3 142.2 139.3 136.9 135.2 135.1 134.7 142.6 145.1	-8.3 -6.2 -3.3 -0.9 0.8 0.9 1.3 -6.6 -9.1	5050 5050 5050 5050 5050 5050 5050 5050 5050
3S/02E-26J01M	720.0	10-08-69 (1) 4-00-70 (1)	25.9 24.1	694.1 695.9	5100 5100	13S/02E-06B01M	15.0	10-03-69 11-13-69 12-05-69 1-13-70 2-10-70 3-06-70 4-02-70 5-06-70 6-08-70	18.2 15.4 16.8 13.5 11.9 11.2 13.9 15.0 16.5	-3.2 -0.4 -1.8 1.5 3.1 3.8 1.1 0.0 -1.5	5050 5050 5050 5050 5050 5050 5050 5050 5050
3S/02E-28P01M	505.0	10-08-69 4-00-70	18.0 18.0	487.0 487.0	5100 5100	13S/02E-06C01M	26.0	12-31-69	22.5	3.5	2100
3S/02E-29D01M	466.4	10-08-69 4-00-70	56.2 56.1	410.2 410.3	5100 5100	13S/02E-06E02M	27.8	12-31-69	24.3	3.5	2100
3S/02E-29P01M	476.6	10-08-69 4-00-70	8.4 8.4	468.2 468.2	5100 5100	13S/02E-06E03M	30.0	12-31-69	28.0	2.0	2100
3S/03E-07M02M	625.0	10-00-69 4-00-70	55.2 53.5	569.8 571.5	5100 5100	GILROY-HOLLISTER VALLEY 3-03.00					
3S/03E-17N01M	860.0	10-29-69 4-00-70	40.0 45.5	820.0 814.5	5100 5100	SOUTH SANTA CLARA COUNTY 3-03.01					
3S/03E-19D01M	712.0	10-00-69 4-00-70	32.9 33.5	679.1 678.5	5100 5100	9S/03E-16J01M	385.7	10-15-69 11-01-69 12-08-69 1-08-70 2-11-70 3-17-70 4-10-70 5-19-70	(7) (7) 78.8 79.4 73.8 70.3 73.4 76.5		2400 2400 306.9 306.3 311.9 315.4 312.3 309.2
3S/01W-01B01M	332.0	10-00-69 4-00-70	54.4 38.5	277.6 293.5	5100 5100						
3S/01W-02A01M	370.0	10-00-69 4-00-70	30.7 26.9	339.3 343.1	5100 5100						
3S/01W-02R01M	380.0	10-06-69 4-00-70	14.8 13.7	365.2 366.3	5100 5100						
3S/01W-12G03M	320.0	10-00-69 4-00-70	15.9 8.9	304.1 311.1	5100 5100						



## GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
SOUTH SANTA CLARA COUNTY 3-03.01 (Continued)						SOUTH SANTA CLARA COUNTY 3-03.01 (Continued)					
9S/03E-21K02M	361.6	10-15-69	57.0	304.6	2400	9S/03E-36F03M	322.0	10-14-69	78.4	243.6	2400
		11-01-69	(7)		2400			11-01-69	76.0	246.0	2400
		12-08-69	49.7	311.9	2400			12-05-69	71.0	251.0	2400
		1-08-70	54.4	307.2	2400			1-07-70	70.6	251.4	2400
		2-11-70	48.6	313.0	2400			2-11-70	64.7	257.3	2400
		3-17-70	44.3	317.3	2400			3-16-70	61.7	260.3	2400
		4-10-70	(1)		2400			4-09-70	62.8	259.2	2400
		5-19-70	49.7	311.9	2400			5-18-70	68.3	253.7	2400
		6-17-70	(7)		2400			6-03-70	(7)		2400
9S/03E-22B03M	379.1	10-01-69	71.1	308.0	2400	10S/03E-02K03M	290.0	10-03-69	39.4	250.6	5050
		10-31-69	71.9	307.2	2400			11-13-69	36.8	253.2	5050
		12-03-69	72.2	306.9	2400			12-05-69	36.5	253.5	5050
		1-02-70	71.1	308.0	2400			1-13-70	35.2	254.8	5050
		1-30-70	69.1	310.0	2400			2-10-70	27.5	262.5	5050
		3-17-70	66.2	312.9	2400			3-06-70	23.7	266.3	5050
		4-01-70	65.0	314.1	2400			4-02-70	24.0	266.0	5050
		5-01-70	63.2	315.9	2400			5-06-70	31.4	258.6	5050
		6-03-70	68.6	310.5	2400			6-08-70	37.6	252.4	5050
9S/03E-23E01M	362.5	10-14-69	98.7	263.8	2400	10S/03E-13J03M	251.0	10-03-69	38.0	213.0	5050
		11-01-69	(7)		2400			11-12-69	36.0	215.0	5050
		12-08-69	94.8	267.7	2400			12-05-69	35.6	215.4	5050
		1-08-70	78.6	283.9	2400			1-13-70	33.4	217.6	5050
		2-11-70	72.4	290.1	2400			2-10-70	23.7	227.3	5050
		3-17-70	69.6	292.9	2400			3-06-70	21.0	230.0	5050
		4-10-70	(1)		2400			4-01-70	21.4	229.6	5050
		5-19-70	88.8	273.7	2400			5-06-70	22.5	228.5	5050
		6-03-70	(7)		2400			6-08-70	(1)		5050
9S/03E-26P01M	329.1	10-14-69	53.5	275.6	2400	10S/03E-36E03M	220.0	10-03-69	36.0	184.0	5050
		11-01-69	(7)		2400			11-13-69	35.0	185.0	5050
		12-08-69	50.6	278.5	2400			12-05-69	33.6	186.4	5050
		1-07-70	48.8	280.3	2400			1-13-70	32.8	187.2	5050
		2-11-70	39.3	289.8	2400			2-10-70	20.9	199.1	5050
		3-17-70	35.7	293.4	2400			3-06-70	20.4	199.6	5050
		4-10-70	37.3	291.8	2400			4-02-70	20.6	199.4	5050
		5-18-70	45.8	283.3	2400			5-06-70	23.7	196.3	5050
		6-11-70	54.8	274.3	2400			6-08-70	33.1	186.9	5050
9S/03E-27C02M	347.0	10-14-69	53.7	293.3	2400	10S/04E-18G02M	259.5	10-03-69	52.1	207.4	5050
		11-01-69	(7)		2400			11-12-69	52.4	207.1	5050
		12-08-69	46.6	300.4	2400			12-05-69	48.3	211.2	5050
		1-07-70	51.1	295.9	2400			1-13-70	45.7	213.8	5050
		2-11-70	44.2	302.8	2400			2-10-70	38.9	220.6	5050
		3-17-70	41.6	305.4	2400			3-06-70	38.1	221.4	5050
		4-10-70	41.6	305.4	2400			4-01-70	38.5	221.0	5050
		5-18-70	47.7	299.3	2400			5-06-70	43.9	215.6	5050
		6-17-70	53.0	294.0	2400			6-08-70	50.1	209.4	5050
9S/03E-29B01M	397.6	11-13-69	10.9	386.7	5050	10S/04E-31G04M	197.5	10-20-69	38.5	159.0	5200
		4-02-70	3.2	394.4	5050			12-08-69	33.5	164.0	5200
9S/03E-34D02M	327.0	10-14-69	42.4	284.6	2400			12-15-69	33.5	164.0	5200
		11-01-69	(7)		2400			1-19-70	31.5	166.0	5200
		12-08-69	39.5	287.5	2400			2-16-70	25.5	172.0	5200
		1-07-70	38.2	288.8	2400			3-16-70	21.5	176.0	5200
		2-11-70	32.2	294.8	2400			4-20-70	25.5	172.0	5200
		3-17-70	29.8	297.2	2400			5-18-70	32.5	165.0	5200
		4-10-70	30.4	296.6	2400	10S/04E-35E01M	248.0	11-12-69	81.7	166.3	5050
		5-18-70	(1)		2400			4-01-70	72.0	176.0	5050
		6-16-70	(7)		2400	11S/04E-06B01M	197.2	10-20-69	44.0	153.2	5200
9S/03E-34Q01M	314.2	10-14-69	36.4	277.8	2400			12-08-69	39.0	158.2	5200
		11-01-69	(7)		2400			12-15-69	39.0	158.2	5200
		12-05-69	32.6	281.6	2400			1-19-70	35.0	162.2	5200
		1-07-70	31.4	282.8	2400			2-16-70	29.0	168.2	5200
		2-11-70	20.9	293.3	2400			3-16-70	26.0	171.2	5200
		3-17-70	19.4	294.8	2400			4-20-70	30.0	167.2	5200
		4-10-70	20.6	293.6	2400			5-18-70	38.0	159.2	5200
		5-18-70	26.8	287.4	2400	11S/04E-06D01M	211.0	10-20-69	52.0	159.0	5200
		6-17-70	29.3	284.9	2400			12-08-69	48.0	163.0	5200
9S/03E-36E02M	309.3	10-14-69	54.3	255.0	2400			12-15-69	48.0	163.0	5200
		11-01-69	(7)		2400			1-19-70	39.0	172.0	5200
		12-05-69	(1)		2400			2-16-70	31.0	180.0	5200
		1-07-70	49.4	259.9	2400			3-16-70	35.0	176.0	5200
		2-11-70	40.8	268.5	2400			4-20-70	38.0	173.0	5200
		3-16-70	38.6	270.7	2400			5-18-70	47.0	164.0	5200
		4-09-70	(1)		2400						
		5-18-70	53.5	255.8	2400						
		6-03-70	(7)		2400						

TABLE C-2 (Cont.)

## GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA		
SOUTH SANTA CLARA COUNTY 3-03.01 (Continued)						SALINAS VALLEY 3-04.00							
11S/04E-06H01M	191.5	10-20-69	38.0	153.5	5200	PRESSURE AREA 180 FOOT AQUIFER 3-04.01							
		12-08-69	33.0	158.5	5200	14S/02E-03C01M	10.6	12-02-69	16.2	-5.6	2100		
		12-15-69	32.0	159.5	5200			15S/02E-01Q01M	42.0	10-20-69	43.2	-1.2	2100
		1-19-70	30.0	161.5	5200	11-18-69	40.9			1.1	2100		
		2-16-70	23.0	168.5	5200	12-03-69	38.7			3.3	2100		
		3-16-70	21.0	170.5	5200	1-15-70	28.6			13.4	2100		
		4-20-70	24.0	167.5	5200	2-18-70	26.6			15.4	2100		
		5-18-70	31.0	160.5	5200	3-16-70	29.8			12.2	2100		
11S/04E-06P02M	201.7	10-20-69	48.0	153.7	5200	4-14-70	(1)		2100				
		12-08-69	43.0	158.7	5200	5-21-70	(1)		2100				
		12-15-69	45.0	156.7	5200	15S/03E-16M01M	58.0	10-22-69	49.7	8.3	2100		
		1-19-70	40.0	161.7	5200			11-18-69	38.5	19.5	2100		
		2-16-70	32.0	169.7	5200			12-04-69	38.1	19.9	2100		
		3-16-70	31.0	170.7	5200			1-15-70	35.6	22.4	2100		
		4-20-70	35.0	166.7	5200			2-18-70	29.5	28.5	2100		
		5-18-70	42.0	159.7	5200			3-20-70	32.8	25.2	2100		
11S/04E-08K02M	179.0	10-03-69	28.8	150.2	5050	4-14-70	53.0	5.0	2100				
		11-12-69	24.0	155.0	5050	5-20-70	(1)		2100				
		12-05-69	23.7	155.3	5050	15S/04E-33A01M	125.0	12-05-69	81.3	43.7	2100		
		1-13-70	18.7	160.3	5050			16S/04E-11D01M	110.0	12-01-69	46.0	64.0	2100
		2-10-70	12.2	166.8	5050	PRESSURE AREA 400 FOOT AQUIFER 3-04.01							
		3-06-70	11.3	167.7	5050	13S/02E-31Q01M	11.0			12-02-69	19.2	-8.2	2100
		4-01-70	11.7	167.3	5050	14S/03E-18J01M	69.0			10-20-69	81.7	-12.7	2100
		5-06-70	16.3	162.7	5050					11-17-69	77.0	-8.0	2100
		6-08-70	25.7	153.3	5050					12-03-69	75.6	-6.6	2100
		SAN BENITO COUNTY 3-03.02								1-15-70	65.8	3.2	2100
11S/05E-13D01M	255.7	10-03-69	20.8	234.9	5050					2-19-70	67.2	1.8	2100
		11-12-69	21.7	234.0	5050			3-18-70	70.7	-1.7	2100		
		12-05-69	21.9	233.8	5050			4-14-70	79.2	-10.2	2100		
		1-13-70	23.3	232.4	5050			5-19-70	(1)		2100		
		2-10-70	20.1	235.6	5050	EAST SIDE AREA 3-04.02							
		3-06-70	19.3	236.4	5050	16S/05E-17R01M	181.0	12-03-69	117.0	64.0	2100		
		4-01-70	20.7	235.0	5050							ARROYO SECO CONE 3-04.04	
		5-06-70	23.1	232.6	5050	18S/06E-15M01M	277.0	10-20-69	92.5	184.5	2100		
6-08-70	(1)		5050	11-19-69	91.0			186.0	2100				
12S/04E-20C01M	152.9	3-00-70	26.5	126.4	5151			12-03-69	94.2	182.8	2100		
		12S/05E-10R01M	211.6	10-03-69	84.5			127.1	5050	1-14-70	88.2	188.8	2100
				11-12-69	82.1			129.5	5050	2-18-70	98.0	179.0	2100
				12-05-69	81.8			129.8	5050	3-18-70	97.2	179.8	2100
				1-13-70	79.1			132.5	5050	4-15-70	88.1	188.9	2100
				2-10-70	78.4			133.2	5050	5-21-70	93.7	183.3	2100
				3-06-70	77.6	134.0	5050	19S/06E-11C01M	373.0	10-22-69	166.8	206.2	2100
				4-01-70	77.8	133.8	5050			11-19-69	164.0	209.0	2100
5-06-70	75.6			136.0	5050	12-03-69	161.7			211.3	2100		
6-08-70	84.1	127.5	5050	1-14-70	(9)		2100						
12S/05E-12M04M	215.0	10-03-69	77.6	137.4	5050	2-16-70	162.1			210.9	2100		
		11-12-69	76.6	138.4	5050	3-17-70	176.0			197.0	2100		
		12-05-69	76.2	138.8	5050	4-15-70	(1)				2100		
		1-13-70	75.3	139.7	5050	5-21-70	(1)				2100		
		2-10-70	73.0	142.0	5050	UPPER VALLEY AREA 3-04.05							
		3-06-70	72.8	142.2	5050	19S/07E-10P01M	315.0	10-22-69	80.5	234.5	2100		
		4-01-70	68.3	146.7	5050			11-19-69	82.4	232.6	2100		
		5-06-70	70.5	144.5	5050			12-05-69	83.8	231.2	2100		
6-08-70	77.7	137.3	5050	1-13-70	79.1			235.9	2100				
12S/05E-33A02M	280.0	10-03-69	96.0	184.0	5050			2-16-70	80.1	234.9	2100		
		11-12-69	93.5	186.5	5050			3-17-70	91.0	224.0	2100		
		12-05-69	92.4	187.6	5050			4-15-70	92.6	222.4	2100		
		1-13-70	90.2	189.8	5050			5-21-70	103.5	211.5	2100		
		2-10-70	84.8	195.2	5050	20S/08E-05R01M	337.0	10-22-69	66.2	270.8	2100		
		3-06-70	83.3	196.7	5050			11-19-69	64.6	272.4	2100		
		4-01-70	84.0	196.0	5050			12-02-69	65.4	271.6	2100		
		5-06-70	87.5	192.5	5050			1-12-70	63.6	273.4	2100		
6-08-70	(1)		5050	2-16-70	65.1			271.9	2100				
12S/05E-35N02M	303.0	10-03-69	(1)		5050			3-17-70	69.3	267.7	2100		
		11-12-69	104.1	198.9	5050			4-15-70	(1)		2100		
		12-05-69	118.9	184.1	5050			5-20-70	81.5	255.5	2100		
		1-13-70	90.4	212.6	5050								
		2-10-70	88.0	215.0	5050								
		3-06-70	85.2	217.8	5050								
		4-01-70	87.2	215.8	5050								
		5-06-70	93.9	209.1	5050								
13S/05E-11Q01M	325.5	3-00-70	22.3	303.2	5151								

TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA				
UPPER VALLEY AREA 3-04.05 (Continued)						PASO ROBLES BASIN 3-04.06 (Continued)									
21S/09E-07J02M	364.0	10-22-69	22.3	341.7	2100	26S/15E-29N01M	1133.0	4-14-70	93.0	1040.0	5117				
		11-19-69	21.0	343.0	2100			8-18-70	117.0	1016.0	5117				
		12-01-69	22.6	341.4	2100	27S/13E-24N01M	1030.0	4-10-70	33.0	997.0	5117				
		1-12-70	23.0	341.0	2100										
		2-16-70	22.9	341.1	2100	27S/13E-33L01M	1180.0	10-10-69	124.8	1055.2	5117				
		3-16-70	22.9	341.1	2100							4-10-70	105.5	1074.5	5117
		4-15-70	(1)		2100										
5-20-70	24.0	340.0	2100	27S/15E-03E01M	1120.0	12-23-69	53.6	1066.4	5117						
21S/10E-32N01M	400.0	12-01-69	22.4			377.6	2100	4-00-70	68.4	1051.6	5117				
22S/10E-16K01M	472.0	12-01-69	68.9	403.1	2100	27S/15E-10R02M	1130.0	4-14-70	(3)		5117				
PASO ROBLES BASIN 3-04.06						27S/16E-07P01M	1225.0	12-23-69	64.1	1160.9	5117				
24S/11E-25N01M	603.3	11-28-69	40.8	562.5	5117			4-16-70	61.0	1164.0	5117				
		2-27-70	40.3	563.0	5117	27S/16E-35Q01M	1281.0	12-23-69	14.0	1267.0	5117				
		9-30-70	38.8	564.5	5117							4-10-70	11.2	1269.8	5117
24S/11E-33R01M	565.0	11-28-69	32.0	533.0	5117	28S/12E-10R02M	805.0	4-07-70	20.5	784.5	5117				
		2-27-70	31.0	534.0	5117							28S/12E-25R01M	877.0	10-09-69	14.6
		9-30-70	31.0	534.0	5117	4-07-70	10.6	866.4	5117						
24S/11E-35D01M	572.1	11-28-69	33.0	539.1	5117	28S/13E-04K01M	1199.5	4-10-70	36.5	1163.0	5117				
		2-27-70	31.5	540.6	5117							28S/13E-31K01M	884.8	4-07-70	16.6
		9-30-70	31.0	541.1	5117	28S/16E-23M01M	1440.0	4-10-70	24.8	1415.2	5117				
24S/11E-35J01M	616.8	12-18-69	59.8	557.0	5117							29S/13E-05F03M	915.6	4-07-70	13.3
		4-08-70	69.8	547.0	5117	29S/13E-05K02M	928.5	4-07-70	9.6	918.9	5117				
24S/15E-27L01M	1211.5	4-09-70	23.0	1188.5	5117							29S/13E-06A01M	920.0	10-09-69	51.7
24S/15E-33C02M	1225.0	4-09-70	36.3	1188.7	5117	4-07-70	45.0	875.0	5117						
25S/11E-35G01M	895.0	12-15-69	59.5	835.5	5117	29S/13E-08M01M	945.0	10-09-69	12.2	932.8	5117				
		4-07-70	60.0	835.0	5117							4-07-70	12.6	932.4	5117
25S/11E-36N02M	837.5	12-15-69	44.0	793.5	5117	29S/13E-19H01M	1002.1	10-09-69	17.3	984.8	5117				
		4-07-70	40.0	797.5	5117							4-07-70	5.8	996.3	5117
25S/12E-17J01M	640.0	12-15-69	49.2	590.8	5117	SEASIDE AREA 3-04.08									
		4-08-70	61.8	578.2	5117	14S/02E-31M01M	119.9	10-22-69	129.1	-9.2	5005				
25S/12E-17R01M	640.0	12-15-69	46.0	594.0	5117			12-00-69	123.5	-3.6	5005				
		4-08-70	69.0	571.0	5117			1-00-70	121.8	-1.9	5005				
25S/12E-26K01M	749.0	12-16-69	120.0	629.0	5117			3-00-70	121.0	-1.1	5005				
								4-08-70	114.0	635.0	5117	4-00-70	123.8	-3.9	5005
25S/12E-28N01M	639.0	12-16-69	16.5	622.5	5117			6-00-70	128.3	-8.4	5005				
								4-08-70	11.9	627.1	5117	7-00-70	131.7	-11.8	5005
25S/13E-11E01M	1185.0	12-16-69	50.0	1135.0	5117	15S/01E-14N01M	144.6	10-22-69	128.6	16.0	5005				
		4-08-70	48.7	1136.3	5117			12-00-69	117.7	26.9	5005				
25S/13E-19R01M	915.0	12-16-69	176.2	738.8	5117			1-00-70	117.4	27.2	5005				
								4-08-70	176.7	738.3	5117	3-00-70	120.8	23.8	5005
25S/16E-17L01M	1164.5	4-09-70	26.1	1138.4	5117			4-00-70	127.6	17.0	5005				
								6-00-70	125.6	19.0	5005				
26S/12E-04N01M	675.0	12-15-69	46.0	629.0	5117			7-00-70	126.3	18.3	5005				
						4-08-70	45.9	629.1	5117	CARMEL VALLEY 3-07.00					
26S/12E-26E01M	840.0	10-10-69	199.0	641.0	5117	16S/01E-16L01M	75.0	10-23-69	18.3	56.7	2100				
		4-09-70	192.0	648.0	5117			11-24-69	18.4	56.6	2100				
26S/13E-05F01M	740.0	12-16-69	15.0	725.0	5117			12-18-69	18.0	57.0	2100				
								4-08-70	15.5	724.5	5117	1-19-70	17.3	57.7	2100
26S/13E-10D01M	800.0	4-08-70	19.7	780.3	5117			2-20-70	17.3	57.7	2100				
								3-19-70	15.4	59.6	2100				
26S/14E-17L01M	949.0	4-08-70	98.8	850.2	5117			4-17-70	17.7	57.3	2100				
								5-21-70	17.9	57.1	2100				
26S/14E-18Q01M	930.0	4-03-70	25.9	904.1	5117	16S/01E-22E01M	82.0	10-23-69	26.4	55.6	2100				
								26S/14E-24B01M	1000.0	4-09-70	(1)	5117	11-24-69	(1)	
26S/14E-35D01M	1135.0	4-14-70	126.0	1009.0	5117								12-17-69	27.0	55.0
								1-19-70	(9)		2100				
26S/15E-16P02M	1047.0	4-10-70	43.4	1003.6	5117			2-20-70	(9)		2100				
								3-19-70	29.3	52.7	2100				
26S/15E-21P01M	1072.0	4-10-70	(1)	5117	4-17-70			26.0	56.0	2100					
					5-21-70			33.4	48.6	2100					
26S/15E-28Q01M	1090.0	4-10-70	(9)		5117										
		9-14-70	(3)		5117										

TABLE C-2 (Cont.)  
GROUND WATER LEVELS AT WELLS

STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA	STATE WELL NUMBER	GROUND SURFACE ELEVATION IN FEET	DATE	GROUND SURFACE TO WATER SURFACE IN FEET	WATER SURFACE ELEVATION IN FEET	AGENCY SUPPLYING DATA
CARMEL VALLEY 3-07.00 (Continued)											
16S/01E-23F01M	109.0	10-23-69	29.8	79.2	2100						
		11-24-69	30.5	78.5	2100						
		12-17-69	31.8	77.2	2100						
		1-19-70	32.3	76.7	2100						
		2-20-70	26.2	82.8	2100						
		3-19-70	24.4	84.6	2100						
		4-17-70	26.1	82.9	2100						
		5-21-70	26.0	83.0	2100						
16S/01E-25B01M	140.0	10-23-69	16.8	123.2	2100						
		11-24-69	17.5	122.5	2100						
		12-17-69	17.5	122.5	2100						
		1-19-70	16.7	123.3	2100						
		2-20-70	15.5	124.5	2100						
		3-19-70	15.7	124.3	2100						
		4-17-70	(1)		2100						
		5-21-70	17.5	122.5	2100						

Appendix D  
SURFACE WATER QUALITY



## INTRODUCTION

This appendix contains surface water quality data collected from October 1, 1969, through September 30, 1970. The data were collected from 110 stream and estuarine stations in the Central Coastal Area by the U. S. Bureau of Reclamation and the Department of Water Resources. Only those stations from which data are collected routinely are shown on Figure D-1. The U. S. Bureau of Reclamation data were collected for its Delta-San Luis Drainage Surveillance Program and are basically confined to the Sacramento-San Joaquin Delta and Suisun Bay, the latter being included in this report.

The Department of Water Resources Laboratory used procedures from "Standard Methods for the Examination of Water and Wastewater", 12th Edition, 1967, for the determination of mineral, nutrient, and biological constituents. Pesticides are determined in accordance with the "Guide to the Analysis of Pesticide Residues", U. S. Department of Health, Education and Welfare, 1965.

The U. S. Air Force at McClellan Air Force Base provides laboratory services for the Bureau of Reclamation. It uses procedures in accordance with the "FWPCA Methods for Chemical Analysis of Water and Wastes", November 1968, for all parameters.

Two numbering systems are used in this bulletin for identifying water quality stations. The first is for those stations for which the flow of water can be measured readily, as in streams and rivers. This system is described in Department of Water Resources Bulletin No. 157, "Index of Stream Gaging Stations in and Adjacent to California", 1970.

The second numbering system is used for those stations located in broad water bodies. This system is described as follows: The first two digits identify the hydrologic basin as in the first system. The third digit identifies the type of water body being identified, and for this publication is a "B" for Bay, "D" for Delta, "O" for Ocean, and "S" for Slough. The next digit is the last digit of the latitude in degrees, "3" for 33°, or "9" for 29°. The next three digits are the minutes of latitude to the tenth of a minute. The last four digits are longitude in the same manner as latitude.

Example: EO B 807.3 145.6

EO	San Francisco Bay
B	Water Body -- Bay
8	28° Latitude
07.3	07.3 Minutes Latitude
1	121° Longitude
45.6	45.6 Minutes Longitude

## SURFACE WATER MEASUREMENT STATIONS

Hydrographic Area BSacramento-San Joaquin Delta (B9)

B9 1110 Sacramento River at Collinsville

Hydrographic Area ESan Francisco Bay (EO)

EO 3300 Suisun Bay at Benicia

Napa-Solano (E3)

E3 1400 Rector Reservoir near Yountville

## SURFACE WATER QUALITY STATIONS

Hydrographic Area DSanta Cruz (DO)

DO 1100.00 Branciforte Creek at Santa Cruz  
 DO 1180.01 San Lorenzo River at Paradise Park  
 DO 1200.00 San Lorenzo River at Big Trees  
 DO 1220.01 Zayante Creek at Felton  
 DO 1498.01 San Lorenzo River at Boulder Creek  
 DO 2020.00 Aptos Creek below Valencia Creek at Aptos  
 DO 3100.00 Soquel Creek at Soquel  
 DO 4010.01 Scott Creek at Highway 1 near  
 Davenport

Pajaro-San Benito Rivers (D1)

D1 1250.00 Pajaro River at Chittenden  
 D1 1371.50 Uvas Creek near Morgan Hill below  
 Uvas Dam  
 D1 2450.00 San Benito River near  
 Willow Creek School

Lower Salinas River (D2)

D2 1325.10 Salinas River near Gonzales  
 D2 1450.00 Arroyo Seco near Soledad  
 D2 1850.00 Salinas River near Bradley

Upper Salinas River (D3)

D3 1450.00 Salinas River at Paso Robles

Monterey Coast (D4)

D4 1200.00 Carmel River at Robles Del Rio

Hydrographic Area ESan Francisco Bay (EO)

EO B 735.0 215.0 San Francisco Bay at San Mateo  
 Bridge Ship Channel  
 EO B 736.2 211.6 San Francisco Bay at San Mateo Bridge  
 EO B 748.1 222.4 San Francisco Bay west of Yerba  
 Buena Island  
 EO B 757.7 226.2 San Pablo Strait west of  
 The Brothers

Napa-Solano (E3)

E3 1250.00 Napa River near Napa  
 E3 2100.57 Green Valley Creek near Cordelia


Hydrographic Area FMendocino Coast (F8)

F8 2100.00 Navarro River near Navarro  
 F8 2720.00 Big River near Mendocino  
 F8 3100.00 Noyo River near Fort Bragg


Russian River (F9)

F9 1080.50 Russian River at Guerneville  
 F9 1100.00 Russian River near Guerneville






SURFACE WATER OBSERVATION STATIONS 1969-70



SURFACE WATER OBSERVATION STATIONS 1969-70



SURFACE WATER OBSERVATION STATIONS 1969-70

TABLE D-1  
SAMPLING STATION DATA AND INDEX

Station	Station Number	Location		Beginning Of Record	Frequency Of Sampling	Data on pages indicated								
		Latitude ° ' "	Longitude ° ' "			Tables								
						D-2	D-3	D-4	D-5	D-6	D-7	D-8	D-9	
ALDER CREEK AT HIGHWAY 1	D4 3035.30	35 51 30	121 24 54	April 1969	Special	67								
ANDERSON CANYON AT HIGHWAY 1	D4 3310.30	36 09 12	121 40 00	April 1969	Special	68								
APTOS CREEK BELOW VALENCIA CREEK AT APTOS	D0 2020.00	36 58 26	121 54 10	March 1970	Semiannually	63	81		98					
ARROYO SECO NEAR GREENFIELD	D2 1475.00	36 14 12	121 28 48	July 1969	Semiannually	66	83							
ARROYO SECO NEAR SOLEDAD	D2 1450.00	36 16 42	121 19 30	April 1969	Irregular	66	82							
BIG CREEK AT HIGHWAY 1	D4 3201.50	36 04 18	121 35 48	April 1969	Special				85					
BIG RIVER NEAR MENDOCINO*	F8 2720.00	39 18 48	123 42 12	Jan. 1959	Bimonthly	79								
BIG SANDY CREEK AT INDIAN VALLEY ROAD	D3 1035.50	35 48 36	120 42 42	April 1969	Special	66								
BIG SUR RIVER AT BIG SUR	D4 2100.00	36 14 42	121 46 18	April 1969	Special	66	84							
BIXBY CREEK AT OLD COAST ROAD	D4 3628.50	36 22 12	121 53 36	April 1969	Special				86					
BLANCO DRAIN AT HITCHCOCK ROAD	D2 1208.30	36 40 24	121 42 06	Oct. 1969	Special	65				100				
BLANCO DRAIN AT PUMP LIFT	D2 1030.30	36 42 36	121 44 36	May 1970	Special	65	82			100				
BRANCIORTE CREEK AT SANTA CRUZ	D0 1100.00	36 59 10	122 00 47	March 1970	Semiannually	63	81			98				
BUCK CREEK AT HIGHWAY 1	D4 3300.30	36 08 12	121 38 42	April 1969	Special	68								
CARMEL HIGHLANDS CREEK AT HIGHWAY 1	D4 3770.50	36 30 18	121 56 12	Jan. 1970	Special	69								
CARMEL RIVER AT BERONDA ROAD	D4 1095.10	36 29 18	121 44 48	Jan. 1969	Special	66	83			100				
CARMEL RIVER NEAR MOUTH	D4 1008.50	36 32 12	121 55 36	May 1971	Special				83	100				
CARMEL RIVER AT ROBLES DEL RIO	D4 1200.00	36 28 30	121 43 36	Jan. 1959	Semiannually	66	83							
CARQUINEZ STRAIT AT CROCKETT	E0 B 803.5 213.3	38 03 28	122 13 18	1946	Four-Day					94				
CARQUINEZ STRAIT AT MARTINEZ	E0 B 801.9 207.8	38 01 55	122 07 46	1926	Four-Day					94				
CASTRO CANYON AT HIGHWAY 1	D4 3350.50	36 13 00	121 45 00	April 1969	Special	68								
CHADBOURNE SLOUGH AT CHADBOURNE ROAD	E0 S 811.0 204.8	38 10 57	122 04 50	Jan. 1967	Monthly	75	91							
CHUALAR CREEK AT OLD STAGE ROAD	D2 1290.50	36 34 42	121 29 42	Jan. 1970	Special	65								
CORDELIA SLOUGH AT CYGNUS	E0 S 809.2 205.3	38 09 10	122 05 19	Jan. 1967	Monthly	74	91			104				
CORDELIA SLOUGH AT UPPER END NEAR CORDELIA	E0 S 811.5 207.2	38 11 27	122 07 09	Sept. 1967	Monthly	77	92			105				
DOLAN CANYON AT HIGHWAY 1	D4 3240.50	36 06 24	121 37 16	April 1969	Special	68								
ELKHORN SLOUGH AT HIGHWAY 1	D1 3150.30	36 48 36	121 47 00	May 1970	Special				81	99				
EL TORO CREEK AT POTTER RANCH	D2 1195.20	36 33 12	121 43 54	March 1970	Special	65								
EL TORO CREEK NEAR SAN BENANCIO BRIDGE	D2 1185.20	36 34 42	121 43 12	March 1970	Special	65								
ESTRELLA RIVER AT RIVER ROAD	D3 1185.50	35 43 36	120 41 06	April 1969	Special	66								
GARRAPATA CREEK AT HIGHWAY 1	D4 3645.50	36 25 00	121 54 42	April 1969	Special	69	87							
GRANITE CREEK AT HIGHWAY 1	D4 3700.50	36 26 12	121 55 00	April 1969	Special	69								
GREEN VALLEY CREEK AT CORDELIA	E3 2100.51	38 12 43	122 07 42	Dec. 1968	Irregular	78	93							
GRIMES CANYON AT HIGHWAY 1	D4 3345.30	36 12 30	121 44 00	April 1969	Special	68								
GRIZZLY BAY AT DOLPHIN NEAR SUISUN SLOUGH	E0 B 807.0 202.3	38 07 02	122 02 19	Jan. 1968	Monthly	74	90			104				
HILL SLOUGH AT GRIZZLY ISLAND ROAD	E0 S 813.6 201.2	38 13 34	122 01 14	Feb. 1967	Monthly	77	92			105				
HONKER BAY NEAR WHEELER POINT	E0 B 804.4 156.2	38 04 26	121 56 12	Jan. 1968	Monthly	73	90			104				
HOT SPRINGS CANYON AT HIGHWAY 1	D4 3280.50	36 07 30	121 38 12	April 1969	Special	68	86							
JUAN HIGUERA CREEK AT HIGHWAY 1	D4 2061.20	36 15 52	121 47 55	Jan. 1970	Special	66								
LAFLEER CANYON AT HIGHWAY 1	D4 3340.30	36 12 12	121 43 30	April 1969	Special	68								
LIME CREEK AT HIGHWAY 1	D4 3260.50	36 07 18	121 37 48	April 1969	Special	68								
LIMEKILN CREEK AT HIGHWAY 1	D4 3105.50	36 00 30	121 31 06	April 1969	Special	67	85							
LITTLE SUR RIVER AT HIGHWAY 1	D4 3610.20	36 19 54	121 53 06	Feb. 1969	Special	68	86							
LITTLE SUR RIVER ABOVE SOUTH FORK	D4 3614.30	36 19 48	121 51 48	Feb. 1970	Special	68								
LITTLE SUR RIVER, SOUTH FORK, AT OLD COAST ROAD	D4 3613.30	36 19 42	121 51 48	Feb. 1970	Special	68								
MALPASO CREEK AT HIGHWAY 1	D4 3746.50	36 28 48	121 56 12	April 1969	Special	69								
McWAY CANYON AT HIGHWAY 1	D4 3320.30	36 09 30	121 40 12	April 1969	Special	68								
MILL CREEK AT HIGHWAY 1	D4 3081.50	35 58 54	121 29 37	April 1969	Special	67								
MONTEZUMA SLOUGH NEAR BELDON'S LANDING	E0 S 811.2 158.2	38 11 13	121 58 10	July 1968	Semimonthly	76								
MONTEZUMA SLOUGH AT GRIZZLY ISLAND ROAD	E0 S 811.2 158.5	38 11 14	121 58 32	Feb. 1967	Monthly	77	92			105				
MORO CANYON CREEK AT HWY 101 & SAN MIGUEL CANYON RD	D2 1070.20	36 48 07	121 39 35	March 1970	Special	65								
NAPA RIVER NEAR NAPA	E3 1250.00	38 22 06	122 18 08	Nov. 1929	Bimonthly	78								
NAVARRO RIVER NEAR NAVARRO	F8 2100.00	39 10 15	123 39 55	Jan. 1959	Bimonthly	78								
NOYO RIVER NEAR FORT BRAGG	F8 3100.00	39 25 40	123 44 10	Jan. 1951	Bimonthly	79								
PACIFIC OCEAN AT CARMEL S. T. P. OUTFALL	D4 1007.60	36 32 06	121 55 42	May 1970	Special	66	83			100				
PAJARO RIVER NEAR CHITTENDEN	D1 1250.00	36 54 00	121 35 54	Dec. 1951	Bimonthly	64	81							
PAJARO RIVER AT THURWACHTER ROAD	D1 1075.30	36 52 48	121 47 30	May 1970	Special				81	99				

\*BIG RIVER NEAR MENDOCINO was previously reported as BIG RIVER NEAR MOUTH.

TABLE D-1  
SAMPLING STATION DATA AND INDEX

Station	Station Number	Location		Beginning Of Record	Frequency Of Sampling	Data on pages indicated							
		Latitude ° ' "	Longitude ° ' "			Tables							
						D 2	D 3	D 4	D 5	D 6	D 7	D 8	D 9
PALO COLORADO CANYON AT PALO COLORADO ROAD	D4 3640.50	36 24 00	121 54 06	Jan. 1970	Special	69	86						
PARADISE CANYON AT MOUTH	D1 3090.20	36 48 26	121 42 10	March 1970	Special	64							
PARTINGTON CREEK AT HIGHWAY 1	D4 3330.30	36 10 30	121 41 32	April 1969	Special		86						
PLASKETT CREEK AT HIGHWAY 1	D4 3063.50	35 55 18	121 28 06	April 1969	Special	67							
POND, ON SAN MIGUEL CANYON ROAD	D1 3260.20	36 52 22	121 41 20	March 1970	Special	64							
RAT CREEK NEAR LUCIA	D4 4100.00	36 05 30	121 37 00	April 1969	Special	69							
REDWOOD GULCH NEAR JOLON	D4 3010.00	35 50 12	121 23 24	April 1969	Special	67	84						
ROCKY CREEK AT HIGHWAY 1	D4 3635.50	36 22 42	121 54 00	April 1969	Special	68							
RUSSIAN RIVER AT GUERNEVILLE	F9 1080.50	38 30 02	122 59 39	April 1951	Bimonthly	79							
RUSSIAN RIVER NEAR GUERNEVILLE	F9 1100.00	38 30 00	122 56 05	Nov. 1969	Irregular	79						114	
SACRAMENTO RIVER AT CHIPPS ISLAND	E0 B 802.8 155.0	38 02 47	121 55 02	Jan. 1968	Monthly	71	89		102				
SACRAMENTO RIVER AT COLLINSVILLE	B9 D 804.4 151.0	38 04 27	121 50 58	July 1958	Four-Day		94						
SACRAMENTO RIVER AT PITTSBURG	B9 D 802.3 153.0	38 02 18	121 52 58	1945	Four-Day		94						
SALINAS RECLAMATION CANAL AT AIRPORT WAY	D2 1020.70	36 39 42	121 37 18	May 1970	Semiannually	65	82		99				
SALINAS RECLAMATION CANAL AT BORONDA ROAD	D2 1010.20	36 41 24	121 40 48	May 1970	Special	64	82		99				
SALINAS RECLAMATION CANAL AT END OF MERCED STREET	D2 1015.50	36 40 30	121 38 24	May 1970	Semiannually	64	82		99				
SALINAS RIVER AT BLANCO ROAD	D2 1150.30	36 40 42	121 44 42	May 1970	Special		82		100				
SALINAS RIVER AT BRADLEY	D2 1850.00	35 55 42	120 52 00	July 1958	Semiannually	66	83						
SALINAS RIVER NEAR GONZALES	D2 1325.10	36 29 12	121 28 06	May 1969	Bimonthly	65	82					111	113
SALINAS RIVER AT PASO ROBLES	D3 1450.00	35 37 42	120 41 06	April 1951	Semiannually	66							
SALINAS RIVER NEAR SPRECKELS	D2 1220.00	36 37 48	121 40 42	April 1951	Special	65	82		100				
SALMON CREEK AT HIGHWAY 1	D4 3003.50	35 48 54	121 21 30	April 1969	Special	67	84						
SAN BENITO RIVER NEAR WILLOW CREEK SCHOOL*	D1 2450.00	36 36 30	121 12 00	July 1958	Semiannually	64							
SAN FRANCISCO BAY AT SAN MATEO BRIDGE	E0 B 736.2 211.6	37 36 14	122 11 34	Oct. 1964	Bimonthly	70	87		101 107 110				
SAN FRANCISCO BAY AT SAN MATEO BRIDGE (SHIP CHANNEL)	E0 B 735.0 215.0	37 35 01	122 14 59	Sept. 1969	Bimonthly	70	87		101 107 110				
SAN FRANCISCO BAY WEST OF YERBA BUENA ISLAND	E0 B 748.1 222.4	37 48 04	122 22 25	Sept. 1969	Monthly	70	88		101 107 110				
SAN JOSE CREEK AT HIGHWAY 1	D4 3800.50	36 31 24	121 55 30	April 1969	Special	69	87		100				
SAN LORENZO RIVER AT BIG TREES	D0 1200.00	37 01 40	122 03 30	Dec. 1951	Bimonthly	63			98				
SAN LORENZO RIVER AT BOULDER CREEK	D0 1498.01	37 06 47	122 06 40	March 1970	Semiannually	63	81		98				
SAN LORENZO RIVER AT PARADISE PARK	D0 1180.01	37 00 37	122 02 34	Sept. 1969	Continuous	63	81		98			112	
SAN MIGUEL CREEK EAST OF BACKIE ROAD	D2 1060.20	36 46 08	121 39 49	March 1970	Special	65							
SAN PABLO BAY AT POINT DAVIS	E0 B 803.4 215.6	38 03 24	122 15 37	Nov. 1969	Irregular	72							
SAN PABLO STRAIT WEST OF THE BROTHERS	E0 B 757.7 226.2	37 57 45	122 26 10	Sept. 1969	Monthly	70	88		101 107 110				
SCOTT CREEK AT HIGHWAY 1 NEAR DAVENPORT	D0 4010.01	37 02 26	122 13 39	March 1970	Special	63	81		99				
SOBERANES CREEK AT HIGHWAY 1	D4 3743.50	36 27 24	121 55 24	April 1969	Special	69							
SODA SPRINGS CREEK AT HIGHWAY 1	D4 3005.50	35 49 18	121 22 24	April 1969	Special	67	84						
SOQUEL CREEK AT SOQUEL	D0 3100.00	36 59 29	121 57 17	Dec. 1951	Semiannually	63	81		98				
SUISUN BAY ABOVE AVON PIER	E0 B 803.2 204.8	38 03 13	122 04 48	Sept. 1968	Monthly	72	89		103				
SUISUN BAY AT BENICIA (MIDDLE OF PIER)	E0 B 802.5 208.1	38 02 29	122 08 05	March 1969	Irregular	71							
SUISUN BAY OFF BULLS HEAD POINT AT MARTINEZ	E0 B 802.3 207.1	38 02 20	122 07 06	Feb. 1968	Monthly	71	88		102 107				
SUISUN BAY OFF MIDDLE POINT NEAR NICHOLS	E0 B 803.6 159.3	38 03 36	121 59 20	Jan. 1968	Monthly	73	89		103				
SUISUN BAY AT NICHOLS	E0 B 803.0 159.0	38 03 02	121 59 38	Jan. 1945	Four-Day		94						
SUISUN BAY AT PORT CHICAGO	E0 B 803.4 202.3	38 03 24	122 02 20	1946	Four-Day	72	94						
SUISUN BAY NEAR PRESTON POINT	E0 B 804.0 203.0	38 03 58	122 03 00	Sept. 1968	Monthly	73	90		103				
SUISUN SLOUGH AT VOLANTI SLOUGH ON JOICE ISLAND	E0 S 810.8 202.8	38 10 50	122 02 45	Jan. 1967	Monthly	75	91		105				
TEMLADERO SLOUGH AT MERRITT LAKE DRAIN	D2 1006.60	36 45 06	121 44 12	Aug. 1970	Irregular	64	82		99				
TEMLADERO SLOUGH AT NASHUA ROAD	D2 1006.30	36 46 18	121 47 12	May 1970	Semiannually	64	82		99				
TORRE CANYON AT HIGHWAY 1	D4 3335.50	36 11 48	121 42 30	April 1969	Special	68							
UVAS CREEK NEAR MORGAN HILL BELOW UVAS DAM	D1 1371.50	37 03 36	121 40 18	July 1952	Semiannually	64							
VICENTE CREEK AT HIGHWAY 1	D4 3180.50	36 02 36	121 35 00	April 1969	Special	67							
VIERRA CREEK EAST OF HIGHWAY 101	D2 1065.20	36 47 32	121 39 58	March 1970	Special	65							
VILLA CREEK AT HIGHWAY 1	D4 3020.30	35 50 54	121 24 20	April 1969	Special		84						
WATSON CREEK NEAR CORRAL DE TIERRA ROAD	D2 1198.20	36 32 54	121 43 48	March 1970	Special	65							
WILDCAT CREEK AT END OF PETER PAN ROAD	D4 3750.15	36 29 24	121 56 12	Jan. 1970	Special	69	87						
WILD CATTLE CREEK AT HIGHWAY 1	D4 3078.50	35 58 12	121 28 54	April 1969	Special	67	85						
WILLOW CREEK AT HIGHWAY 1	D4 3050.20	35 53 42	121 27 30	April 1969	Special	67	85						
ZAYANTE CREEK AT FELTON	D0 1220.01	37 02 53	122 04 00	March 1970	Semiannually	63	81		98				

\*SAN BENITO RIVER NEAR WILLOW CREEK SCHOOL was previously reported as SAN BENITO RIVER NEAR BEAR VALLEY FIRE STATION.

TABLE D-2

## MINERAL ANALYSES OF SURFACE WATER

Abbreviations and Codes

<u>Sampler</u>	- Codes for agency collecting sample
5001	- U. S. Bureau of Reclamation
5050	- Department of Water Resources
<u>Lab</u>	- Codes for laboratory performing analysis
5006	- McClellan Air Force Base Laboratory (used by USBR)
5050	- Department of Water Resources Laboratory at Bryte
<u>G.H.</u>	- Instantaneous gage height in feet above an established datum
<u>Q</u>	- Instantaneous discharge measured in cubic feet per second
<u>Depth</u>	- Depth at which sample was collected
<u>DO</u>	- Dissolved oxygen content in milligrams per liter
<u>Sat</u>	- Percent saturation
<u>Temp</u>	- Water temperature in degrees Fahrenheit (F) and Celsius (C)
<u>pH</u>	- Measure of acidity or alkalinity of water
<u>EC</u>	- Specific electrical conductance in micromhos at 25° C
<u>TDS</u>	- Gravimetric determination of total dissolved solids at 180° C
<u>Sum</u>	- Summation of analyzed constituents in prescribed manner
<u>TH</u>	- Total hardness
<u>NCH</u>	- Noncarbonate hardness, any excess of total hardness over total alkalinity
<u>Turb</u>	- Jackson Turbidity Units
E	- Measured with a Hellige Turbidimeter
A	- Measured with a Hach Nephelometer
F	- Measured with a Hach Kit in the field

Percent Reactance Value is determined by dividing the sum of the cations or anions in milliequivalents per liter into each constituent in milliequivalents per liter arriving at a percentage. For a partial analysis, an approximate value is determined by multiplying the electrical conductance by 0.01 and using that as the cation or anion sum.

Chemical Symbols

B	- Boron	K	- Potassium
Ca	- Calcium	Mg	- Magnesium
Cl	- Chloride	Na	- Sodium
CO <sub>3</sub>	- Carbonate	NO <sub>3</sub>	- Nitrate
F	- Fluoride	SiO <sub>2</sub>	- Silica
HCO <sub>3</sub>	- Bicarbonate	SO <sub>4</sub>	- Sulfate

TABLE D-2 (CONTINUED)  
MINERAL ANALYSES OF SURFACE WATER

DATE TIME	SAMPLER LAB	G.H. J	DO SAT	TEMP	FIELD LABORATORY PH EC	MINERAL CONSTITUENTS IN										MILLIEQUIVALENTS PER LITER					MILLIGRAMS PER LITER				
						CA	MG	NA	K	CO3	HCO3	SO4	CL	NO3	H	F	TDS SUM	TH NCH	TURB						
																				PERCENT REACTANCE VALUE					
.....																									
DO 1100.00 FRANCIS CREEK AT SANTA CRUZ																									
03/17/70	5050		10.6	52	F 7.4	280	25	8.1	19	--	.0	16	--	21	3.3	--	--	190	96	15E					
0720	5050		94	10	C 7.9	284	1.25	.67	.83	--	.00	1.57	--	.54	.05	--	--		10						
							44	24	29			55		21	2										
08/04/70	5050		10.5	52	F 8.0		52	14	35	--	.0	210	--	33	--	--	--	310	205	4E					
1110	5050		102	14	C 8.1	534	2.59	1.50	1.52	--	.00	3.44	--	.93	--	--	--		33						
							49	28	28			64		17											
DO 1100.01 SAN LORENZO RIVER AT PARADISE PARK																									
01/27/70	5050		10.8	52	F 7.3	195	23	4.5	10	--	.0	80	--	9.3	--	--	--		75	120E					
1530	5050		98	11	C 7.3	213	1.15	.37	.44	--	.00	1.31	--	.26	--	--	--		11						
							53	17	29			61		12											
03/16/70	5050		10.7	54	F 7.6	315	36	7.3	16	--	.0	114	--	14	.5	--	--	190	120	10E					
1410	5050		122	13	C 8.0	285	1.80	.60	.70	--	.00	1.87	--	.39	.01	--	--		27						
							63	21	24			65		14											
08/04/70	5050		10.5	51	F 8.0	324	38	8.0	19	--	.0	130	--	22	--	--	--	196	128	2E					
1015	5050		107	16	C 8.0	335	1.90	.66	.83	--	.00	2.13	--	.62	--	--	--		22						
							56	20	25			63		18											
DO 1200.00 SAN LORENZO RIVER AT BIG TREES																									
11/18/69	5050		13.7	45	F 7.6	360	40	7.5	22	--	.0	137	--	23	--	--	--		131	9E					
0930	5050		113	7	C 7.8	362	2.10	.62	.96	--	.00	2.25	--	.65	--	--	--		19						
							45	17	27			62		18											
12/18/69	5050		12.6	54	F 8.2	350	--	--	--	--	--	--	--	--	--	--	--								
1315			117	12	C																				
DO 1220.01 ZAYANTE CREEK AT FELTON																									
03/16/70	5050		10.3	56	F 7.9	340	42	9.7	19	--	.0	121	--	16	1.0	--	--	250	145	10E					
1615	5050		99	13	C 8.1	368	2.10	.80	.93	--	.00	1.98	--	.45	.02	--	--		46						
							57	22	23			54		12	1										
08/04/70	5050		10.0	59	F 7.8		39	7.6	21	--	.0	120	--	24	--	--	--	215	129	2E					
0930	5050		100	15	C 8.1	354	1.95	.62	.91	--	.00	1.97	--	.68	--	--	--		30						
							55	18	26			56		19											
DO 1400.01 SAN LORENZO RIVER AT BOULDER CREEK																									
03/16/70	5050		10.6	52	F 7.7	305	39	8.1	19	--	.0	116	--	15	.2	--	--	208	131	7E					
1545	5050		98	12	C 8.1	344	1.95	.67	.83	--	.00	1.90	--	.42	.00	--	--		36						
							56	19	24			55		12											
08/04/70	5050		9.5	62	F 7.6		50	18	31	--	.0	178	--	34	--	--	--	275	201	2E					
0850	5050		98	17	C 7.9	481	2.50	1.51	1.35	--	.00	2.42	--	.96	--	--	--		55						
							51	31	28			60		20											
DO 2020.00 APTOS CREEK BELOW VALENCIA CREEK AT APTOS																									
03/17/70	5050		11.1	50	F 7.9	450	42	18	25	--	.0	164	--	19	.6	--	--	284	183	25E					
0820	5050		99	10	C 8.2	455	2.10	1.55	1.29	--	.00	2.69	--	.54	.01	--	--		48						
							46	34	24			59		12											
08/04/70	5050		11.0	57	F 8.4		65	30	54	--	9.0	262	--	52	--	--	--	432	289	0.9E					
1210	5050		105	14	C 8.5	745	3.24	2.53	2.35	--	.30	4.30	--	1.47	--	--	--		59						
							43	34	32			54		20											
DO 3100.00 SOQUEL CREEK AT SOQUEL																									
01/28/70	5050		11.8	46	F 7.6	375	40	13	17	--	.0	124	--	13	--	--	--		154	45E					
0730	5050		97	8	C 7.6	372	2.00	1.08	.74	--	.00	2.03	--	.37	--	--	--		53						
							51	27	19			51		9											
03/17/70	5050		11.2	49	F 8.0	510	59	17	26	--	.0	166	--	22	--	--	--	344	217	8E					
0800	5050		97	9	C 8.2	528	2.44	1.40	1.13	--	.00	2.72	--	.62	--	--	--		81						
							52	25	20			48		11											
08/04/70	5050	2.65	11.5	65	F 8.4		70	25	44	--	5.0	220	--	66	--	--	--	439	280	1E					
1250	5050		122	18	C 8.4	716	3.49	2.10	1.91	--	.17	3.61	--	1.86	--	--	--		91						
							46	28	25			2		24											
DO 4010.01 SCOTT CREEK AT HIGHWAY 1 NEAR DAVENPORT																									
03/17/70	5050		10.7	51	F 7.2	265	15	6.2	30	--	.0	65	--	44	.6	--	--	156	63	7E					
0930	5050		95	11	C 7.7	283	.75	.51	1.31	--	.00	1.07	--	1.24	.01	--	--		10						
							27	18	46			38		44											
08/04/70	5050		11.5	57	F 7.2		21	10	32	--	.0	97	--	38	--	--	--	197	94	1E					
0845	5050		110	14	C 7.8	348	1.05	.83	1.39	--	.00	1.59	--	1.07	--	--	--		15						
							30	24	40			46		31											

MINERAL ANALYSES OF SURFACE WATER

DATE TIME	SAMPLER LWS	G.M. T	DO SAT	TEMP	FIELD LABORATORY PH	C	MINERAL CONSTITUENTS IN MILLIGRAMS PER LITER										MILLIEQUIVALENTS PER LITER										MILLIGRAMS PER LITER										
							PERCENT REACTANCE VALUE										CL				NO3				F				IDS				In				
							CA	MG	NA	K	CO3	HCO3	SO4	CL	NO3	NO3	NO3	NO3	NO3	NO3	NO3	NO3	NO3	NO3	NO3	NO3	NO3	NO3	NO3	NO3	NO3	NO3					
.....																																					
01		1250.00		PARAJARO RIVER NR CHITTENDEN																																	
03/06/70		1.30	9.7	53	F	7.0	425	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
1005	0050		89	12	C																																
04/07/70	0050	2.00	9.3	51	F	8.0	900	64	47	66	2.4	21	274	133	65	19	.40	--	--	530	352																
0900	0050		93	16	C	8.8	922	3.19	3.86	2.87	.00	.70	4.49	2.77	1.03	.31		--	--	555	93																
								32	39	29	1	7	44	27	14	3																					
05/05/70	0050	2.01	10.5	62	F	8.2	1200	--	--	109	--	.0	444	--	114	--	.50	--	--																		
0930	0050		107	17	C	8.1	1360			4.74		.00	7.24		3.21			--	--																		
										35			54		24																						
07/09/70	0050	2.24	8.7	55	F	8.1	1050	--	--	176	--	.0	533	--	170	--	.90	--	--																		
0930	0050		95	18	C	8.3	1790			7.66		.00	0.74		4.90			--	--																		
										43			49		20																						
08/04/70	0050	2.20	9.4	54	F	8.2	1900	45	55	233	4.0	.0	534	346	204	7.6	1.20	--	--	1280	500																
0920	0050		98	18	C	8.1	1790	4.74	0.99	10.14	.12	.00	8.54	7.20	5.75	.12		--	--	1246	145																
								22	32	46	1		40	33	20	1																					
09/04/70	0050							--	--	189	--	.0	540	--	177	--	1.00	--	--																		
1420						8.0	1700			8.22		.00	8.99		4.99			--	--																		
										48			53		29																						
01		1371.50		UVAS CREEK NR MORGAN HILL HL UVAS DA4																																	
04/07/70	0050		9.7	52	F	7.4	280	29	14	9.8	1.1	3.0	140	21	5.4	1.0	.10	--	--	154	130																
0800	0050		89	11	C	8.5	282	1.45	1.15	.43	.03	.10	2.30	.44	.15	.02		--	--	154	10																
								47	38	14	1	3	76	15	5	1																					
08/04/70	0050		9.8	65	F	7.8	310	32	15	9.6	1.0	.0	160	25	5.0	.4	.90	--	--	175	142																
1050	0050		100	18	C	8.1	299	1.60	1.23	.42	.03	.00	2.62	.52	.10	.01		--	--	169	11																
								49	38	13	1		79	16	5																						
01		2450.00		SAN BENITO RIVER NR WILLOW CREEK SCHOOL																																	
04/07/70	0050	1.73	9.4	70	F	8.4	1400	38	101	158	3.9	54	402	307	90	1.0	1.50	--	--	433	511																
1115	0050		110	21	C	8.9	1480	1.90	0.30	6.87	.10	1.80	6.54	6.39	2.54	.02		--	--	455	91																
								11	48	40	1	10	38	37	15																						
08/04/70	0050	1.40	10.0	62	F	8.2	1300	34	101	131	3.3	.0	542	241	69	.5	1.60	--	--	453	500																
0745	0050		113	17	C	8.3	1330	1.70	0.30	5.70	.04	.00	8.89	5.01	1.95	.01		--	--	452	50																
								11	53	36	1		56	32	12																						
01		3090.20		PARADISE CANYON AT MOUTH																																	
03/05/70	0050							32	13	26	9.8	.0	127	28	--	--	--	--	--																		
0830	0050							1.60	1.07	1.13	.25	.00	2.08	.58				--	--																		
								40	26	28	0																										
01		3260.20		POND, ON SAN MIGUEL CANYON ROAD																																	
03/04/70	0050							24	.0	20	8.8	.0	73	9.4	26	1.9	.10	--	--	148	60																
0945	0050							7.1	244	1.20	.00	.87	.23	.00	1.20	.20	.73	.03	--	--	127	0															
								52			38	10		56	9	34	1																				
02		1000.30		TEMBLADERO SLOUGH AT NASHUA ROAD																																	
05/05/70	0050		14.0	67	F	8.2	1750	343	69.4	175	--	.0	388	--	265	--	--	--	--																		
1715	0050		153	19	C	8.4	1790	17.12	5.70	7.61		.00	6.36		7.47			--	--																		
								96	32	43			36		42																						
08/25/70	0050		13.3	67	F	8.4	2250	94	64	352	--	.0	410	--	472	--	--	--	--																		
1135	0050		145	19	C	8.2	2430	4.69	5.26	15.31		.00	6.72		13.31			--	--																		
								19	22	63			28		55																						
02		1006.60		TEMBLADERO SLOUGH AT MERRITT LAKE DRAIN																																	
08/25/70		12.3	69	F	8.4	2400	--	--	--	--	--	--	--	--	--	--	--	--	--																		
1230	0050		138	21	C													--	--																		
09/04/70	0050							175	142	412	9.0	.0	591	505	400	4.5	.60	--	--	2290	1020																
1010	0050					8.2	3150	8.73	11.67	17.92	.23	.00	9.69	16.74	11.28	.07		--	--	2244	530																
								23	30	46	1		26	44	30																						
02		1010.20		SALINAS RECLAMATION CANAL AT BORONDA ROAD																																	
05/05/70	0050		3.7	66	F	7.3	1300	91	34	115	--	.0	278	--	188	--	--	--	--																		
1530	0050		39	19	C	7.6	1270	4.54	2.87	5.00		.00	4.56		5.30			--	--																		
								36	23	39			36		42																						
02		1015.50		SALINAS RECLAMATION CANAL AT END OF MERCED STREET																																	
05/05/70	0050		5.2	71	F	7.5	1600	125	45	165	--	.0	354	--	270	--	--	--	--																		
1455	0050		59	22	C	7.3	1580	6.24	3.71	7.18		.00	5.81		7.61			--	--																		
								37	22	43			35		45																						
08/25/70	0050		6.8	66	F	7.4	850	57	27	80	--	.0	218	--	123	--	--	--	--																		
1045	0050		73	19	C	8.1	872	2.84	2.24	3.48		.00	3.58		3.47			--	--																		
								33	26	40			41		40																						



TABLE D-2 (CONTINUED)  
MINERAL ANALYSES OF SURFACE WATER

DATE TIME	SAMPLER LAB	G.M. J	UU SAT	TEMP	FIELD LABORATORY PH EC	MINERAL CONSTITUENTS IN										MILLIEQUIVALENTS PER LITER					MILLIGRAMS PER LITER					
						CA	MG	NA	K	CO3	HCO3	SO4	CL	NO3	H	F	TOS SUM	TH NCH	TUBA							
																				PERCENT REACTANCE VALUE						
.....																										
D2 1020.70		SALINAS RECLAMATION CANAL AT AIRPORT WAY																								
05/05/70			19.1	69	F 8.6	1050	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
1415	S050		212	21	C																					
08/25/70	S050		13.2	66	F 8.2	1000	68	41	89	--	.0	198	--	154	--	--	--	--	--	--	--	--	--	342		
1020	S050		141	19	C 8.0	1080	3.39	3.44	3.87	--	.00	3.25	--	4.34	--	--	--	--	--	--	--	--	--	179		
							41	32	36			30		40												
D2 1030.30		BLANCO DRAIN AT PUMP LIFT																								
05/05/70	S050					102	67	268	--	.0	379	--	163	--	--	--	--	--	--	--	--	--	--	533		
1555					8.2	2010	5.39	5.56	11.66	--	.00	5.22	--	4.60	--	--	--	--	--	--	--	--	--	222		
							25	28	58			31		23												
D2 1060.20		SAN MIGUEL CREEK EAST OF BACKIE ROAD																								
03/04/70	S050					30	15	46	7.2	.0	155	23	62	4.3	.20	--	307	138								
0900	S050				7.3	485	1.50	1.23	2.00	.18	.00	2.54	.48	1.75	.07	--	265	10								
							31	25	41	4		52	10	35	1											
D2 1065.20		VIERRA CREEK EAST OF HIGHWAY 1																								
03/04/70	S050					25	13	36	6.2	.0	136	19	45	1.6	.20	--	258	116								
0900	S050				7.2	399	1.25	1.07	1.57	.16	.00	2.23	.40	1.27	.03	--	214	5								
							31	26	39	4		57	10	32	1											
D2 1070.20		MORO CANYON CREEK AT HWY 101 - SAN MIGUEL CANYON ROAD																								
03/04/70	S050					22	8.0	29	3.0	.0	98	14	35	4.6	.10	--	200	88								
0915	S050				6.8	312	1.10	.66	1.26	.08	.00	1.61	.29	.99	.07	--	165	8								
							35	21	41	3		54	10	33	2											
D2 1105.20		EL TORO CREEK NR SAN BENANCIO BRIDGE																								
03/03/70	S050					50	16	71	4.1	.0	154	70	110	2.5	.10	--	453	191								
1300	S050				7.4	718	2.50	1.32	3.09	.10	.00	2.53	1.46	3.10	.04	--	401	65								
							36	19	44	1		35	20	43	1											
D2 1195.20		EL TORO CREEK AT PUTTER RANCH																								
03/03/70	S050					51	17	61	4.2	.0	157	76	84	1.5	.20	--	429	196								
1345	S050				7.8	669	2.54	1.40	2.65	.11	.00	2.57	1.58	2.37	.02	--	373	69								
							38	21	40	2		39	24	36												
D2 1198.20		WATSON CREEK NR CORRAL DE TIERRA ROAD																								
03/03/70	S050					68	21	76	3.2	.0	207	93	110	6.6	.00	--	526	256								
1530	S050				7.9	852	3.39	1.73	3.31	.08	.00	3.39	1.93	3.10	.11	--	481	87								
							40	20	39	1		40	23	36	1											
D2 1208.30		BLANCO DRAIN AT HITCHCOCK ROAD																								
10/23/69	S050					4233	152	262	700	5.8	.0	688	1520	--	--	--	--	1457								
	S050						7.58	21.54	30.45	.15	.00	11.28	31.62	--	--	--	--	893								
							13	36	51																	
D2 1220.00		SALINAS RIVER NR SPRECKELS																								
11/05/69						--	--	--	--	--	--	--	23	--	.10	--	213									
1330					8.0	509							.65	--	--	--										
													13													
D2 1290.50		CHUALAR CREEK AT OLD STAGE ROAD																								
01/20/70	S050					--	--	37	--	.0	118	--	50	--	.20	--	130									
1100	S050				7.7	429		1.61	--	.00	1.94	--	1.41	--	--	--										
								38			45		33													
D2 1325.10		SALINAS RIVER NR GONZALES																								
11/05/69	S050		10.6	57	F 8.2	550	--	--	26	--	.0	182	--	22	--	.10	--	207								
1105	S050		101	14	C 8.2	498			1.13	--	.00	2.98	--	.62	--	--										
									23			60		12												
01/07/70	S050		12.2	44	F 8.2	1050	--	--	78	--	.0	169	--	66	--	.30	--	337								
1100	S050		98	7	C 8.1	945			3.39	--	.00	2.77	--	1.86	--	--										
									36			29		20												
03/05/70	S050		10.7	53	F 8.0	300	--	--	22	--	.0	123	--	15	--	.10	--	131								
1450	S050		98	12	C 7.9	348			.96	--	.00	2.02	--	.42	--	--										
									28			58		12												
04/07/70	S050		10.6	67	F 8.2	1100	99	44	102	4.4	16	236	317	76	5.7	.40	--	762	428							
1430	S050		116	19	C 8.7	1180	4.94	3.62	4.44	.11	.53	3.87	6.59	2.14	.09	--	783	208								
							38	28	34	1	4	29	50	16	1											
05/05/70						--	--	--	--	--	--	--	--	65	--	.30	--	373								
1315					8.2	1020								1.83	--	--										
														18												
09/03/70			9.2	74	F 8.2	460	--	--	--	--	--	--	--	--	--	--	--									
1600	S050		109	23	C																					

TABLE D-2 (CONTINUED)  
MINERAL ANALYSES OF SURFACE WATER

DATE TIME	SAMPLE L44	T.M. 7	DO SAT	TEMP	FIELD LABORATORY PH EC	MINERAL CONSTITUENTS IN										MILLIEQUIVALENTS PER LITER					MILLIGRAMS PER LITER					
						CA	MG	NA	K	CO3	HCO3	SO4	CL	NO3	B	F	TDS SUM	TH NCH	TURB							
																				PERCENT REACTANCE VALUE						
*****																										
D2 145.00 ARROYO SECO NR SOLEDAD																										
03/05/70	551	7.63	10.3	53	F 7.4	220	--	--	9.0	--	.0	98	--	--	--	--	--	--	--	--	--	--	--	--	--	--
1315	551		95	12	C				.39		.00	1.61														
04/04/70	555	4.5	10.5	52	F 8.0	380	44	10	16	2.3	10	141	55	6.0	.0	.00	--	205	153							
0830	555		97	11	C 8.5	359	2.20	.82	.70	.06	.33	2.31	1.14	.19	.00	--	214	19								
						58	22	19	2	8	54	29	5													
05/05/70	555	4.55	12.2	54	F 8.4	390	--	--	18	--	.0	162	--	6.3	--	.00	--		166							
1130	551		125	14	C 8.3	390			.78		.00	2.66		.18		--										
									20			68		5												
07/06/70	555	3.12	11.2	77	F 8.1	440	--	--	26	--	.0	177	--	13	--	.00	--		203							
1400	551		139	25	C 8.3	491			1.13		.00	2.90		.37		--										
									23			59		8												
08/03/70	555	3.01	12.4	74	F 8.0	540	60	15	34	4.0	.0	163	126	15	.7	.00	--	374	213							
1140	551		145	23	C 8.0	565	2.99	1.23	1.48	.10	.00	2.67	2.62	.42	.01	--	336	78								
							52	21	26	2		47	46	7												
09/03/70							--	--	--	--	--	--	--	22	--	.10	--		256							
1505					7.9	545								.62		--										
														10												
D2 1475.00 ARROYO SECO NEAR GREENFIELD																										
11/05/69	555		11.1	55	F 7.7	390	--	--	16	--	.0	168	--	8.4	--	.00	--		171							
0930	551		106	17	C 8.3	392			.70		.00	2.76		.24		--										
									18			70		6												
12/03/69	555		12.1	52	F 8.1	420	47	13	16	2.1	.0	166	55	5.7	.0	.00	--	236	171							
1200	550		110	17	C 8.1	390	2.35	1.27	.70	.05	.00	2.72	1.14	.16	.00	--	222	35								
							56	26	17	1		68	28	4												
D2 1457.00 SALINAS RIVER NR BRAULEY																										
04/08/70	555	4.61	11.2	54	F 8.1	500	74	30	59	3.0	14	251	138	47	.6	.20	--	477	310							
1000	551		111	14	C 8.7	504	3.69	2.47	2.57	.08	.47	4.12	2.87	1.33	.01	--	491	79								
							42	28	29	1	5	47	33	15												
08/03/70	551	5.94	10.7	61	F 8.0	350	43	13	15	2.9	.0	150	53	9.9	.6	.00	--	220	161							
0945	551		111	16	C 8.2	410	2.15	1.27	.65	.07	.00	2.46	1.10	.28	.01	--	212	38								
							55	27	16	2		64	29	7												
D3 1435.50 BIG SANDY CREEK AT INDIAN VALLEY ROAD																										
03/05/70	551					--	--	130	--	.0	250	--	60	--	.70	--		598								
1525	551				8.2	1540			5.66		.00	4.10		1.69		--										
									37			27		11												
D3 1155.50 ESTRELLA RIVER AT RIVER ROAD																										
03/05/70	555					--	--	202	--	12	304	--	178	--	1.00	--		383								
1510	550				8.5	1470			8.79		.40	4.99		5.02		--										
									60		3	34		34												
D3 1450.00 SALINAS RIVER AT PASO ROBLES																										
04/08/70	5050		9.5	72	F 8.2	900	89	33	68	2.7	27	253	140	76	1.2	0.2		545	357							
1115	5050		110	22	C 8.8	943	4.44	2.71	2.96	.07	.90	4.15	2.91	2.14	.02		562	105								
							43	17	29	1	9	41	29	21												
D4 1007.60 PACIFIC OCEAN AT CARMEL S.T.P. OUTFALL																										
05/05/70			11.0	52	F 8.2	45000	--	--	--	--	--	--	--	--	--	--										
1530	551		127	11	C																					
D4 1445.10 CARMEL RIVER AT HERONDA ROAD																										
05/05/70						--	--	--	--	--	--	--	--	26	--	--	--		148							
1410					7.9	391								.73		--										
														19												
D4 1200.00 CARMEL RIVER AT ROBLES DEL RIO																										
04/07/70	555	3.94	10.5	67	F 7.2	325	29	10	18	2.1	4.0	111	35	16	.0	.00	--	180	114							
1610	550		106	16	C 8.4	302	1.45	.82	.78	.05	.13	1.82	.73	.45	.00	--	170	16								
							47	26	25	2	4	58	23	14												
D4 2061.20 JUAN MIGUERA CREEK AT HIGHWAY 1																										
01/21/70	5550			67	F 8.0	360	53	10	7.4	--	.0	182	--	8.5	.2	--	--		174							
1130	5550			16	C 8.1	360	2.64	.84	.32		.00	2.98		.24	.00	--		25								
							73	23	9			83		7												
D4 2100.00 BIG SUR RIVER AT BIG SUR																										
01/21/70	5550	4.72		58	F 7.7	180	23	5.7	4.8	--	.0	93	--	3.1	.2	--	--		81							
1015	5550			14	C 7.8	187	1.15	.47	.21		.00	1.53		.09	.00	--		5								
							61	25	11			82		5												
02/26/70	5550			57	F	225	31	5.9	6.9	--	.0	110	--	4.4	.1	--	--		102							
1427	5550			14	C 7.9	226	1.55	.48	.30		.00	1.80		.12	.00	--		12								
							69	21	13			80		5												

TABLE D-2 (CONTINUED)  
MINERAL ANALYSES OF SURFACE WATER

DATE TIME	SAMPLE LAW	STATION	DO SAT	TEMP	FIELD LABORATORY PH EC	MINERAL CONSTITUENTS IN										MILLIGRAMS PER LITER					MILLIGRAMS PER LITER				
						MILLIEQUIVALENTS PER LITER										PERCENT REACTANCE VALUE					H F TDS TH TURB				
						CA	MG	NA	K	CO3	HCO3	SO4	CL	NO3											
.....																									
04 3003.50 SALMON CREEK AT HIGHWAY 1																									
10/02/69	050			54	F	--	--	19	--	7.0	274	--	14	--	.20	--							264		
1030	050			15	C	0.4	550	.43		.23	4.58		.37												
						15		15		4	83		7												
01/20/70						--	--	--	--	--	--	--	6.8	.5	--	--							118		
1025							251						.19	.01											
													8												
04 3005.50 SODA SPRINGS CREEK AT HIGHWAY 1																									
01/20/70				5	F	0.3	350	--	--	--	--	--	--	--	--	--									
1045	0550			16	C																				
04 301.00 REDWOOD GULCH NR JOLON																									
01/20/70	0500			54	F	0.2	290	23	14	7.2	--	.0	158	--	9.7	.1	--	--					137		
1050	0550			14	C	0.2	284	1.15	1.63	.31		.00	2.59		.27	.00	--	--					10		
						40	57	11					41		10										
04 3035.30 ALDER CREEK AT HIGHWAY 1																									
01/20/70	050			54	F	0.1	250	17	18	6.4	--	.0	136	--	8.6	.1	--	--					117		
1120	050			14	C	0.1	242	.45	1.49	.28		.00	2.23		.24	.00	--	--					6		
						35	62	12					92		10										
04 305.20 WILLOW CREEK AT HIGHWAY 1																									
10/02/69				54	F	--	--	--	--	--	--	--	--	--	--	--									
1145	050			15	C																				
01/20/70	050			54	F	0.0	190	16	10	6.8	--	.0	96	--	7.6	.1	--	--					83		
1145	0550			14	C	7.0	187	.40	.45	.30		.00	1.57		.21	.00	--	--					4		
						43	45	16					84		11										
04 3063.50 PLASKETT CREEK AT HIGHWAY 1																									
10/02/69	050			54	F	--	--	25	--	.0	196	--	41	--	.10	--							204		
1205	055			15	C	0.3	466			1.09		.00	3.21		1.16		--	--							
						23					69		25												
01/20/70	050			54	F	7.8	220	4.6	13	12	--	.0	85	--	16	.2	--	--					80		
1200	050			16	C	7.7	218	.48	1.12	.52		.00	1.39		.45	.00	--	--					11		
						22	51	24					64		21										
04 3073.50 WILD CATTLE CREEK AT HIGHWAY 1																									
10/02/69	050			54	F	--	--	28	--	7.0	204	--	33	--	.10	--							228		
1235	0550			15	C	0.5	336			1.22		.23	3.35		.93		--	--							
						23				4	62		17												
01/20/70	050			54	F	0.0	265	26	9.5	14	--	.0	118	--	18	.2	--	--					104		
1235	0550			16	C	7.4	263	1.30	.78	.61		.00	1.94		.51	.00	--	--					7		
						49	30	23					74		19										
04 3081.50 MILL CREEK AT HIGHWAY 1																									
10/02/69	050			54	F	--	--	12	--	.0	203	--	11	--	.10	--							199		
1250	050			16	C	0.3	397			.52		.00	3.33		.31		--	--							
						13					84		8												
01/20/70	050			54	F	0.1	300	38	11	7.9	--	.0	162	--	9.9	.4	--	--					142		
1250	0550			14	C	0.1	302	1.90	.94	.34		.00	2.66		.28	.01	--	--					9		
						63	31	11					88		9										
04 3105.50 LIMEKILN CREEK AT HIGHWAY 1																									
10/02/69	050			51	F	--	--	9.0	--	.0	166	--	10	--	.00	--							153		
1320	050			16	C	0.2	322			.39		.00	2.72		.28		--	--							
						12					84		9												
01/20/70	050			51	F	0.1	300	46	8.0	5.2	--	.0	171	--	6.9	.3	--	--					148		
1510	0550			14	C	0.1	294	2.30	.66	.23		.00	2.80		.19	.00	--	--					8		
						78	22	8					95		6										
04 3180.50 VICENTE CREEK AT HIGHWAY 1																									
10/02/69	050			51	F	--	--	13	--	5.0	194	--	13	--	.10	--							190		
1350	0550			16	C	0.5	388			.57		.17	3.18		.37		--	--							
						15				4	82		10												
01/20/70	050							28	9.7	9.0	--	.0	121	--	12	.3	--	--					110		
1425						7.9	258	1.40	.80	.39		.00	1.98		.34	.00	--	--					11		
						54	31	15					77		13										

TABLE D-2 (CONTINUED)  
MINERAL ANALYSES OF SURFACE WATER

DATE TIME	SAMPLER LAB	G.M. J	DO SAT	TEMP	FIELD LABORATORY PH EC	MILLIGRAMS PER LITER										MILLIEQUIVALENTS PER LITER					MILLIGRAMS PER LITER				
						MINERAL CONSTITUENTS IN				PERCENT REACTANCE VALUE						H F TDS TH TDS									
						CA	MG	NA	K	CO3	HCO3	SO4	CL	NO3	H	F	TDS SUM	TH MCM	TDS						
*****																									
D4 3240.50		DOLAN CANYON AT HIGHWAY 1																							
01/20/70	5050			51	F 8.1	400	49	12	9.0	--	.0	185	--	14	.8	--	--		175						
1510	5050			16	C 8.1	396	2.45	1.04	.39		.00	3.03		.39	.01	--	--		23						
		62 26 10																							
D4 3260.50		LIME CREEK AT HIGHWAY 1																							
01/20/70	5050			61	F 8.2	415	58	12	9.5	--	.0	212	--	14	.4	--	--		194						
1525	5050			16	C 8.1	433	2.49	.99	.41		.00	3.48		.39	.01	--	--		20						
		67 23 9																							
D4 3280.50		HOT SPRINGS CANYON AT HIGHWAY 1																							
01/20/70	5050			61	F 8.1	300	--	--	--	--	--	--	--	--	--	--	--								
1550	5050			16	C																				
D4 3300.30		BUCK CREEK AT HIGHWAY 1																							
01/20/70	5050			61	F 8.1	355	48	12	8.0	--	.0	185	--	13	.5	--	--		171						
1610	5050			16	C 8.2	360	2.40	1.02	.35		.00	3.03		.37	.01	--	--		20						
		67 28 10																							
D4 3310.30		ANDERSON CANYON AT HIGHWAY 1																							
01/20/70	5050			61	F 8.0	310	45	9.6	5.4	--	.0	176	--	8.0	.3	--	--		152						
1625	5050			16	C 8.1	306	2.25	.79	.23		.00	2.89		.23	.00	--	--		5						
		74 26 8																							
D4 3320.30		MCWAY CANYON AT HIGHWAY 1																							
10/02/69	5050			62	F		--	--	10	--	.0	185	--	11	--	.10	--		160						
1530	5050			17	C 8.3	336			.44		.00	3.03		.31		--	--								
		13																							
01/20/70	5050			60	F 8.0	295	42	9.5	6.8	--	.0	185	--	8.8	.3	--	--		144						
1640	5050			16	C 8.1	298	2.10	.78	.30		.00	2.71		.23	.00	--	--		9						
		70 26 10																							
D4 3335.50		TORRE CANYON AT HIGHWAY 1																							
01/20/70	5050			60	F 7.9	300	40	15	6.8	--	.0	180	--	9.1	.4	--	--		163						
1720	5050			16	C 8.0	331	2.00	1.26	.30		.00	2.95		.26	.01	--	--		16						
		60 38 9																							
D4 3340.30		LAFLEK CANYON AT HIGHWAY 1																							
01/21/70	0900				8.2	362	--	--	--	--	--	--	--	10	1.0	--	--		169						
		.28 .02																							
		8 1																							
D4 3345.30		GHIMES CANYON AT HIGHWAY 1																							
01/21/70	5050			60	F 8.2	400	52	--	7.1	--	.0	181	--	--	--	--	--								
0910	5050			16	C		2.59		.31		.00	2.97				--	--								
D4 3350.50		CASTRO CANYON AT HIGHWAY 1																							
01/21/70	5050			59	F 8.1	400	61	9.9	7.8	--	.0	210	--	11	.4	--	--		193						
0920	5050			15	C 8.1	397	3.04	.81	.34		.00	3.44		.31	.01	--	--		21						
		77 20 9																							
D4 3610.20		LITTLE SUR RIVER AT HIGHWAY 1																							
10/03/69	5050			58	F		--	--	15	--	5.0	178	--	16	--	.10	--		175						
1030	5050			14	C 8.4	372			.65		.17	2.92		.45		--	--								
		17																							
01/21/70	5050			60	F 7.8	195	17	10	6.8	--	.0	101	--	7.1	.2	--	--		84						
1155	5050			16	C 7.7	199	.85	.83	.30		.00	1.66		.20	.00	--	--		1						
		43 42 15																							
D4 3613.30		LITTLE SUR RIVER, SOUTH FORK AT OLD COAST ROAD																							
02/26/70	5050					45	6.3	8.2	.9	.0	168	12	6.7	.0	.00	--	162	130							
1518	5050				8.1	296	2.25	.52	.36	.02	.00	2.76	.25	.19	.00	--	163	1							
		71 17 11																							
D4 3614.30		LITTLE SUR RIVER, ABOVE SOUTH FORK																							
02/26/70	5050			57	F	200	22	5.4	9.2	1.3	.0	96	1.7	5.9	.0	.00	--	118	77						
1518	5050			14	C 7.8	192	1.10	.44	.40	.03	.00	1.57	.16	.17	.00	--	100	2							
		56 22 20																							
D4 3635.50		ROCKY CREEK AT HIGHWAY 1																							
10/03/69	5050			59	F		--	--	26	--	.0	141	--	37	--	.10	--		130						
1120	5050			15	C 8.3	369			1.13		.00	2.31		1.04		--	--								
		31																							
01/21/70	5050			60	F 7.8	200	16	7.3	14	--	.0	87	--	17	.7	--	--		70						
1230	5050			16	C 7.5	207	.80	.60	.61		.00	1.43		.48	.01	--	--		2						
		39 29 29																							

MINERAL ANALYSES OF SURFACE WATER

69

TABLE D-2 (CONTINUED)  
MINERAL ANALYSES OF SURFACE WATER

DATE TIME	SAMPLE LAB	DEPTH	OC SAT	TEMP	FIELD LABORATORY PH EC	MINERAL CONSTITUENTS IN										MILLIGRAMS PER LITER					TURB
						MILLIEQUIVALENTS PER LITER										PERCENT REACTANCE VALUE					
						CA	MG	NA	K	CO3	HCO3	SO4	CL	NO3		H	F	TDS SUM	TH NCH		
*****																					
ST B 755.0 210.4 SAN FRANCISCO BAY AT SAN MATEO BRIDGE (SHIP CHANNEL)																					
11/14/69	5-51					--	--	--	--	--	--	--	15400	--	--	--	--	--			
1205	5-50				39800								434.24				--	--			
													125								
12/09/69	5-51					--	--	--	--	--	--	--	15200	--	--	--	--	--			
1300	5-50				39800								428.64				--	--			
													124								
12/15/69	5-50			8.6	56 F	8.1	45000	--	--	--	--	--	15600	--	--	--	--	28600		8E	
1510	5-50			94	13 C		38700						439.92				--	--			
													131								
12/23/69	5-50					--	--	--	--	--	--	--	15600	--	--	--	--	--			
1220	5-50				39600								439.92				--	--			
													128								
12/29/69	5-50					--	--	--	--	--	--	--	11900	--	--	--	--	--			
0600	5-50				33500								335.58				--	--			
													115								
02/25/70	5-50			9.2	56.5F	8.0	26500	--	--	--	--	--	8680	--	--	--	--	16500		35E	
1000	5-50			94	13.6C		23400						244.78				--	--			
													115								
03/24/70	5-50			8.4	57 F	8.1	25200	--	--	--	--	--	9550	--	--	--	--	16900		39E	
0910	5-50			94	15 C		26500						269.31				--	--			
													116								
05/28/70	5-50			8.9	56 F	8.0	37500	--	--	--	--	--	15100	--	--	--	--	29100		30E	
1440	5-50			94	19 C		37700						425.82				--	--			
													130								
07/22/70	5-50			8.4	54 F	8.2	52800	--	--	--	--	--	17600	--	--	--	--	30700		25E	
0900	5-50			94	21 C		44100						496.32				--	--			
													129								
ST B 755.2 211.6 SAN FRANCISCO BAY AT SAN MATEO BRIDGE																					
04/22/70	5-50			8.4	57.0F	8.4	39000	--	--	--	--	--	16100	--	--	--	--	28600		4E	
0945	5-50			111	19.4C		41000						454.02				--	--			
													111								
04/11/70	5-50			7.1	56 F	8.4	43000	--	--	--	--	--	77300	--	--	--	--	32500		2E	
1045	5-50			971	21 C		44300						179.86				--	--			
													41								
09/17/70	5-50			7.1	57 F	8.2	45000	--	--	--	--	--	18000	--	--	--	--	32700		7E	
0700	5-50			94	19 C		43800						507.60				--	--			
													116								
ST B 745.1 222.4 SAN FRANCISCO BAY WEST OF YERBA BUENA ISLAND																					
12/15/69	5-50			8.4	57 F	8.0	48000	--	--	--	--	--	17000	--	--	--	--	31600		7E	
1630	5-50			99	14 C		41900						479.40				--	--			
													132								
02/25/70	5-50			9.0	55 F	8.2	32000	--	--	--	--	--	10500	--	--	--	--	19900		35E	
1140	5-50			94	13 C		28500						296.10				--	--			
													119								
03/24/70	5-50			7.4	56 F	8.1	34500	--	--	--	--	--	13200	--	--	--	--	26000		14E	
1045	5-50			84	13 C		35000						372.24				--	--			
													122								
05/28/70	5-50			7.3	61 F	8.0	40800	--	--	--	--	--	15900	--	--	--	--	32300		5E	
1535	5-50			90	16 C		41400						448.38				--	--			
													125								
06/22/70	5-50			8.4	61 F	8.0	44000	--	--	--	--	--	17000	--	--	--	--	30700		20E	
1200	5-50			87	16 C		43100						479.40				--	--			
													128								
07/22/70	5-50			8.9	64 F	8.2	57500	--	--	--	--	--	18000	--	--	--	--	32000		5E	
1030	5-50			91	19 C		45300						507.60				--	--			
													129								
08/11/70	5-50			7.5	65 F	8.3	44000	--	--	--	--	--	17000	--	--	--	--	32000		3E	
1150	5-50			93	19 C		44600						479.40				--	--			
													124								
09/17/70	5-50			7.1	63 F	7.7		--	--	--	--	--	16500	--	--	--	--	30000		5E	
0900	5-50			90	17 C		40500						465.30				--	--			
													132								
ST B 757.7 226.2 SAN CARLO STRAIT WEST OF THE BROTHERS																					
02/25/70	5-50			9.2	56.5F	8.0	26500	--	--	--	--	--	5500	--	--	--	--	10400		30E	
1315	5-50			95	13.6C		16300						155.10				--	--			
													109								
03/24/70	5-50			8.4	56 F	8.0	26700	--	--	--	--	--	9900	--	--	--	--	19000		14E	
1145	5-50			90	13 C		26700						279.18				--	--			
													120								
05/28/70	5-50			8.9	61 F	8.1	36800	--	--	--	--	--	14600	--	--	--	--	29100		10E	
1735	5-50			108	16 C		37500						411.72				--	--			
													126								
06/22/70	5-50			7.4	63 F	8.1	40000	--	--	--	--	--	15500	--	--	--	--	28000		25E	
1300	5-50			93	17 C		39700						437.10				--	--			
													127								

TABLE D-2 (CONTINUED)  
MINERAL ANALYSES OF SURFACE WATER

71

TABLE D-2 (CONTINUED)  
MINERAL ANALYSES OF SURFACE WATER

[illegible]



TABLE D-2 (CONTINUED)  
MINERAL ANALYSES OF SURFACE WATER

DATE TIME	SAMPLER LAB	G.M. DEPTH	DU SAT	TEMP	FIELD LABORATORY PH EC	MINERAL CONSTITUENTS IN MILLIEQUIVALENTS PER LITER										MILLIGRAMS PER LITER					
						PERCENT REACTANCE VALUE										MILLIGRAMS PER LITER					
						CA	MG	NA	K	CO3	HCO3	SO4	CL	NO3	B	F	TDS SUM	TH NCH	TUMS		
.....																					
EC B 803.6 154.3 SUJISUN BAY OFF MIDDLE POINT NEAR NICHOLS																					
10/21/69 1500	5001 5006			8.4 90	63 17	F 7.5 C		7000	--	--	--	--	--	--	--	--	--	--			35A
11/20/69 1305	5001 5006			9.4 93	57 14	F 7.6 C		3150	--	--	--	--	--	--	--	--	--	--			50A
02/11/70 0915	5001 5006			10.3 94	52 11	F 7.1 C		170	--	--	--	--	--	--	--	--	--	--			90A
03/19/70 1400	5001 5006			10.5 100	55 13	F 7.6 C		500	--	--	--	--	--	105 2.96 54	1.4 .03 1	--	--	309 17.0			50A
04/15/70 1055	5001 5006			10.3 102	57 14	F 7.6 C		3600	--	--	--	--	--	--	--	--	--	--			
05/20/70 1720	5001 5006			9.6 105	64 18	F 7.9 C		7540	--	--	--	--	--	--	--	--	--	--			19A
06/17/70 1610	5001 5006			10.3 116	66 19	F 8.1 C		9720	--	--	--	--	--	3010 84.86 87	--	--	--	6260 3.0			39A
07/16/70 1630	5001 5006				68 20	F 8.0 C		12400	--	--	--	--	--	--	--	--	--	--			35A
08/14/70 1515	5001 5006			10.3 124	72 22	F 7.8 C		12100	--	--	--	--	--	--	--	--	--	--			95A
09/11/70 1420	5001 5006			9.3 107	71 21	F 7.8 C		5750	--	--	--	--	--	1600 45.12 78	.9 .01	--	--	3280 9.0			55A
EC B 804.0 203.0 SUJISUN BAY NEAR PRESTON POINT																					
10/21/69 1415	5001 5006			8.2 89	63 17	F 7.5 C		11000	--	--	--	--	--	--	--	--	--	--			40A
11/20/69 1220	5001 5006			8.9 90	57 14	F 7.6 C		9610	--	--	--	--	--	--	--	--	--	--			45A
02/11/70 0855	5001 5006			10.5 95	52 11	F 7.2 C		170	--	--	--	--	--	--	--	--	--	--			100A
03/16/70 1120	5001 5006			10.4 101	57 14	F 7.3 C		215	--	--	--	--	--	18 .51 24	1.8 .03 1	--	--	137 16.0			36A
04/15/70 1030	5001 5006			10.1 101	57 14	F 7.6 C		6800	--	--	--	--	--	--	--	--	--	--			
05/20/70 1655	5001 5006			9.9 112	64 18	F 8.0 C		15700	--	--	--	--	--	--	--	--	--	--			22A
06/17/70 1545	5001 5006			9.3 108	66 19	F 8.3 C		16400	--	--	--	--	--	5610 158.20 96	--	--	--	11300 1.0			30A
07/16/70 1605	5001 5006			9.6 114	68 20	F 7.9 C		18300	--	--	--	--	--	--	--	--	--	--			38A
08/14/70 1455	5001 5006			9.2 112	70 21	F 8.0 C		20200	--	--	--	--	--	--	--	--	--	--			60A
09/11/70 1350	5001 5006			9.2 109	70 21	F 7.9 C		11800	--	--	--	--	--	3850 108.57 92	1.3 .02	--	--	8470 2.0			50A
EC B 804.4 156.2 MONKIE BAY NEAR WHEELER POINT																					
10/21/69 1530	5001 5006			8.5 91	64 18	F 7.5 C		1000	--	--	--	--	--	--	--	--	--	--			36A
11/21/69 1120	5001 5006			9.0 86	55 13	F 7.3 C		1000	--	--	--	--	--	--	--	--	--	--			50A
02/11/70 0940	5001 5006				52 11	F 7.3 C		170	--	--	--	--	--	--	--	--	--	--			100A
03/19/70 1435	5001 5006			10.7 102	55 13	F 7.5 C		220	--	--	--	--	--	12 .34 15	1.8 .03 1	--	--	122 16.0			60A

TABLE D-2 (CONTINUED)  
MINERAL ANALYSES OF SURFACE WATER

DATE TIME	SAMPLER LAB	G.H. DEPTH	DO SAT	TEMP	FIELD LABORATORY PH EC	MINERAL CONSTITUENTS IN										MILLIEQUIVALENTS PER LITER					MILLIGRAMS PER LITER					TURB
						PERCENT REACTANCE VALUE										PERCENT REACTANCE VALUE					PERCENT REACTANCE VALUE					
						CA	MG	NA	K	CO3	HCO3	SO4	CL	NO3	H	F	TDS SUM	TH NCH								
*****																										
FO B 804.4 156.2 HONKER BAY NEAR WHEELER POINT						CONTINUED																				
04/15/70 1115	5001 5006		10.1 99	57 14	F C	7.6 1800	--	--	--	--	--	--	--	--	--	--	--	--	--							
05/20/70 1740	5001 5006	3	8.9 96	64 18	F C	7.8 3900	--	--	--	--	--	--	--	--	--	--	--	--	--					39A		
06/17/70 1630	5001 5006	3	9.6 109	68 20	F C	8.0 7800	--	--	--	--	--	--	2300 64.86 83	--	--	--	5.0	--	--	4780				64A		
07/16/70 1645	5001 5006	3	9.4 108	68 20	F C	8.1 15700	--	--	--	--	--	--	--	--	--	--	--	--	--					55A		
08/14/70 1540	5001 5006	3	9.4 113	72 22	F C	7.9 10400	--	--	--	--	--	--	--	--	--	--	--	--	--					180A		
09/11/70 1450	5001 5006	3	8.9 102	70 21	F C	7.4 3050	--	--	--	--	--	--	870 24.53 80	.9 .01	--	--	12.0	--	--	1820				65A		
FO B 807.0 202.3 GRIZZLY BAY AT DOLPHIN NEAR SUISON SLOUGH																										
10/21/69 1215	5001 5006	3	8.1 86	63 17	F C	7.5 5000	--	--	--	--	--	--	1300 36.66 73	.9 .01	--	--	12.0	--	--	2650				65A		
11/21/69 1020	5001 5006	3	9.1 88	55 13	F C	7.4 4000	--	--	--	--	--	--	1200 33.84 85	.9 .01	--	--	15.0	--	--	2440				70A		
02/11/70 0730	5001 5006	3	10.5 95	52 11	F C	7.9 200	--	--	--	--	--	--	17 .48 24	.9 .01 1	--	--	18.0	--	--	145				120A		
03/16/70 0940	5001 5006	3	10.3 100	57 14	F C	7.3 190	14 .70 37	7.6 .62 33	12 .52 28	1.4 .04 2	.0 .00	64 1.05 55	23 .48 25	13 .37 19	1.2 .02 1	.20	--	16.0	126 120	67 14			65A			
04/16/70 1130	5001 5006	3	10.0 99	57 14	F C	7.7 5420	--	--	--	--	--	--	1670 47.09 87	1.8 .03	--	--	16.0	--	--	3360				50A		
05/18/70 1350	5001 5006	3	8.6 96	64 18	F C	7.7 12500	--	--	--	--	--	--	4100 115.62 92	1.3 .02	--	--	10.0	--	--	7960				34A		
06/15/70 1335	5001 5006	3	10.5 121	68 20	F C	7.9 10500	90 4.49 4	240 19.73 18	1960 82.65 76	85 2.18 2	.0 .00	92 1.51 1	485 10.09 10	3350 94.47 90	--	.60	--	2.0	6620 6199	1213 1136			21A			
07/15/70 1420	5001 5006	2	9.3 108	66 19	F C	8.3 17500	--	--	--	--	--	--	5900 166.38 95	4.0 .06	--	--	--	--	--	11700				70A		
08/13/70 1340	5001 5006	3	9.8 120	72 22	F C	8.0 16200	--	--	--	--	--	--	5400 152.28 94	.5 .01	--	--	--	--	--	10900				70A		
09/09/70 1140	5001 5006	3	9.1 103	68 21	F C	7.9 7080	60 2.99 4	150 12.33 18	1200 52.20 76	47 1.20 2	.0 .00	87 1.43 2	310 6.45 9	2180 61.48 89	.1 .00	.50	--	3.0	4440 3994	767 695			60A			
FO S 809.2 205.3 CORDELIA SLOUGH AT CYGNUS																										
10/02/69 0930	5001 5006	3	7.7 84	66.2F 19.0C	7.5 1600	--	--	--	--	--	--	--	--	--	--	--	--	--	--					80A		
11/06/69 1100	5001 5006	3	7.6 82	64.4F 18.0C	7.4 4680	50 2.50 5	102 8.38 17	840 36.54 76	36 .92 2	.0 .00	81 1.33 3	210 4.37 9	1500 42.30 88	1.3 .02	--	--	11.0	--	--	2940 2791	545 478			90A		
12/04/69 1030	5001 5006	3	8.3 77	51.8F 11.0C	7.2 5760	--	--	--	--	--	--	--	--	--	--	--	--	--	--					60A		
01/02/70 0845	5001 5006	3	8.4 71	46.4F 8.0C	7.3 1360	--	--	--	--	--	--	--	--	--	--	--	--	--	--					70A		
02/02/70 1035	5001 5006	3	8.7 79	51.8F 11.0C	7.1 590	16 .80 13	16 1.32 21	89 3.87 63	6.2 .16 3	.0 .00	84 1.38 23	38 .79 13	135 3.81 63	6.6 .11 2	.90	--	20.0	--	533 370	106 37			1300A			
03/05/70 1035	5001 5006	3	7.2 66	51.8F 11.0C	7.1 1020	--	--	--	--	--	--	--	--	--	--	--	--	--	--					180A		
04/01/70 1020	5001 5006	3	10.5 105	59.0F 15.0C	7.4 900	--	--	--	--	--	--	--	--	--	--	--	--	--	--					140A		

TABLE D-2 (CONTINUED)  
MINERAL ANALYSES OF SURFACE WATER

DATE TIME	SAMPLER LAB	G.H. DEPTH	DU SAT	TEMP	FIELD LABORATORY PH EC	MINERAL CONSTITUENTS IN MILLIGRAMS PER LITER										MILLIGRAMS PER LITER					
						PERCENT REACTANCE VALUE										MILLIGRAMS PER LITER					
						CA	MG	NA	K	CO3	HCO3	SO4	CL	NO3	B	F	TDS SUM	TH NCH	TURB		
.....																					
E0 S 809.2 205.3 CORDELIA SLOUGH AT CYGNUS						CONTINUED															
05/15/70 1130	5001 5006			4.2 102	66.2F 14.0C	7.5	5580	60	130	960	42	.0	94	275	1790	1.8	.60	--	3650	645	34A
		3						2.99 5	10.69 19	41.76 74	1.04 2	.00	1.54 3	5.72 10	59.40 87	.03		12.0	3318	607	
06/12/70 1005	5001 5006			4.6 99	68.0F 20.0C	7.7	10400	--	--	--	--	--	--	--	--	--	--	--			29A
07/13/70 1200	5001 5006			4.2 108	71.6F 22.0C	7.6	11600	--	--	--	--	--	--	--	--	--	--	--			50A
08/10/70 1010	5001 5006			7.5 92	73.4F 23.0C	7.6	13500	120 4	300 18	2490 76	100 2	.0	106 1	920 9	4300 84	.9 .01	1.10	--	2400 7445	1535 1447	45A
09/08/70 1000	5001 5006			8.1 95	69.8F 21.0C	7.6	9320	--	--	--	--	--	--	--	--	--	--	--			65A
E0 S 810.8 202.8 SUISUN SLOUGH AT VOLANTI SLOUGH ON JUICE ISLAND																					
10/02/69 1355	5001 5006			7.6 87	69.8F 21.0C	7.4	2270	--	--	--	--	--	--	--	--	--	--	--			75A
11/06/69 1124	5001 5006			6.8 70	60.8F 16.0C	7.1	3150	40 6	77 18	600 74	29 2	.0	92 4	180 11	1050 85	1.3 .02	.20	--	2150 2032	417 341	85A
12/04/69 1420	5001 5006			6.7 63	53.6F 12.0C	7.1	3730	--	--	--	--	--	--	--	--	--	--	--			65A
01/02/70 1130	5001 5006			7.7 70	51.8F 11.0C	7.2	620	--	--	--	--	--	--	--	--	--	--	--			70A
02/02/70 1430	5001 5006			7.2 66	51.8F 11.0C	7.0	780	22 13	21 21	123 64	8.2 .21	.0	110 22	54 13	180 64	6.6 .11	.90	--	657 495	142 52	200A
03/20/70 1040	5001 5006			7.1 71	59.0F 15.0C	7.2	1800	--	--	--	--	--	--	--	--	--	--	--			100A
04/01/70 1340	5001 5006			8.2 82	59.0F 15.0C	7.2	1500	--	--	--	--	--	--	--	--	--	--	--			170A
05/15/70 1530	5001 5006			9.1 103	69.0F 20.0C	7.6	4880	60 6	120 20	840 73	39 2	.0	122 4	273 11	1480 84	2.7 .04	1.60	--	3150 2487	644 543	70A
06/12/70 1400	5001 5006			9.1 110	73.4F 23.0C	7.8	7590	--	--	--	--	--	--	--	--	--	--	--			50A
07/13/70 1540	5001 5006			10.6 131	75.2F 24.0C	7.8	9590	--	--	--	--	--	--	--	--	--	--	--			34A
08/10/70 1400	5001 5006			8.7 111	77.0F 25.0C	7.9	12800	110 4	280 17	2490 77	98 2	.0	130 2	910 8	4200 90	.4 .01	1.20	--	8330 7665	1427 1320	60A
09/08/70 1455	5001 5006			9.6 118	73.4F 23.0C	7.9	10900	--	--	--	--	--	--	--	--	--	--	--			35A
E0 S 811.0 204.8 CHADBOURNE SLOUGH AT CHADBOURNE ROAD																					
10/02/69 1135	5001 5006			7.5 84	68.0F 20.0C	7.5	1890	--	--	--	--	--	--	--	--	--	--	--			90A
11/06/69 1230	5001 5006			6.7 68	59.0F 15.0C	7.3	2980	40 6	73 18	550 73	28 2	.0	10 1	170 12	980 93	--	--	--	1420 1454	400 392	60A
12/04/69 1155	5001 5006			7.4 70	53.6F 12.0C	7.1	3640	--	--	--	--	--	--	--	--	--	--	--			70A
01/02/70 0930	5001 5006			8.7 76	48.2F 9.0C	7.3	1250	--	--	--	--	--	--	--	--	--	--	--			75A
02/02/70 1230	5001 5006			8.4 77	51.8F 11.0C	6.9	1240	34 14	33 23	166 61	9.0 .23	.0	108 14	132 22	254 58	--	.50	--	852 705	221 132	100A
03/05/70 1130	5001 5006			8.0 75	53.6F 12.0C	7.2	1010	--	--	--	--	--	--	--	--	--	--	--			150A
04/01/70 1130	5001 5006			8.7 87	59.0F 15.0C	6.9	1500	--	--	--	--	--	--	--	--	--	--	--			140A

TABLE D-2 (CONTINUED)  
MINERAL ANALYSES OF SURFACE WATER

DATE TIME	SAMPLER LGR	G.M. DEPTH	NO SAT	TEMP	FIELD LABORATORY PH EC	MINERAL CONSTITUENTS IN										MILLIGRAMS PER LITER MILLIEQUIVALENTS PER LITER				MILLIGRAMS PER LITER			
						PERCENT REACTANCE					VALUE					B	F	IDS SUM	TH NCH	TURB			
						CA	MG	NA	K	CO3	HCO3	SO4	CL	NO3									
*****																							
E0 S 811.0 204.8 CHADBOURNE SLOUGH AT CHADBOURNE ROAD						CONTINUED																	
05/15/70 1245	5:01 5:06	3		7.9 87	66.2F 19.0C	7.2 5170	50 2.99	120 4.86	440 38.28	39 1.00	.0 .00	113 1.85	285 5.93	1590 44.84	-- 11	1.50 13.0	-- --	3310 3045	644 550	55A			
06/12/70 1150	5:01 5:06	3		7.3 92	71.6F 22.0C	7.7 6360	--	--	--	--	--	--	--	--	--	--	--	--	--	80A			
07/13/70 1335	5:01 5:06	3		7.2 111	73.4F 23.0C	7.7 7460	--	--	--	--	--	--	--	--	--	--	--	--	--	50A			
08/10/70 1130	5:01 5:06	3		8.6 104	75.2F 21.0C	7.8 11500	100 4.99	240 19.73	2000 87.00	80 2.20	.0 .00	137 2.25	550 11.44	3600 101.52	-- 10	1.00 84	-- --	6980 6646	1238 1124	39A			
09/04/70 1225	5:01 5:06	3		8.0 97	73.4F 23.0C	7.6 7320	--	--	--	--	--	--	--	--	--	--	--	--	--	38A			
E0 S 811.2 158.2 MONTEZUMA SLOUGH NEAR BELDONS LANDING																							
10/01/69 1100	5:50 5:50						1740	--	--	--	--	--	--	446 12.58 72	--	--	--	--	974				
10/16/69 0955	5:50 5:50						4530	--	--	--	--	--	--	1280 36.10 80	--	--	--	--	2610				
11/07/69 1130	5:50 5:50						3630	--	--	--	--	--	--	985 27.78 77	--	--	--	--	2090				
11/20/69 1620	5:50 5:50						3920	--	--	--	--	--	--	1060 29.89 76	--	--	--	--	2280				
12/05/69 1000	5:50 5:50						3830	--	--	--	--	--	--	1100 31.02 81	--	--	--	--	2270				
12/19/69 0820	5:50 5:50						4400	--	--	--	--	--	--	1290 36.38 83	--	--	--	--	2610				
01/09/70 0950	5:50 5:50						1050	--	--	--	--	--	--	253 7.13 64	--	--	--	--	597				
01/26/70 0925	5:50 5:50						247	--	--	--	--	--	--	33 .93 38	--	--	--	--	154				
02/04/70 1600	5:50 5:50						475	--	--	--	--	--	--	90 2.54 53	--	--	--	--	280				
02/17/70	5:50 5:50						571	--	--	--	--	--	--	109 3.07 54	--	--	--	--	333				
03/04/70 1555	5:50 5:50						781	--	--	--	--	--	--	153 4.31 55	--	--	--	--	460				
03/20/70 1400	5:50 5:50						944	--	--	--	--	--	--	208 5.87 62	--	--	--	--	525				
04/02/70 1100	5:50 5:50						1240	--	--	--	--	--	--	271 7.64 62	--	--	--	--	774				
04/15/70 1450	5:50 5:50						1620	--	--	--	--	--	--	417 11.76 73	--	--	--	--	976				
04/30/70 1215	5:50 5:50						4430	--	--	--	--	--	--	1450 40.89 92	--	--	--	--	2810				
05/01/70 1210	5:50 5:50						6420	--	--	--	--	--	--	2220 62.60 92	--	--	--	--	4030				
05/14/70 1330	5:50 5:50						4720	--	--	--	--	--	--	1450 40.89 87	--	--	--	--	2750				

TABLE D-2 (CONTINUED)  
MINERAL ANALYSES OF SURFACE WATER

DATE TIME	SAMPLER CAN	D.F. DEPTH	DO SAT	TEMP	FIELD LABORATORY PH EC	MINERAL CONSTITUENTS IN										MILLIGRAMS PER LITER					MILLIGRAMS PER LITER				
						MILLIEQUIVALENTS PER LITER										PERCENT REACTANCE VALUE					H F TDS TH TURB				
						CA	MG	NA	K	CO3	HCO3	SO4	CL	NO3											
EC 5 611.2 150.5 MONTEZUMA SLOUGH AT GRIZZLY ISLAND ROAD																									
10/02/69 1310	S-01 S-06			7.5 21.0C	7.4 1760	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	80A
11/06/69 1420	S-01 S-06	3		5.1 16.0C	7.1 3440	40 2.70 6	77 0.33 18	610 26.54 75	28 .72 2	.0 .00	35 1.34 4	185 3.85 11	1050 29.61 85	1.8 .03	--	--	2090 2042	417 347	75A						
12/04/69 1345	S-01 S-06	3		6.0 12.0C	7.0 1640	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	80A
01/02/70 1040	S-01 S-06	3		4.5 9.0C	7.2 1770	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	90A
02/02/70 1400	S-01 S-06	3		11.2 11.0C	7.1 310	13 .65 21	10 .32 27	34 1.48 49	3.0 .04 3	.0 .00	76 1.25 40	24 .50 16	46 1.30 42	3.1 .05 2	1.00	--	285 194	74 11	1500A						
03/05/70 1330	S-01 S-06	3		8.3 12.0C	7.1 860	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	130A
04/01/70 1300	S-01 S-06	3		9.1 15.0C	7.2 1200	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	110A
05/15/70 1400	S-01 S-06	3		4.8 14.0C	7.5 5240	50 2.99 6	116 9.54 19	840 36.54 73	39 1.00 2	.0 .00	94 1.43 3	258 5.37 11	1530 43.15 86	2.2 .04	1.40	--	3430 2904	627 553	45A						
06/12/70 1330	S-01 S-06	3		4.3 22.0C	7.7 7950	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	38A
07/13/70 1450	S-01 S-06	3		4.2 24.0C	7.8 4590	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	32A
08/10/70 1320	S-01 S-06	3		4.5 24.0C	7.8 12600	110 5.49 4	270 22.19 17	2300 100.05 77	96 2.46 2	.0 .00	106 1.74 1	490 10.19 8	4100 115.62 90	17 .28	.90	--	8440 7438	1386 1298	25A						
09/03/70 1420	S-01 S-06	3		4.2 23.0C	7.8 10400	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	19A
EC 5 411.5 207.2 CORNELIA SLOUGH AT UPPER END NEAR CORNELIA																									
10/02/69 1035	S-01 S-06	3		6.4 19.0C	7.5 1620	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	45A
04/01/70 1100	S-01 S-06	3		6.2 15.0C	7.5 1300	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	95A
05/15/70 1210	S-01 S-06	2		4.7 21.0C	7.4 1440	45 2.25 15	47 3.46 25	205 8.92 58	10 .26 2	.0 .00	211 3.46 23	120 2.50 17	325 9.17 61	1.3 .02	1.00	--	935 877	306 133	120A						
06/12/70 1115	S-01 S-06	2		6.1 22.0C	7.7 2160	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	130A
07/13/70 1240	S-01 S-06	2		7.3 23.0C	7.6 1080	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	90A
08/10/70 1045	S-01 S-06	2		5.2 23.0C	7.6 2120	39 1.95 9	60 4.93 23	320 13.92 66	15 .38 2	.0 .00	195 3.21 15	116 2.41 12	540 15.23 73	.4 .01	--	--	1310 1200	345 184	100A						
09/08/70 1115	S-01 S-06	3		5.5 21.0C	7.6 1590	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	90A
EC 5 613.6 201.2 HILL SLOUGH AT GRIZZLY ISLAND ROAD																									
10/02/69 1240	S-01 S-06	3		6.6 21.0C	7.5 3490	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	65A
11/06/69 1232	S-01 S-06	3		5.6 16.0C	7.2 3400	56 2.79 7	86 7.07 18	660 28.71 73	30 .77 2	.0 .00	150 2.46 6	180 3.74 10	1130 31.87 84	3.1 .05	.40	--	2320 2231	494 370	80A						
12/04/69 1320	S-01 S-06	3		5.2 10.0C	7.2 4060	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	75A
01/02/70 1010	S-01 S-06	3		5.8 9.0C	7.2 1410	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	90A
02/02/70 1330	S-01 S-06	3		6.4 11.0C	7.1 1070	37 1.85 18	26 2.14 20	146 6.35 60	8.4 .22 2	.0 .00	164 2.69 25	76 1.58 15	220 6.20 59	6.6 .11 1	1.00	--	777 617	200 65	80A						

TABLE D-2 (CONTINUED)  
MINERAL ANALYSES OF SURFACE WATER

DATE TIME	SAMPLER LAB	G.H. DEPTH	DO SAT	TEMP	FIELD LABORATORY PH EC	MINERAL CONSTITUENTS IN										MILLIGRAMS PER LITER					MILLIGRAMS PER LITER					TURB
						MILLIEQUIVALENTS PER LITER										PERCENT REACTANCE VALUE					MILLIGRAMS PER LITER					
						CA	MG	NA	K	CO3	HCO3	SO4	CL	NO3		B	F	TDS	TH	SUM	NCH					
*****																										
F S 613.6 211.2 MILL SLOUGH AT GRIZZLY ISLAND ROAD NEAR SUISUN CONTINUED																										
03/05/70	5001		6.4	53.4F	7.3	--	--	--	--	--	--	--	--	--	--	--	--				110A					
1300	5006	3	67	12.0C	2100												--									
04/01/70	5001		7.7	54.0F	7.6	--	--	--	--	--	--	--	--	--	--	--	--				110A					
1230	5006	3	77	15.0C	2500												--									
05/15/70	5001		7.3	56.2F	7.6	50	75	480	21	.0	264	213	780	5.8	1.90	--	1920	458	120A							
1330	5006	3	46	19.0C	2940	2.99	7.17	20.88	.54	.00	3.35	4.43	22.00	.09		12.0	1751	291								
						10	20	68	2		11	15	74													
06/12/70	5001		7.7	59.4F	7.8	--	--	--	--	--	--	--	--	--	--	--	--				90A					
1300	5006	3	84	21.0C	4840											--										
07/13/70	5001		7.4	73.4F	7.6	--	--	--	--	--	--	--	--	--	--	--	--				70A					
1420	5006	3	89	23.0C	6630											--										
08/10/70	5001		5.6	75.2F	7.7	100	190	1500	65	.0	193	350	2540	2.2	1.20	--	5090	1032	55A							
1240	5006	3	69	24.0C	8500	4.99	13.62	65.25	1.66	.00	3.17	7.28	71.63	.04		6.0	4851	873								
						6	18	75	2		4	9	87													
09/08/70	5001		7.0	73.4F	7.8	--	--	--	--	--	--	--	--	--	--	--	--				75A					
1325	5006	3	83	23.0C	1590											--										

DATE TIME	SAMPLE LAB	G.H. J	DO SAT	TEMP	FIELD LABORATORY PH EC	MINERAL CONSTITUENTS IN										MILLIEQUIVALENTS PER LITER					MILLIGRAMS PER LITER					TURB
						CA	MG	NA	K	CO3	HCO3	SO4	CL	NO3	B	F	TDS SUM	TH NCH								
*****																										
E3 1250.00 NAPA RIVER NEAR NAPA																										
11/13/69	5050	2.75	8.8	52	F	400	27	21	20	--	.0	178	--	26	--	--	--		156	4E						
0750	5050		80	11	C	391	1.35 35	1.77 45	.87 22		.00	2.92 75		.73 19		--	--		10							
01/24/70	5050	5.54	10.9	52	F	157	11	6.9	7.1	--	.0	69	--	5.3	--	--	--		56	55E						
1500	5050		99	11	C	161	.55 34	.57 35	.31 19		.00	1.13 70		.15 9		--	--		1							
03/27/70	5050	3.74	9.9	62	F	258	19	16	12	--	.0	129	--	8.6	--	--	--		116	20E						
1620	5050		101	17	C	271	.95 35	1.36 50	.52 19		.00	2.12 78		.24 9		--	--		10							
05/06/70	5050	2.58	11.4	65	F	310	24	19	16	--	.0	162	--	13	--	--	--		140	2E						
1340	5050		121	18	C	333	1.20 36	1.59 48	.70 21		.00	2.66 80		.37 11		--	--		7							
07/15/70	5050	2.05	7.6	58	F	345	27	23	21	--	.0	180	--	20	--	--	--		166	3E						
1000	5050		84	21	C	387	1.35 35	1.96 51	.91 24		.00	2.95 76		.56 14		--	--		18							
08/28/70	5050	2.38	9.7	79	F	400	--	--	--	--	--	--	--	--	--	--	--									
1400			121	26	C																					

E3 2100.51 GREEN VALLEY CREEK AT CORDELLA																				
11/06/69	5001		5.0	59.0F	7.4			225	15	.0	191	75	400	--	--	--	--	922		13A
1155	5006	2	50	15.0C	1580			9.79	.38	.00	3.13	1.56	11.28			11.0				
								62	2		20	10	71							
12/04/69	5001		7.8	46.4F	7.2															10A
1130	5006	3	67	8.0C	3560															
01/02/70	5001		8.9	41.0F	7.3															10A
0910	5006	2	70	5.0C	1550															

F8 2100.00 NAVARRO RIVER NEAR NAVARRO																				
11/05/69	5050		11.0	58 F	7.3			13	--	.0	139	--	10	--	.20	--	--		108	2E
1545	5050		107	14 C	8.1	263		.57		.00	2.28		.28		--	--	--			
								22			87		11							
01/08/70	5050	2.96	11.7	47 F	7.3			9.5	--	.0	104	--	6.0	--	.20	--	--		86	5E
1005	5050		99	8 C	7.4	212		.41		.00	1.71		.17		--	--	--			
								19			81		8							
03/11/70	5050		11.5	52 F	7.4			8.8	--	.0	86	--	6.0	--	.10	--	--		67	30E
1710	5050		104	11 C	7.7	170		.38		.00	1.41		.17		--	--	--			
								22			83		10							
05/14/70	5050	2.58	10.1	58 F	7.4			12	.9	.0	133	10	8.1	.1	.40	--	--	144	105	2E
0830	5050		98	14 C	7.7	250	1.30	.80	.52	.02	2.18	.21	.23	.00	--	--	--	134	4	
							49	30	20	1	83	8	9							
07/08/70	5050		10.5	77 F	7.6			14	--	.0	144	--	8.0	--	.20	--	--		110	1E
1500	5050		125	25 C	8.1	272		.61		.00	2.36		.23		--	--	--			
								22			87		8							
09/16/70	5050	1.78	10.5	64 F	7.3			15	--	.0	145	--	10	--	.30	--	--		114	0E
1450	5050		109	18 C	8.2	269		.65		.00	2.38		.28		--	--	--			
								24			88		10							

DATE TIME	SAMPLER LAN	G.M. J	DO SAT	TEMP	FIELD		MILLIGRAMS PER LITER										MILLIGRAMS PER LITER					TDS SUM	TH NCH	TURB
					LABORATORY PH	EC	MINERAL CONSTITUENTS IN										MILLIEQUIVALENTS PER LITER							
							CA	MG	NA	K	CO3	HCO3	SO4	CL	NO3	H	F	SI02						
.....																								
FR		2720.00		BIG RIVER NEAR MENDOCINO																				
11/05/69	5050	7.31	10.8	56	F	7.4		--	--	11	--	.0	106	--	8.7	--	.40	--			82	7E		
1440	5050		103	13	C	8.1	208			.48		.00	1.74		.25		--							
										23			84		12									
01/08/70	5050	7.35	12.1	45	F	7.8		--	--	8.2	--	.0	81	--	5.3	--	.20	--			64	4E		
0900	5050		100	7	C	7.4	166			.36		.00	1.33		.15		--							
										22			80		9									
03/11/70	5050	8.86	11.6	51	F	7.3		--	--	7.5	--	.0	62	--	5.7	--	.10	--			49	20E		
1610	5050		104	11	C	7.6	130			.33		.00	1.02		.16		--							
										25			78		12									
05/14/70	5050	7.25	10.5	56	F	7.3				11	.9	--	94	6.6	7.0	.1	.20	--	134	74	3E			
0730	5050		100	13	C	7.6	190	1.00	.48	.48	.02		1.61	.14	.20	.00	--							
								51	24	24	1		85	7	11									
07/08/70	5050	6.98	9.9	48	F	7.3		--	--	13	--	.0	108	--	6.9	--	.30	--			78	1E		
1350	5050		108	20	C	8.2	211			.57		.00	1.77		.19		--							
										27			84		9									
09/16/70	5050	7.00	9.8	57	F	7.3		--	--	14	--	.0	108	--	9.1	--	.50	--			84	0E		
1355	5050		94	14	C	8.0	204			.61		.00	1.77		.26		--							
										30			87		13									
FR		3100.00		NOYO RIVER NEAR FORT BRAGG																				
11/05/69	5050		10.4	55	F	7.3		--	--	11	--	.0	76	--	9.4	--	.20	--			57	290E		
1345	5050		98	13	C	7.6	163			.48		.00	1.25		.27		--							
										29			77		17									
01/08/70	5050		12.1	45	F	7.0		--	--	7.4	--	.0	60	--	5.1	--	.10	--			46	4E		
0810	5050		100	7	C	7.2	130			.32		.00	.98		.14		--							

TABLE D-3

MISCELLANEOUS CONSTITUENTS IN SURFACE WATER

Abbreviations and Codes

- MBAS - Methylene blue active substance, a  
measure of detergent surfactants
- BOD - Biological oxygen demand
- Mg/L - Milligrams per liter
- Ug/L - Micrograms per liter
- Ft. - Feet

Codes for agency collecting sample

- 5000 - U. S. Geological Survey
- 5001 - U. S. Bureau of Reclamation
- 5050 - Department of Water Resources

Codes for laboratory performing analysis

- 5000 - U. S. Geological Survey Laboratory  
at Sacramento
- 5006 - McClellan Air Force Base Laboratory,  
used by U. S. Bureau of Reclamation
- 5050 - Department of Water Resources  
Laboratory at Bryte



TABLE D-3 (Cont.)  
MISCELLANEOUS CONSTITUENTS IN SURFACE WATER

Station Number	Station	Date Time	Constituents		Samp	Lab
DO 1100.00	BRANCIFORTE CREEK AT SANTA CRUZ	03-17-70 0720	MBAS	0.0 Mg/L	5050	5050
			Suspended Solids	11 Mg/L		
		04-08-70 1100	MBAS	0.0 Mg/L	5050	5050
			Suspended Solids	5 Mg/L		
DO 1180.01	SAN LORENZO RIVER AT PARADISE PARK	03-16-70 1410	MBAS	0.0 Mg/L	5050	5050
			Suspended Solids	11 Mg/L		
		08-04-70 1015	MBAS	0.0 Mg/L	5050	5050
			Suspended Solids	19 Mg/L		
DO 1220.01	ZAYANTE CREEK AT FELTON	03-16-70 1615	MBAS	0.0 Mg/L	5050	5050
			Suspended Solids	14 Mg/L		
		08-04-70 0930	MBAS	0.0 Mg/L	5050	5050
			Suspended Solids	5 Mg/L		
DO 1498.01	SAN LORENZO RIVER AT BOULDER CREEK	03-16-70 1545	MBAS	0.0 Mg/L	5050	5050
			Suspended Solids	3 Mg/L		
		08-04-70 0850	MBAS	0.0 Mg/L	5050	5050
			Suspended Solids	3 Mg/L		
DO 2020.00	APTOS CREEK BELOW VALENCIA CREEK NEAR APTOS	03-17-70 0820	MBAS	0.0 Mg/L	5050	5050
			Suspended Solids	39 Mg/L		
		08-04-70 1210	MBAS	0.0 Mg/L	5050	5050
			Suspended Solids	3 Mg/L		
DO 3100.00	SOQUEL CREEK AT SOQUEL	03-17-70 0800	MBAS	0.0 Mg/L	5050	5050
			Suspended Solids	8 Mg/L		
		08-04-70 1250	MBAS	0.0 Mg/L	5050	5050
			Suspended Solids	6 Mg/L		
DO 4010.01	SCOTT CREEK AT HIGHWAY 1 NEAR DAVENPORT	03-17-70 0930	MBAS	0.0 Mg/L	5050	5050
			Suspended Solids	4 Mg/L		
		08-04-70 0845	MBAS	0.0 Mg/L	5050	5050
			Suspended Solids	11 Mg/L		
D1 1075.30	PAJARO RIVER AT THURWACHTER ROAD	05-05-70 1635	MBAS	0.0 Mg/L	5050	5050
			BOD	2.7 Mg/L		
		08-25-70 1030	MBAS	0.0 Mg/L	5050	5050
			BOD	1.4 Mg/L		
D1 1250.00	PAJARO RIVER AT CHITTENDEN	04-07-70 --	Mercury	0.0 Mg/L	5000	5000
			Aluminum	<3.3 Ug/L		
			Beryllium	<1.3 Ug/L		
			Bismuth	<0.7 Ug/L		
			Cadmium	<3.3 Ug/L		
			Chromium	<3.3 Ug/L		
			Cobalt	<3.3 Ug/L		
			Copper	<3.3 Ug/L		
			Gallium	<13 Ug/L		
			Germanium	<0.7 Ug/L		
			Iron	5.3 Ug/L		
			Lead	<3.3 Ug/L		
			Manganese	<3.3 Ug/L		
			Molybdenum	<1.9 Ug/L		
			Nickel	<0.7 Ug/L		
			Titanium	<1.3 Ug/L		
			Vanadium	1.7 Ug/L		
			Zinc	<13 Ug/L		
		08-04-70 --	Aluminum	<3.3 Ug/L	5000	5000
			Beryllium	<1.3 Ug/L		
			Bismuth	35 Ug/L		
			Cadmium	<3.3 Ug/L		
			Chromium	<3.3 Ug/L		
			Cobalt	410 Ug/L		
			Copper	<3.3 Ug/L		
			Gallium	57 Ug/L		
			Germanium	<0.7 Ug/L		
			Iron	8.0 Ug/L		
			Lead	<3.3 Ug/L		
			Manganese	<3.3 Ug/L		
			Molybdenum	4.5 Ug/L		
			Nickel	16 Ug/L		
			Titanium	<1.3 Ug/L		
			Vanadium	7.3 Ug/L		
			Zinc	<13 Ug/L		
D1 1350.30	ELKHORN SLOUGH AT HIGHWAY 1	05-05-70 1700	MBAS	0.1 Mg/L	5050	5050
			BOD	1.6 Mg/L		

TABLE D-3 (Cont.)  
MISCELLANEOUS CONSTITUENTS IN SURFACE WATER

Station Number	Station	Date Time	Constituents	Samp	Lab
D2 1006.30	TEMBLADERO SLOUGH AT NASHUA ROAD	05-05-70	MBAS	0.0 Mg/L	5050
		1715	BOD	12 Mg/L	5050
		08-25-70	MBAS	0.0 Mg/L	5050
		1135	BOD Mercury	10 Mg/L 0.0 Mg/L	5050
D2 1006.60	TEMBLADERO SLOUGH AT MERRITT LAKE DRAIN	08-25-70	MBAS	0.0 Mg/L	5050
		1230	BOD	13 Mg/L	5050
D2 1010.20	SALINAS RECLAMATION CANAL AT BORONDA ROAD	05-05-70	MBAS	0.0 Mg/L	5050
		1530	BOD	13 Mg/L	5050
		08-25-70	MBAS	0.0 Mg/L	5050
		1225	BOD	12 Mg/L	5050
D2 1015.50	SALINAS RECLAMATION CANAL AT END OF MERCED STREET	05-05-70	MBAS	0.0 Mg/L	5050
		1455	BOD	21	5050
		08-25-70	MBAS	0.0 Mg/L	5050
		1045	BOD	5.7 Mg/L	5050
D2 1020.70	SALINAS RECLAMATION CANAL AT AIRPORT WAY	05-05-70	MBAS	0.0 Mg/L	5050
		1415	BOD	3.0 Mg/L	5050
		08-25-70	MBAS	0.0 Mg/L	5050
		1020	BOD	8.5 Mg/L	5050
D2 1030.30	BLANCO DRAIN AT PUMP LIFT	05-05-70	MBAS	0.0 Mg/L	5050
		1555	BOD	11 Mg/L	5050
		08-25-70	MBAS	0.0 Mg/L	5050
		1300	BOD Mercury	3.6 Mg/L 0.0 Mg/L	5050
D2 1150.30	SALINAS RIVER AT BLANCO ROAD	05-05-70	MBAS	0.1 Mg/L	5050
		1610	BOD	9.2 Mg/L	5050
		08-25-70	MBAS	0.1 Mg/L	5050
		1325	BOD Mercury	18 Mg/L 0.1 Mg/L	5050
D2 1220.00	SALINAS RIVER NEAR SPRECKELS	05-05-70	MBAS	0.1 Mg/L	5050
		1640	BOD	9.2 Mg/L	5050
		08-25-70	MBAS	0.0 Mg/L	5050
		1535	BOD	7.3 Mg/L	5050
D2 1325.10	SALINAS RIVER NEAR GONZALES	04-07-70	Aluminum	<3.3 Ug/L	5000
		--	Beryllium	<1.3 Ug/L	5000
			Bismuth	<0.7 Ug/L	5000
			Cadmium	<3.3 Ug/L	5000
			Chromium	<3.3 Ug/L	5000
			Cobalt	<3.3 Ug/L	5000
			Copper	<3.3 Ug/L	5000
			Gallium	<13 Ug/L	5000
			Germanium	<0.7 Ug/L	5000
			Iron	8.7 Ug/L	5000
			Lead	<3.3 Ug/L	5000
			Manganese	<3.3 Ug/L	5000
			Molybdenum	4.7 Ug/L	5000
			Nickel	<0.7 Ug/L	5000
			Titanium	<1.3 Ug/L	5000
			Vanadium	1.6 Ug/L	5000
			Zinc	<13 Ug/L	5000
		08-03-70	Aluminum	<3.3 Ug/L	5000
		--	Beryllium	<1.3 Ug/L	5000
			Bismuth	<0.7 Ug/L	5000
			Cadmium	<3.3 Ug/L	5000
			Chromium	<3.3 Ug/L	5000
			Cobalt	3.3 Ug/L	5000
			Gallium	<13 Ug/L	5000
			Germanium	<0.7 Ug/L	5000
			Iron	7.3 Ug/L	5000
			Lead	<3.3 Ug/L	5000
			Manganese	<3.3 Ug/L	5000
			Molybdenum	6.0 Ug/L	5000
			Nickel	<0.7 Ug/L	5000
			Titanium	<1.3 Ug/L	5000
			Vanadium	5.3 Ug/L	5000
			Zinc	<13 Ug/L	5000
D2 1450.00	ARROYO SECO NEAR SOLEDAD	12-03-69	Lead	0.00 Mg/L	5050
		--			

TABLE D-3 (Cont.)

## MISCELLANEOUS CONSTITUENTS IN SURFACE WATER

Station Number	Station	Date Time	Constituents	Somp	Lob
D2 1475.00	ARROYO SECO NEAR GREENFIELD	12-03-69 --	Aluminum <3.3 Ug/L Beryllium <1.3 Ug/L Bismuth <0.7 Ug/L Cadmium <3.3 Ug/L Chromium <3.3 Ug/L Cobalt <3.3 Ug/L Copper <3.3 Ug/L Gallium <13 Ug/L Germanium <0.7 Ug/L Iron 8.7 Ug/L Lead <3.3 Ug/L Manganese <3.3 Ug/L Molybdenum <0.7 Ug/L Nickel <0.7 Ug/L Titanium <1.3 Ug/L Vanadium 1.3 Ug/L Zinc <13 Ug/L	5000	5000
D2 1850.00	SALINAS RIVER NEAR BRADLEY	04-08-70 --	Aluminum 2.3 Ug/L Beryllium <1.3 Ug/L Bismuth <0.7 Ug/L Cadmium 33 Ug/L Chromium 40 Ug/L Cobalt <3.3 Ug/L Copper <3.3 Ug/L Gallium <13 Ug/L Germanium <0.7 Ug/L Iron 133 Ug/L Lead <3.3 Ug/L Manganese <3.3 Ug/L Molybdenum 8.7 Ug/L Nickel 100 Ug/L Titanium <1.3 Ug/L Vanadium 2.4 Ug/L Zinc <13 Ug/L	5000	5000
		08-03-70 --	Aluminum <3.3 Ug/L Beryllium <1.3 Ug/L Bismuth <0.7 Ug/L Cadmium <3.3 Ug/L Chromium <3.3 Ug/L Cobalt <3.3 Ug/L Copper <3.3 Ug/L Gallium <13 Ug/L Germanium <0.7 Ug/L Iron 67 Ug/L Lead <3.3 Ug/L Manganese <3.3 Ug/L Molybdenum 6.3 Ug/L Nickel <0.7 Ug/L Titanium <1.3 Ug/L Vanadium 3.7 Ug/L Zinc <13 Ug/L	5000	5000
D4 1007.60	PACIFIC OCEAN AT CARMEL S.T.P. OUTFALL	05-05-70 1530	MBAS 0.1 Mg/L BOD 4.6 Mg/L	5050	5050
D4 1008.50	CARMEL RIVER NEAR MOUTH	05-05-70 1510	MBAS 0.0 Mg/L BOD 0.9 Mg/L	5050	5050
		08-25-70 1345	MBAS 0.0 Mg/L BOD 2.2 Mg/L	5050	5050
D4 1095.10	CARMEL RIVER AT BERONDA ROAD	05-05-70 1410	MBAS 0.0 Mg/L BOD 2.8 Mg/L	5050	5050
D4 1200.00	CARMEL RIVER AT ROBLES DEL RIO	04-07-70 --	Aluminum <3.3 Ug/L Beryllium <1.3 Ug/L Bismuth <0.7 Ug/L Cadmium <3.3 Ug/L Chromium <3.3 Ug/L Cobalt <3.3 Ug/L Copper <3.3 Ug/L Gallium <13 Ug/L Germanium <0.7 Ug/L Iron 19 Ug/L Lead 3.3 Ug/L Manganese <3.3 Ug/L Molybdenum 3.1 Ug/L Nickel <0.7 Ug/L Titanium <1.3 Ug/L Vanadium 1.4 Ug/L Zinc <13 Ug/L	5000	5000

TABLE D-3 (Cont.)

## MISCELLANEOUS CONSTITUENTS IN SURFACE WATER

Station Number	Station	Date Time	Constituents	Samp	Lab
D4 2100.00	BIG SUR RIVER AT BIG SUR	01-21-70 --	Aluminum	12	Ug/L
			Beryllium	<1.3	Ug/L
			Bismuth	<0.7	Ug/L
			Cadmium	<3.3	Ug/L
			Chromium	<3.3	Ug/L
			Cobalt	<3.3	Ug/L
			Copper	<3.3	Ug/L
			Gallium	<13	Ug/L
			Germanium	<0.7	Ug/L
			Iron	15	Ug/L
			Lead	<3.3	Ug/L
			Manganese	<3.3	Ug/L
			Molybdenum	<0.7	Ug/L
			Nickel	<0.7	Ug/L
			Titanium	<1.3	Ug/L
			Vanadium	1.1	Ug/L
			Zinc	<13	Ug/L
D4 3003.50	SALMON CREEK AT HIGHWAY 1	01-20-70 --	Aluminum	27	Ug/L
			Beryllium	<1.3	Ug/L
			Bismuth	<0.7	Ug/L
			Cadmium	<3.3	Ug/L
			Chromium	<3.3	Ug/L
			Cobalt	<3.3	Ug/L
			Copper	<3.3	Ug/L
			Gallium	<13	Ug/L
			Germanium	<0.7	Ug/L
			Iron	22	Ug/L
			Lead	<3.3	Ug/L
			Manganese	<3.3	Ug/L
			Molybdenum	<0.7	Ug/L
			Nickel	<0.7	Ug/L
			Titanium	<1.3	Ug/L
			Vanadium	<0.7	Ug/L
			Zinc	<13	Ug/L
D4 3005.50	SODA SPRINGS CREEK AT HIGHWAY 1	01-20-70 --	Aluminum	8.7	Ug/L
			Beryllium	<1.3	Ug/L
			Bismuth	<0.7	Ug/L
			Cadmium	<3.3	Ug/L
			Chromium	<3.3	Ug/L
			Cobalt	<3.3	Ug/L
			Copper	<3.3	Ug/L
			Gallium	<13	Ug/L
			Germanium	<0.7	Ug/L
			Iron	12	Ug/L
			Lead	<3.3	Ug/L
			Manganese	<3.3	Ug/L
			Molybdenum	<0.7	Ug/L
			Nickel	<0.7	Ug/L
			Titanium	<1.3	Ug/L
			Vanadium	<0.7	Ug/L
			Zinc	<13	Ug/L
D4 3010.00	REDWOOD GULCH NEAR JOLON	01-20-70 --	Aluminum	25	Ug/L
			Beryllium	<1.3	Ug/L
			Bismuth	<0.7	Ug/L
			Cadmium	<3.3	Ug/L
			Chromium	<3.3	Ug/L
			Cobalt	<3.3	Ug/L
			Copper	<3.3	Ug/L
			Gallium	<13	Ug/L
			Germanium	<0.7	Ug/L
			Iron	29	Ug/L
			Lead	<3.3	Ug/L
			Manganese	<3.3	Ug/L
			Molybdenum	<0.7	Ug/L
			Nickel	<0.7	Ug/L
			Titanium	<1.3	Ug/L
			Vanadium	<0.7	Ug/L
			Zinc	<13	Ug/L
D4 3020.30	VILLA CREEK AT HIGHWAY 1	01-20-70 --	Aluminum	25	Ug/L
			Beryllium	<1.3	Ug/L
			Bismuth	<0.7	Ug/L
			Cadmium	<3.3	Ug/L
			Chromium	<3.3	Ug/L
			Cobalt	<3.3	Ug/L
			Copper	<3.3	Ug/L
			Gallium	<13	Ug/L
			Germanium	<0.7	Ug/L
			Iron	17	Ug/L
			Lead	<3.3	Ug/L

TABLE D-3 (Cont.)  
MISCELLANEOUS CONSTITUENTS IN SURFACE WATER

Station Number	Station	Date Time	Constituents	Samp	Lab
D4 3020.30	VILLA CREEK AT HIGHWAY 1 (Continued)	01-20-70 --	Manganese <3.3 Ug/L Molybdenum <0.7 Ug/L Nickel <0.7 Ug/L Titanium <1.3 Ug/L Vanadium <0.8 Ug/L Zinc <13 Ug/L	5000	5000
D4 3050.20	WILLOW CREEK AT HIGHWAY 1	01-20-70 --	Aluminum 15 Ug/L Beryllium <1.3 Ug/L Bismuth <0.7 Ug/L Cadmium <3.3 Ug/L Chromium <3.3 Ug/L Cobalt <3.3 Ug/L Copper <3.3 Ug/L Gallium <13 Ug/L Germanium <0.7 Ug/L Iron 35 Ug/L Lead <3.3 Ug/L Manganese <3.3 Ug/L Molybdenum <0.7 Ug/L Nickel <0.7 Ug/L Titanium <1.3 Ug/L Vanadium <0.7 Ug/L Zinc <13 Ug/L	5000	5000
D4 3078.50	WILD CATTLE CREEK AT HIGHWAY 1	01-20-70 --	Aluminum <3.3 Ug/L Beryllium <1.3 Ug/L Bismuth <0.7 Ug/L Cadmium <3.3 Ug/L Chromium <3.3 Ug/L Cobalt <3.3 Ug/L Copper <3.3 Ug/L Gallium <13 Ug/L Germanium <0.7 Ug/L Iron 80 Ug/L Lead <3.3 Ug/L Manganese <3.3 Ug/L Molybdenum <0.7 Ug/L Nickel <0.7 Ug/L Titanium <1.3 Ug/L Vanadium <0.7 Ug/L Zinc <13 Ug/L	5000	5000
D4 3105.50	LIMEKILN CREEK AT HIGHWAY 1	01-20-70 --	Aluminum 20 Ug/L Beryllium <1.3 Ug/L Bismuth <0.7 Ug/L Cadmium <3.3 Ug/L Chromium <3.3 Ug/L Cobalt <3.3 Ug/L Copper <3.3 Ug/L Gallium <13 Ug/L Germanium <0.7 Ug/L Iron 27 Ug/L Lead <3.3 Ug/L Manganese <3.3 Ug/L Molybdenum <0.7 Ug/L Nickel <0.7 Ug/L Titanium <1.3 Ug/L Vanadium 1.3 Ug/L Zinc <13 Ug/L	5000	5000
D4 3201.50	BIG CREEK AT HIGHWAY 1	01-20-70 --	Aluminum 6.0 Ug/L Beryllium <1.3 Ug/L Bismuth <0.7 Ug/L Cadmium <3.3 Ug/L Chromium <3.3 Ug/L Cobalt <3.3 Ug/L Copper <3.3 Ug/L Gallium <13 Ug/L Germanium <0.7 Ug/L Iron 15 Ug/L Lead <3.3 Ug/L Manganese <3.3 Ug/L Molybdenum <0.7 Ug/L Nickel <0.7 Ug/L Titanium <1.3 Ug/L Vanadium 1.8 Ug/L Zinc <13 Ug/L	5000	5000

TABLE D-3 (Cont.)  
MISCELLANEOUS CONSTITUENTS IN SURFACE WATER

Station Number	Station	Date Time	Constituents	Samp	Lab
D4 3280.50	HOT SPRINGS CANYON AT HIGHWAY 1	01-20-70 --	Aluminum 7.3 Ug/L Beryllium <1.3 Ug/L Bismuth <0.7 Ug/L Cadmium <3.3 Ug/L Chromium <3.3 Ug/L Cobalt <3.3 Ug/L Copper <3.3 Ug/L Gallium <13 Ug/L Germanium <0.7 Ug/L Iron 11 Ug/L Lead <3.3 Ug/L Manganese <3.3 Ug/L Molybdenum <0.7 Ug/L Nickel <0.7 Ug/L Titanium <1.3 Ug/L Vanadium 2.3 Ug/L Zinc <3.3 Ug/L	5000	5000
D4 3330.30	PARTINGTON CREEK AT HIGHWAY 1	01-20-70 --	Aluminum 11 Ug/L Beryllium <1.3 Ug/L Bismuth <0.7 Ug/L Cadmium <3.3 Ug/L Chromium <3.3 Ug/L Cobalt <3.3 Ug/L Copper <3.3 Ug/L Gallium <13 Ug/L Germanium <0.7 Ug/L Iron 13 Ug/L Lead <3.3 Ug/L Manganese <3.3 Ug/L Molybdenum <0.7 Ug/L Nickel <0.7 Ug/L Titanium <1.3 Ug/L Vanadium 2.2 Ug/L Zinc <13 Ug/L	5000	5000
D4 3610.20	LITTLE SUR RIVER AT HIGHWAY 1	01-21-70 --	Aluminum 27 Ug/L Beryllium <1.3 Ug/L Bismuth <0.7 Ug/L Cadmium <3.3 Ug/L Chromium <3.3 Ug/L Cobalt <3.3 Ug/L Copper <3.3 Ug/L Gallium <13 Ug/L Germanium <0.7 Ug/L Iron 27 Ug/L Lead <3.3 Ug/L Manganese <3.3 Ug/L Molybdenum <0.7 Ug/L Nickel <0.7 Ug/L Titanium <1.3 Ug/L Vanadium 1.5 Ug/L Zinc <13 Ug/L	5000	5000
D4 3628.50	BIXBY CREEK AT OLD COAST ROAD	01-21-70 --	Aluminum 7.3 Ug/L Beryllium <1.3 Ug/L Bismuth <0.7 Ug/L Cadmium <3.3 Ug/L Chromium <3.3 Ug/L Cobalt <3.3 Ug/L Copper <3.3 Ug/L Gallium <13 Ug/L Germanium <0.7 Ug/L Iron <3.3 Ug/L Lead <3.3 Ug/L Manganese <3.3 Ug/L Molybdenum <0.7 Ug/L Nickel <0.7 Ug/L Titanium <1.3 Ug/L Vanadium 0.9 Ug/L Zinc <13 Ug/L	5000	5000
D4 3640.50	PALO COLORADO CANYON AT PALO COLORADO ROAD	01-21-70 --	Aluminum 20 Ug/L Beryllium <1.3 Ug/L Bismuth <0.7 Ug/L Cadmium <3.3 Ug/L Chromium <3.3 Ug/L Cobalt <3.3 Ug/L Copper <3.3 Ug/L Gallium <13 Ug/L Germanium <0.7 Ug/L Iron 11 Ug/L Lead <3.3 Ug/L Manganese <3.3 Ug/L	5000	5000

TABLE D-3 (Cont.)  
MISCELLANEOUS CONSTITUENTS IN SURFACE WATER

Station Number	Station	Date Time	Constituents	Samp	Lab
D4 3640.50	PALO COLORADO CANYON AT PALO COLORADO ROAD (Continued)	01-21-70 --	Molybdenum <3.3 Ug/L Nickel <0.7 Ug/L Titanium <1.3 Ug/L Vanadium 1.3 Ug/L Zinc <13 Ug/L	5000	5000
D4 3645.50	GARROPATA CREEK AT HIGHWAY 1	01-21-70 --	Aluminum 11 Ug/L Beryllium <1.3 Ug/L Bismuth <0.7 Ug/L Cadmium <3.3 Ug/L Chromium <3.3 Ug/L Cobalt <3.3 Ug/L Copper <3.3 Ug/L Gallium <13 Ug/L Germanium <0.7 Ug/L Iron 10 Ug/L Lead <3.3 Ug/L Manganese <3.3 Ug/L Molybdenum <0.7 Ug/L Nickel <0.7 Ug/L Titanium <1.3 Ug/L Vanadium 1.3 Ug/L Zinc <13 Ug/L	5000	5000
D4 3750.15	WILDCAT CREEK AT END OF PETER PAN ROAD	01-21-70 --	Aluminum 67 Ug/L Beryllium <1.3 Ug/L Bismuth <0.7 Ug/L Cadmium <3.3 Ug/L Chromium <3.3 Ug/L Cobalt <3.3 Ug/L Copper <3.3 Ug/L Gallium <13 Ug/L Germanium <0.7 Ug/L Iron 73 Ug/L Lead <3.3 Ug/L Manganese 50 Ug/L Molybdenum <0.7 Ug/L Nickel <0.7 Ug/L Titanium <1.3 Ug/L Vanadium <0.7 Ug/L Zinc <13 Ug/L	5000	5000
D4 3800.50	SAN JOSE CREEK AT HIGHWAY 1	01-21-70 --	Aluminum 127 Ug/L Beryllium <3.3 Ug/L Bismuth <1.3 Ug/L Cadmium <0.7 Ug/L Chromium <3.3 Ug/L Cobalt <3.3 Ug/L Copper <3.3 Ug/L Gallium <13 Ug/L Germanium <0.7 Ug/L Iron 200 Ug/L Lead <3.3 Ug/L Manganese 6.7 Ug/L Molybdenum <0.7 Ug/L Nickel <0.7 Ug/L Titanium 6.3 Ug/L Vanadium 2.8 Ug/L Zinc <13 Ug/L	5000	5000
		05-05-70 1445	MBAS 0.0 Mg/L BOD 0.8 Mg/L	5050	5050
EO B 735.0 215.0	SAN FRANCISCO BAY AT SAN MATEO BRIDGE (SHIP CHANNEL)	12-15-69 1510	Suspended Solids 10 Mg/L	5050	5050
		02-25-70 1000	Suspended Solids 43 Mg/L	5050	5050
		03-24-70 0910	Suspended Solids 33 Mg/L	5050	5050
		05-28-70 1440	Suspended Solids 34 Mg/L	5050	5050
		07-22-70 0900	Suspended Solids 22 Mg/L	5050	5050
EO B 736.2 211.6	SAN FRANCISCO BAY AT SAN MATEO BRIDGE	06-22-70 0945	Suspended Solids 4 Mg/L	5050	5050
		08-11-70 1045	Suspended Solids 2 Mg/L	5050	5050
		09-17-70 0700	Suspended Solids 8 Mg/L	5050	5050

TABLE D-3(Cont.)  
MISCELLANEOUS CONSTITUENTS IN SURFACE WATER

Station Number	Station	Date Time	Constituents			Samp	Lab
EO B 748.1 222.4	SAN FRANCISCO BAY WEST OF YERBA BUENA ISLAND	12-15-69 1630	Suspended Solids	10	Mg/L	5050	5050
		02-25-70 1140	Suspended Solids	18	Mg/L	5050	5050
		03-24-70 1045	Suspended Solids	26	Mg/L	5050	5050
		05-28-70 1535	Suspended Solids	7	Mg/L	5050	5050
		06-22-70 1200	Suspended Solids	19	Mg/L	5050	5050
		07-22-70 1030	Suspended Solids	7	Mg/L	5050	5050
		08-11-70 1150	Suspended Solids	4	Mg/L	5050	5050
		09-17-70 0900	Suspended Solids	7	Mg/L	5050	5050
EO B 757.7 226.2	SAN PABLO STRAIT WEST OF THE BROTHERS	02-25-70 1315	Suspended Solids	16	Mg/L	5050	5050
		03-24-70 1145	Suspended Solids	22	Mg/L	5050	5050
		05-28-70 1735	Suspended Solids	19	Mg/L	5050	5050
		06-22-70 1300	Suspended Solids	38	Mg/L	5050	5050
		07-22-70 1130	Suspended Solids	38	Mg/L	5050	5050
		08-11-70 1320	Suspended Solids	4	Mg/L	5050	5050
		09-17-70 1015	Suspended Solids	9	Mg/L	5050	5050
EO B 802.3 207.1	SUISUN BAY OFF BULLS HEAD POINT AT MARTINEZ	10-21-69 1325	BOD	1.4	Mg/L	5001	5006
			Secchi Disk	0.9	Ft.	5001	5001
		11-20-69 1120	BOD	1.4	Mg/L	5001	5006
			Secchi Disk	1.1	Ft.	5001	5001
		02-11-70 0810	BOD	0.6	Mg/L	5001	5006
			Secchi Disk	0.6	Ft.	5001	5001
		03-16-70 1035	BOD	0.7	Mg/L	5001	5006
			Secchi Disk	1.0	Ft.	5001	5001
			Cadmium	<0.01	Mg/L	5001	5006
			Chromium	<0.01	Mg/L	5001	5006
			Copper	<0.1	Mg/L	5001	5006
			Iron, Total	<0.1	Mg/L	5001	5006
			Lead	0.01	Mg/L	5001	5006
			Manganese	<0.05	Mg/L	5001	5006
			Zinc	<0.1	Mg/L	5001	5006
		04-16-70 1215	BOD	1.4	Mg/L	5001	5006
			Secchi Disk	1.2	Ft.	5001	5001
		05-18-70 1450	BOD	1.0	Mg/L	5001	5006
			Secchi Disk	2.2	Ft.	5001	5001
		06-15-70 1420	BOD	2.3	Mg/L	5001	5006
			Secchi Disk	3.0	Ft.	5001	5001
			Cadmium	<0.01	Mg/L	5001	5006
			Chromium	<0.01	Mg/L	5001	5006
			Copper	<0.1	Mg/L	5001	5006
			Iron	<0.1	Mg/L	5001	5006
			Lead	0.01	Mg/L	5001	5006
			Manganese	<0.05	Mg/L	5001	5006
			Zinc	<0.1	Mg/L	5001	5006
		07-15-70 1455	BOD	2.1	Mg/L	5001	5006
			Secchi Disk	2.2	Ft.	5001	5001
		08-13-70 1425	BOD	1.8	Mg/L	5001	5006
			Secchi Disk	2.3	Ft.	5001	5001
		09-09-70 1230	BOD	1.1	Mg/L	5001	5006
			Secchi Disk	1.3	Ft.	5001	5001
			Cadmium	0.01	Mg/L	5001	5006
			Chromium	<0.01	Mg/L	5001	5006
			Copper	<0.1	Mg/L	5001	5006
			Iron	0.1	Mg/L	5001	5006
			Lead	0.07	Mg/L	5001	5006
			Manganese	<0.05	Mg/L	5001	5006
			Zinc	<0.1	Mg/L	5001	5006



TABLE D-3 (Cont.)

## MISCELLANEOUS CONSTITUENTS IN SURFACE WATER

Station Number	Station	Date Time	Constituents	Samp	Lab
EO B 802.8 155.0	SACRAMENTO RIVER AT CHIPPS ISLAND	10-21-69	BOD	1.4 Mg/L	5001 5006
		1610	Secchi Disk	1.1 Ft.	5001 5001
		11-20-69	BOD	1.4 Mg/L	5001 5006
		1350	Secchi Disk	0.8 Ft.	5001 5001
		02-12-70	BOD	0.9 Mg/L	5001 5006
		0840	Secchi Disk	0.6 Ft.	5001 5001
		03-16-70	BOD	0.6 Mg/L	5001 5006
		1200	Secchi Disk	0.9 Ft.	5001 5001
			Cadmium	<0.01 Mg/L	5001 5006
			Chromium	<0.01 Mg/L	5001 5006
			Copper	<0.1 Mg/L	5001 5006
			Iron, Total	<0.1 Mg/L	5001 5006
			Lead	0.04 Mg/L	5001 5006
			Manganese	0.12 Mg/L	5001 5006
			Zinc	<0.1 Mg/L	5001 5006
		04-16-70	BOD	0.8 Mg/L	5001 5006
		1310	Secchi Disk	0.7 Ft.	5001 5001
		05-18-70	BOD	0.7 Mg/L	5001 5006
		1550	Secchi Disk	0.8 Ft.	5001 5001
		06-15-70	BOD	1.2 Mg/L	5001 5006
		1530	Secchi Disk	1.2 Ft.	5001 5001
			Cadmium	<0.01 Mg/L	5001 5006
			Chromium	<0.01 Mg/L	5001 5006
			Copper	<0.1 Mg/L	5001 5006
			Iron	0.1 Mg/L	5001 5006
			Lead	<0.01 Mg/L	5001 5006
			Manganese	<0.05 Mg/L	5001 5006
			Zinc	<0.1 Mg/L	5001 5006
		07-15-70	BOD	1.0 Mg/L	5001 5006
		1550	Secchi Disk	0.8 Ft.	5001 5001
		08-13-70	BOD	1.5 Mg/L	5001 5006
		1520	Secchi Disk	0.6 Ft.	5001 5001
		09-09-70	BOD	1.4 Mg/L	5001 5006
		1335	Secchi Disk	0.8 Ft.	5001 5001
			Cadmium	0.02 Mg/L	5001 5006
			Chromium	<0.01 Mg/L	5001 5006
			Copper	<0.01 Mg/L	5001 5006
			Iron	0.2 Mg/L	5001 5006
			Lead	<0.01 Mg/L	5001 5006
			Manganese	0.1 Mg/L	5001 5006
			Zinc	<0.1 Mg/L	5001 5006
EO B 803.2 204.8	SUISUN BAY ABOVE AVON PIER	10-21-69	BOD	1.6 Mg/L	5001 5006
		1355	Secchi Disk	1.1 Ft.	5001 5001
		11-20-69	BOD	1.3 Mg/L	5001 5006
		1155	Secchi Disk	1.1 Ft.	5001 5001
		02-11-70	BOD	0.4 Mg/L	5001 5006
		0840	Secchi Disk	0.6 Ft.	5001 5001
		03-16-70	BOD	0.5 Mg/L	5001 5006
		1105	Secchi Disk	1.0 Ft.	5001 5001
		04-15-70	BOD	0.9 Mg/L	5001 5006
		1010	Secchi Disk	1.2 Ft.	5001 5001
		05-20-70	BOD	1.3 Mg/L	5001 5006
		1645	Secchi Disk	1.0 Ft.	5001 5001
		06-17-70	BOD	2.2 Mg/L	5001 5006
		1530	Secchi Disk	1.5 Ft.	5001 5001
		07-16-70	BOD	1.9 Mg/L	5001 5006
		1550	Secchi Disk	1.1 Ft.	5001 5001
EO B 803.6 159.3	SUISUN BAY OFF MIDDLE POINT NEAR NICHOLS	08-14-70	BOD	2.3 Mg/L	5001 5006
		1440	Secchi Disk	0.9 Ft.	5001 5001
		09-11 70	BOD	1.4 Mg/L	5001 5006
		1325	Secchi Disk	1.0 Ft.	5001 5001
		10-21-69	BOD	1.3 Mg/L	5001 5006
		1500	Secchi Disk	1.0 Ft.	5001 5001
		11-20-69	BOD	1.4 Mg/L	5001 5006
		1305	Secchi Disk	0.8 Ft.	5001 5001
		02-11-70	BOD	0.4 Mg/L	5001 5006
		0915	Secchi Disk	0.6 Ft.	5001 5001
		03-19-70	BOD	0.8 Mg/L	5001 5006
		1400	Secchi Disk	0.9 Ft.	5001 5001
		04-15-70	BOD	1.0 Mg/L	5001 5006
		1055	Secchi Disk	0.7 Ft.	5001 5001

TABLE D-3 (Cont.)

## MISCELLANEOUS CONSTITUENTS IN SURFACE WATER

Station Number	Station	Date Time	Constituents	Samp	Lab
EO B 803.6 159.3	SUISUN BAY OFF MIDDLE POINT NEAR NICHOLS (Continued)	05-20-70	BOD	1.1 Mg/L	5001 5006
		1720	Secchi Disk	1.2 Ft.	5001 5001
		06-17-70	BOD	1.8 Mg/L	5001 5006
		1610	Secchi Disk	1.2 Ft.	5001 5001
		07-16-70	BOD	2.2 Mg/L	5001 5006
		1630	Secchi Disk	0.9 Ft.	5001 5001
		08-14-70	BOD	2.1 Mg/L	5001 5006
		1515	Secchi Disk	0.7 Ft.	5001 5001
EO B 804.0 203.0	SUISUN BAY NEAR PRESTON POINT	09-11-70	BOD	1.3 Mg/L	5001 5006
		1420	Secchi Disk	1.0 Ft.	5001 5001
		10-21-69	BOD	1.3 Mg/L	5001 5006
		1415	Secchi Disk	1.0 Ft.	5001 5001
		11-20-69	BOD	1.3 Mg/L	5001 5006
		1220	Secchi Disk	0.9 Ft.	5001 5001
		02-11-70	BOD	0.5 Mg/L	5001 5006
		0855	Secchi Disk	0.5 Ft.	5001 5001
		03-16-70	BOD	0.6 Mg/L	5001 5006
		1120	Secchi Disk	1.0 Ft.	5001 5001
		04-15-70	BOD	0.8 Mg/L	5001 5006
		1030	Secchi Disk	0.8 Ft.	5001 5001
		05-20-70	BOD	1.0 Mg/L	5001 5006
		1655	Secchi Disk	1.8 Ft.	5001 5001
		06-17-70	BOD	2.1 Mg/L	5001 5006
		1545	Secchi Disk	1.4 Ft.	5001 5001
EO B 804.4 156.2	HONKER BAY NEAR WHEELER POINT	07-16-70	BOD	1.7 Mg/L	5001 5006
		1605	Secchi Disk	0.7 Ft.	5001 5001
		08-14-70	BOD	1.9 Mg/L	5001 5006
		1455	Secchi Disk	0.8 Ft.	5001 5001
		09-11-70	BOD	1.2 Mg/L	5001 5006
		1350	Secchi Disk	0.7 Ft.	5001 5001
		10-21-69	BOD	1.2 Mg/L	5001 5006
		1530	Secchi Disk	1.0 Ft.	5001 5001
		11-21-69	BOD	1.5 Mg/L	5001 5006
		1120	Secchi Disk	0.8 Ft.	5001 5001
		02-11-70	BOD	0.5 Mg/L	5001 5006
		0940	Secchi Disk	0.5 Ft.	5001 5001
		03-19-70	BOD	0.8 Mg/L	5001 5006
		1435	Secchi Disk	0.8 Ft.	5001 5001
		04-15-70	BOD	0.7 Mg/L	5001 5006
		1115	Secchi Disk	0.7 Ft.	5001 5001
EO B 807.0 202.3	GRIZZLY BAY AT DOLPHIN NEAR SUISUN SLOUGH	05-20-70	BOD	1.1 Mg/L	5001 5006
		1740	Secchi Disk	0.9 Ft.	5001 5001
		06-17-70	BOD	1.1 Mg/L	5001 5006
		1630	Secchi Disk	0.8 Ft.	5001 5001
		07-16-70	BOD	1.7 Mg/L	5001 5006
		1645	Secchi Disk	0.8 Ft.	5001 5001
		08-14-70	BOD	2.6 Mg/L	5001 5006
		1540	Secchi Disk	0.6 Ft.	5001 5001
		09-11-70	BOD	1.4 Mg/L	5001 5006
		1450	Secchi Disk	0.7 Ft.	5001 5001
		10-21-69	BOD	1.1 Mg/L	5001 5006
		1215	Secchi Disk	0.8 Ft.	5001 5001
		11-21-69	BOD	1.5 Mg/L	5001 5006
		1020	Secchi Disk	0.7 Ft.	5001 5001
		02-11-70	BOD	0.4 Mg/L	5001 5006
		0730	Secchi Disk	0.5 Ft.	5001 5001
		03-16-70	BOD	0.7 Mg/L	5001 5006
		0940	Secchi Disk	0.7 Ft.	5001 5001
		04-16-70	BOD	0.9 Mg/L	5001 5006
		1130	Secchi Disk	0.7 Ft.	5001 5001
		05-18-70	BOD	0.6 Mg/L	5001 5006
		1350	Secchi Disk	1.0 Ft.	5001 5001
		06-15-70	BOD	1.7 Mg/L	5001 5006
		1335	Secchi Disk	1.5 Ft.	5001 5001
		07-15-70	BOD	2.0 Mg/L	5001 5006
		1420	Secchi Disk	0.8 Ft.	5001 5001

TABLE D-3 (Cont.)

## MISCELLANEOUS CONSTITUENTS IN SURFACE WATER

Station Number	Station	Date Time	Constituents	Samp	Lab
EO B 807.0 202.3	GRIZZLY BAY AT DOLPHIN NEAR SUISUN SLOUGH (Continued)	08-13-70	BOD	2.1 Mg/L	5001 5006
		1340	Secchi Disk	0.9 Ft.	5001 5001
		09-09-70	BOD	2.0 Mg/L	5001 5006
		1140	Secchi Disk	0.9 Ft.	5001 5001
EO S 809.2 205.3	CORDELIA SLOUGH AT CYGNUS	10-02-69	BOD	1.5 Mg/L	5001 5006
		0930	Secchi Disk	0.7 Ft.	5001 5001
		11-06-69	BOD	1.8 Mg/L	5001 5006
		1100	Secchi Disk	0.5 Ft.	5001 5001
		12-04-69	BOD	1.2 Mg/L	5001 5006
		1030	Secchi Disk	0.8 Ft.	5001 5001
		01-02-70	BOD	1.7 Mg/L	5001 5006
		0845	Secchi Disk	0.6 Ft.	5001 5001
		02-02-70	BOD	1.9 Mg/L	5001 5006
		1035	Secchi Disk	0.3 Ft.	5001 5001
		03-05-70	BOD	1.4 Mg/L	5001 5006
		1035	Secchi Disk	0.3 Ft.	5001 5001
		04-01-70	BOD	1.3 Mg/L	5001 5006
		1020	Secchi Disk	0.5 Ft.	5001 5001
		05-15-70	BOD	1.4 Mg/L	5001 5006
		1130	Secchi Disk	0.8 Ft.	5001 5001
EO S 810.8 202.8	SUISUN SLOUGH AT VOLANTI SLOUGH ON JOICE ISLAND	06-12-70	BOD	1.6 Mg/L	5001 5006
		1005	Secchi Disk	0.8 Ft.	5001 5001
		07-13-70	BOD	1.2 Mg/L	5001 5006
		1200	Secchi Disk	0.8 Ft.	5001 5001
		08-10-70	BOD	1.0 Mg/L	5001 5006
		1010	Secchi Disk	0.8 Ft.	5001 5001
		09-08-70	BOD	1.3 Mg/L	5001 5006
		1000	Secchi Disk	0.8 Ft.	5001 5001
		10-02-69	BOD	1.5 Mg/L	5001 5006
		1355	Secchi Disk	0.6 Ft.	5001 5001
		11-06-69	BOD	1.8 Mg/L	5001 5006
		1124	Secchi Disk	0.4 Ft.	5001 5001
		12-04-70	BOD	1.3 Mg/L	5001 5006
		1420	Secchi Disk	0.6 Ft.	5001 5001
		01-02-70	BOD	2.2 Mg/L	5001 5006
		1130	Secchi Disk	0.5 Ft.	5001 5001
EO S 811.0 204.8	CHADBOURNE SLOUGH AT CHADBOURNE ROAD	02-02-70	BOD	1.9 Mg/L	5001 5006
		1430	Secchi Disk	0.3 Ft.	5001 5001
		03-20-70	Secchi Disk	0.7 Ft.	5001 5001
		1040			
		04-01-70	BOD	2.5 Mg/L	5001 5006
		1340	Secchi Disk	0.4 Ft.	5001 5001
		05-15-70	BOD	2.8 Mg/L	5001 5006
		1530	Secchi Disk	0.5 Ft.	5001 5001
		06-12-70	BOD	2.8 Mg/L	5001 5006
		1400	Secchi Disk	0.5 Ft.	5001 5001
		07-13-70	BOD	2.1 Mg/L	5001 5006
		1540	Secchi Disk	1.1 Ft.	5001 5001
		08-10-70	BOD	1.8 Mg/L	5001 5006
		1400	Secchi Disk	0.5 Ft.	5001 5001
		09-08-70	BOD	1.3 Mg/L	5001 5006
		1455	Secchi Disk	1.2 Ft.	5001 5001
		10-02-69	Secchi Disk	0.6 Ft.	5001 5001
		1135			
		11-06-69	Secchi Disk	0.5 Ft.	5001 5001
		1230			
		12-04-69	Secchi Disk	0.7 Ft.	5001 5001
		1155			
		01-02-70	Secchi Disk	0.6 Ft.	5001 5001
		0930			
		02-02-70	Secchi Disk	0.4 Ft.	5001 5001
		1230			
		03-05-70	Secchi Disk	0.3 Ft.	5001 5001
		1130			
		04-01-70	Secchi Disk	0.4 Ft.	5001 5001
		1130			

TABLE D-3(Cont.)

## MISCELLANEOUS CONSTITUENTS IN SURFACE WATER

Station Number	Station	Date Time	Constituents		Samp	Lab
EO S 811.0 204.8	CHADBOURNE SLOUGH AT CHADBOURNE ROAD (Continued)	05-15-70 1245	Secchi Disk	0.7 Ft.	5001	5001
		06-12-70 1150	Secchi Disk	0.5 Ft.	5001	5001
		07-13-70 1335	Secchi Disk	0.8 Ft.	5001	5001
		08-10-70 1130	Secchi Disk	0.8 Ft.	5001	5001
		09-08-70 1225	Secchi Disk	1.0 Ft.	5001	5001
EO S 811.2 158.5	MONTEZUMA SLOUGH AT GRIZZLY ISLAND ROAD	10-02-70 1310	BOD Secchi Disk	1.3 Mg/L 0.4 Ft.	5001 5001	5006 5001
		11-06-70 1420	BOD Secchi Disk	0.4 Mg/L 0.4 Ft.	5001 5001	5006 5001
		12-04-70 1345	BOD Secchi Disk	1.5 Mg/L 0.7 Ft.	5001 5001	5006 5001
		01-02-70 1040	BOD Secchi Disk	1.4 Mg/L 0.5 Ft.	5001 5001	5006 5001
		02-02-70 1400	BOD Secchi Disk	1.0 Mg/L 0.3 Ft.	5001 5001	5006 5001
		03-05-70 1330	BOD Secchi Disk	1.6 Mg/L 0.5 Ft.	5001 5001	5006 5001
		04-01-70 1300	BOD Secchi Disk	2.3 Mg/L 0.5 Ft.	5001 5001	5006 5001
		05-15-70 1400	BOD Secchi Disk	1.3 Mg/L 0.7 Ft.	5001 5001	5006 5001
		06-12-70 1330	BOD Secchi Disk	1.5 Mg/L 0.8 Ft.	5001 5001	5006 5001
		07-13-70 1450	BOD Secchi Disk	1.2 Mg/L 1.1 Ft.	5001 5001	5006 5001
		08-10-70 1320	BOD Secchi Disk	1.7 Mg/L 1.6 Ft.	5001 5001	5006 5001
		09-08-70 1420	BOD Secchi Disk	1.0 Mg/L 1.7 Ft.	5001 5001	5006 5001
EO S 811.5 207.2	CORDELIA SLOUGH AT UPPER END NEAR CORDELIA	10-02-69 1035	BOD Secchi Disk	2.2 Mg/L 0.9 Ft.	5001 5001	5006 5001
		04-01-70 1100	BOD Secchi Disk	2.3 Mg/L 0.5 Ft.	5001 5001	5006 5001
		05-15-70 1210	BOD Secchi Disk	1.4 Mg/L 0.5 Ft.	5001 5001	5006 5001
		06-12-70 1115	BOD Secchi Disk	1.6 Mg/L 0.5 Ft.	5001 5001	5006 5001
		07-13-70 1240	BOD Secchi Disk	2.4 Mg/L 0.5 Ft.	5001 5001	5006 5001
		08-10-70 1045	BOD Secchi Disk	2.5 Mg/L 0.6 Ft.	5001 5001	5006 5001
		09-08-70 1115	BOD Secchi Disk	0.3 Mg/L 0.6 Ft.	5001 5001	5006 5001
EO S 813.6 201.2	HILL SLOUGH AT GRIZZLY ISLAND ROAD	10-02-69 1240	BOD Secchi Disk	1.6 Mg/L 0.8 Ft.	5001 5001	5006 5001
		11-06-69 1232	BOD Secchi Disk	2.7 Mg/L 0.4 Ft.	5001 5001	5006 5001
		12-04-69 1320	BOD Secchi Disk	2.0 Mg/L 0.5 Ft.	5001 5001	5006 5001
		01-02-70 1010	BOD Secchi Disk	4.0 Mg/L 0.5 Ft.	5001 5001	5006 5001
		02-02-70 1330	BOD Secchi Disk	2.5 Mg/L 0.5 Ft.	5001 5001	5006 5001
		03-05-70 1300	BOD Secchi Disk	2.7 Mg/L 0.5 Ft.	5001 5001	5006 5001
		04-01-70 1230	BOD Secchi Disk	3.7 Mg/L 0.5 Ft.	5001 5001	5006 5001
		05-15-70 1330	BOD Secchi Disk	5.2 Mg/L 0.3 Ft.	5001 5001	5006 5001
		06-12-70 1300	BOD Secchi Disk	4.3 Mg/L 0.7 Ft.	5001 5001	5006 5001

TABLE D-3 (Cont.)

## MISCELLANEOUS CONSTITUENTS IN SURFACE WATER

Station Number	Station	Date Time	Constituents	Samp	Lab
E0 S 813.6 201.2	HILL SLOUGH AT GRIZZLY ISLAND ROAD (Continued)	07-13-70 1420	BOD	1.7 Mg/L	5001 5006
			Secchi Disk	0.9 Ft.	5001 5001
		08-10-70 1240	BOD	1.5 Mg/L	5001 5006
			Secchi Disk	0.7 Ft.	5001 5001
		09-08-70 1325	BOD	0.7 Mg/L	5001 5006
			Secchi Disk	0.5 Ft.	5001 5001
		11-06-69 1155	BOD	1.2 Mg/L	5001 5006
			Secchi Disk	2.0 Ft.	5001 5001
E3 2100.51	GREEN VALLEY CREEK AT CORDELIA	12-04-69 1130	BOD	1.5 Mg/L	5001 5006
			Secchi Disk	1.8 Ft.	5001 5001
		01-02-70 0910	BOD	1.9 Mg/L	5001 5006

TABLE D-4  
SALINITY OBSERVATIONS AT BAY AND DELTA STATIONS \*

(Chlorides in Milligrams Per Liter)

Station	Station Number	OCTOBER 1969							
		2	6	10	14	18	22	26	30
CARQUINEZ STRAIT AT CROCKETT	EOB80352133	6,800	8,800 e	11,350	10,100 d	9,920			
CARQUINEZ STRAIT AT MARTINEZ	EOB80192078	3,800 a	7,700 e	6,080	6,550 a	7,100 a	7,200 a	6,320	4,700 a
SUISUN BAY AT PORT CHICAGO	EOB80342023	1,410 de	2,600 de	3,980	4,070	2,400	2,800 a	2,790	1,680
SUISUN BAY AT NICHOLS	EOB80301590			4,400	4,630	2,800	3,050	2,700	2,540
SACRAMENTO RIVER AT PITTSBURG	B9D80231530	30 ade	66 a	250	255 a	180 a		82	
SACRAMENTO RIVER AT COLLINSVILLE	B9D80441510			14 d	177 d	82	28	22	14
Station	Station Number	NOVEMBER 1969							
		2	6	10	14	18	22	26	30
CARQUINEZ STRAIT AT CROCKETT	EOB80352133	7,920		9,800	8,220	6,220	9,080	8,470	6,920
CARQUINEZ STRAIT AT MARTINEZ	EOB80192078	6,950	7,550	5,020 a	6,160	3,970	7,500		5,780
SUISUN BAY AT PORT CHICAGO	EOB80342023	3,150		2,290 a	2,840	1,930 d		1,680 a	1,760 a
SUISUN BAY AT NICHOLS	EOB80301590	2,890	4,180	3,260	2,890	1,100	3,460	3,390	2,460
SACRAMENTO RIVER AT PITTSBURG	B9D80231530	38		100	80 bd	40	60	58	54
SACRAMENTO RIVER AT COLLINSVILLE	B9D80441510	12	22	52	7	15	28		
Station	Station Number	DECEMBER 1969							
		2	6	10	14	18	22	26	30
CARQUINEZ STRAIT AT CROCKETT	EOB80352133	8,160	10,400	10,800	8,540	8,590	5,590	1,250	2,600
CARQUINEZ STRAIT AT MARTINEZ	EOB81092078		8,230	5,950	5,590	3,320 ae	2,320	231	2,450
SUISUN BAY AT PORT CHICAGO	EOB80342023		5,400	3,370 bd	2,900	3,080	268 bd	44	
SUISUN BAY AT NICHOLS	EOB80301590	2,940	5,200	5,690	2,220	2,180	700	30	14
SACRAMENTO RIVER AT PITTSBURG	B9D80231530	62	128		196	56	42	24	16
SACRAMENTO RIVER AT COLLINSVILLE	B9D80441510		36	192 d	51	7	14	5	8
Station	Station Number	JANUARY 1970							
		2	6	10	14	18	22	26	30
CARQUINEZ STRAIT AT CROCKETT	EOB80352133								
CARQUINEZ STRAIT AT MARTINEZ	EOB80192078	2,460	144 a	2,380	1,870		15	16	12 a
SUISUN BAY AT PORT CHICAGO	EOB80342023			289	48 a		25		25 a
SUISUN BAY AT NICHOLS	EOB80301590								20 a
SACRAMENTO RIVER AT PITTSBURG	B9D80231530	20 de	18 d	25		28		22	16
SACRAMENTO RIVER AT COLLINSVILLE	B9D80441510	4	4 d	7	7	4	4	4	

\*Samples taken at four-day intervals approximately one and one-half hours after high high tide.

a Taken after low high tide.

d Taken over one hour off schedule time.

b Taken on following day.

e Taken on preceding day.

c Taken two days later.

f Taken two days earlier.

TABLE D-4  
SALINITY OBSERVATIONS AT BAY AND DELTA STATIONS\*  
(Chlorides in Milligrams Per Liter)

Station	Station Number	FEBRUARY 1970							
		2	6	10	14	18	22	26	30
CARQUINEZ STRAIT AT CROCKETT	EOB80352133		1,270	1,700	1,470	1,830 de	1,610		
CARQUINEZ STRAIT AT MARTINEZ	EOB80192078		14 bd	144	21	123	510		
SUISUN BAY AT PORT CHICAGO	EOB80342023	12	20	18 a	23	20	20	39	
SUISUN BAY AT NICHOLS	EOB80301590	13 a	18	14	14		16	17	
SACRAMENTO RIVER AT PITTSBURG	B9D80231530	9			20		23		
SACRAMENTO RIVER AT COLLINSVILLE	B9D80441510								
Station	Station Number	MARCH 1970							
		2	6	10	14	18	22	26	30
CARQUINEZ STRAIT AT CROCKETT	EOB80352133	3,270			1,720	2,590	5,930		6,960
CARQUINEZ STRAIT AT MARTINEZ	EOB80192078		87 a	35 a	856 a	1,630 a	3,730 a		1,170 ae
SUISUN BAY AT PORT CHICAGO	EOB80342023	30	28	19	26	19	545	73 a	1,840
SUISUN BAY AT NICHOLS	EOB80301590	19	20	20	18	16	101		1,800
SACRAMENTO RIVER AT PITTSBURG	B9D80231530	18			29		19 a	21 a	
SACRAMENTO RIVER AT COLLINSVILLE	B9D80441510								
Station	Station Number	APRIL 1970							
		2	6	10	14	18	22	26	30
CARQUINEZ STRAIT AT CROCKETT	EOB80352133	8,520		7,960	8,470			10,900	9,810 e
CARQUINEZ STRAIT AT MARTINEZ	EOB80192078	5,190 a	6,380 a	5,110 a	7,750 ae	6,040 a	5,360	9,780	7,100 e
SUISUN BAY AT PORT CHICAGO	EOB80342023		3,790	1,760 a	1,170		6,560	3,840 a	
SUISUN BAY AT NICHOLS	EOB80301590	2,560	3,120		1,600	4,660	5,610	5,380	2,870
SACRAMENTO RIVER AT PITTSBURG	B9D80231530		82 ab	125		170	281 a	709	
SACRAMENTO RIVER AT COLLINSVILLE	B9D80441510								
Station	Station Number	MAY 1970							
		2	6	10	14	18	22	26	30
CARQUINEZ STRAIT AT CROCKETT	EOB80352133	11,900	12,100	11,000	9,270 e		12,400	12,200	12,100 e
CARQUINEZ STRAIT AT MARTINEZ	EOB80192078	7,610	6,280 a	8,660	5,530 e	10,000	9,250	10,100	7,450 a
SUISUN BAY AT PORT CHICAGO	EOB80342023	3,010 a	3,980 a		4,250 e	7,180	4,100 a	6,210	5,360
SUISUN BAY AT NICHOLS	EOB80301590	3,550	5,870	3,960	3,030 e	6,720	2,480 a	5,070	3,030 e
SACRAMENTO RIVER AT PITTSBURG									
SACRAMENTO RIVER AT COLLINSVILLE	B9D80441510								

\*Samples taken at four-day intervals approximately one and one-half hours after high high tide.

a Taken after low high tide.

d Taken over one hour off schedule time.

b Taken on following day.

e Taken on preceding day.

c Taken two days later.

f Taken two days earlier.

TABLE D-4  
SALINITY OBSERVATIONS AT BAY AND DELTA STATIONS\*  
(Chlorides in Milligrams Per Liter)

Station	Station Number	JUNE 1970							
		2	6	10	14	18	22	26	30
CARQUINEZ STRAIT AT CROCKETT	EOB80352133	7,870 e	11,900	10,400	7,040 a	10,900 a	12,600	12,900	9,450 a
CARQUINEZ STRAIT AT MARTINEZ	EOB80190278	8,660	10,900		9,200 e	8,250 a	11,700	8,870 a	5,350 a
SUISUN BAY AT PORT CHICAGO	EOB80342023	6,700	8,010	4,540	6,620 e	7,940	5,410 a		6,450 d
SUISUN BAY AT NICHOLS	EOB80301590	6,070	5,820	3,590	2,670 a	5,530	6,330	4,850	5,950 e
SACRAMENTO RIVER AT PITTSBURG	B9D80231530	637 a	849 a		683 a	684 a		1,080 a	
SACRAMENTO RIVER AT COLLINSVILLE	B9D80441510								
Station	Station Number	JULY 1970							
		2	6	10	14	18	22	26	30
CARQUINEZ STRAIT AT CROCKETT	EOB80352133		11,400	10,100	11,600 a	12,700		14,300 bd	13,500 e
CARQUINEZ STRAIT AT MARTINEZ	EOB80192078		8,980 a		10,800 e	7,510 a		11,000	10,800 e
SUISUN BAY AT PORT CHICAGO	EOB80342023		7,500	5,820	7,260 e	9,260	5,980	3,940 abd	7,610 e
SUISUN BAY AT NICHOLS	EOB80301590	6,590	5,360	5,220	6,870 e	7,260	4,240 ad	6,300	6,900
SACRAMENTO RIVER AT PITTSBURG	B9D80231530	898 a		1,120 abd		1,270 a			
SACRAMENTO RIVER AT COLLINSVILLE	B9D80441510								
Station	Station Number	AUGUST 1970							
		2	6	10	14	18	22	26	30
CARQUINEZ STRAIT AT CROCKETT	EOB80352133	11,800		11,500	13,000 e	10,100	13,200	11,300 e	
CARQUINEZ STRAIT AT MARTINEZ	EOB80192078	10,600	9,060	7,220	7,150 a	9,300	7,780 a	6,560 a	8,790
SUISUN BAY AT PORT CHICAGO	EOB80342023	4,630 a	5,510	4,380 abd	8,000 e	5,920 a	3,180 bd	5,920 e	5,920
SUISUN BAY AT NICHOLS	EOB80301590	5,850	4,480		7,390 e	5,480			4,200
SACRAMENTO RIVER AT PITTSBURG	B9D80231530	1,110 a	546		1,150 a	1,080 abd	947 ad		521 a
SACRAMENTO RIVER AT COLLINSVILLE	B9D80441510								
Station	Station Number	SEPTEMBER 1970							
		2	6	10	14	18	22	26	30
CARQUINEZ STRAIT AT CROCKETT	EOB80352133	9,300	5,510	5,700	7,170 a	10,600	5,160		
CARQUINEZ STRAIT AT MARTINEZ	EOB80192078	7,830	8,200	6,340 a	5,580 a	4,160 a	3,380 a	6,310 b	6,320 a
SUISUN BAY AT PORT CHICAGO	EOB80342023	4,410	3,840	4,390	1,980	1,870 abd	1,550	2,800 b	3,570
SUISUN BAY AT NICHOLS	EOB80301590	2,630	2,970	4,410	2,450	1,670		1,080 b	
SACRAMENTO RIVER AT PITTSBURG	B9D80231530	352 abd	232	192 ad	167 a	139 bd	81	75 a	123
SACRAMENTO RIVER AT COLLINSVILLE	B9D80441510								

\*Samples taken at four-day intervals approximately one and one-half hours after high high tide.

a Taken after low high tide.

d Taken over one hour off schedule time.

b Taken on following day.

e Taken on preceding day.

c Taken two days later.

f Taken two days earlier.



TABLE D-5

## NUTRIENTS IN SURFACE WATER

Abbreviations and Chemical CodesNitrogen Series

NO <sub>3</sub>	- Nitrate (unfiltered)
NO <sub>2</sub>	- Nitrite (unfiltered)
Org	- Organic Nitrogen (unfiltered)
NH <sub>3</sub>	- Ammonia (unfiltered)
Total	- Total Nitrogen (unfiltered)

Phosphorus Series

Ortho	- Ortho-Phosphate (filtered)
Hydro	- Hydrolizable Phosphates (filtered)
Total	- Total Phosphorus (unfiltered)

Miscellaneous Nutrients

KN	- Kjeldahl Nitrogen as N
DON	- Dissolved Organic Nitrogen as N
PO <sub>4</sub>	- Unfiltered Ortho-Phosphates as P
M	- Milligrams per liter
MY	- Less than value indicated in milligrams per liter

Samp - Codes for agency collecting sample

5001 - U. S. Bureau of Reclamation

5050 - Department of Water Resources

Lab - Codes for laboratory performing analysis

5006 - McClellan Air Force Base Laboratory,  
used by U. S. Bureau of Reclamation

5050 - Department of Water Resources Labora-  
tory at Bryte

TABLE D-5 (CONT)

## NUTRIENTS IN SURFACE WATER

Date Time	Nutrients (Mg/L)								Miscellaneous Nutrients			Samp	Lab
	Nitrogen Series as N					Phosphorus Series as P			Code	Value	UR		
	NO <sub>3</sub>	NO <sub>2</sub>	Org	NH <sub>3</sub>	Total	Ortho	Hydro	Total					
DO 1100.00	BRANCIFORTE CREEK AT SANTA CRUZ												
03-17-70 0720						0.13						5050	5050
08-04-70 1110	0.64					0.31						5050	5050
DO 1180.01	SAN LORENZO RIVER AT PARADISE PARK												
03-16-70 1410						0.10						5050	5050
08-04-70 1015	0.14					0.16						5050	5050
DO 1200.00	SAN LORENZO RIVER AT BIG TREES												
11-18-69 0930	0.21		0.1	0.01		0.15		0.18				5050	5050
DO 1220.01	ZAYANTE CREEK AT FELTON												
03-16-70 1615						0.19						5050	5050
08-04-70 0930	0.55					0.34						5050	5050
DO 1498.01	SAN LORENZO RIVER AT BOULDER CREEK												
03-16-70 1545						0.05						5050	5050
08-04-70 0850	0.07					0.07						5050	5050
DO 2020.00	APTOS CREEK BELOW VALENCIA CREEK NEAR APTOS												
03-17-70 0820						0.12						5050	5050
08-04-70 1210	0.08					0.21						5050	5050
DO 3100.00	SOQUEL CREEK AT SOQUEL												
03-17-70 0800						0.06						5050	5050
08-04-70 1250	0.09					0.14						5050	5050

TABLE D-5 (CONT)

## NUTRIENTS IN SURFACE WATER

Date Time	Nutrients (Mg/L)								Miscellaneous Nutrients			Somp	Lab
	Nitrogen Series as N					Phosphorus Series as P			Code	Value	UR		
	NO <sub>3</sub>	NO <sub>2</sub>	Org	NH <sub>3</sub>	Total	Ortho	Hydro	Total					
D0 4010.01	SCOTT CREEK AT HIGHWAY 1 NEAR DAVENPORT												
03-17-70 0930						0.07						5050	5050
08-04-70 0845	0.09					0.15						5050	5050
D1 1075.30	PAJARO RIVER AT THURWACHTER ROAD												
05-05-70 1635	3.8					0.01			KN	00.63	M	5050	5050
08-25-70 1030	1.9					0.04			KN	000.7	M	5050	5050
D1 3150.30	ELKHORN SLOUGH AT HIGHWAY 1												
05-05-70 1700	0.25					0.02			KN	00.20	M	5050	5050
D2 1006.30	TEMBLADERO SLOUGH AT NASHUA ROAD												
05-05-70 1715	9.9					1.6			KN	004.0	M	5050	5050
08-25-70 1135	0.01					1.3			KN	003.5	M	5050	5050
D2 1006.60	TEMBLADERO SLOUGH AT MERRITT LAKE DRAIN												
08-25-70 1230	0.23					0.06			KN	005.6	M	5050	5050
D2 1010.20	SALINAS RECLAMATION CANAL AT BORONDA ROAD												
05-05-70 1530	9.9					2.0			KN	006.8	M	5050	5050
08-25-70 1225	20					0.92			KN	0037.	M	5050	5050
D2 1015.50	SALINAS RECLAMATION CANAL AT END OF MERCED STREET												
05-05-70 1455	5.2					0.91			KN	002.4	M	5050	5050
08-25-70 1045	5.2					0.94			KN	001.6	M	5050	5050
D2 1020.70	SALINAS RECLAMATION CANAL AT AIRPORT WAY												
05-05-70 1415	16					1.5			KN	002.3	M	5050	5050
08-25-70 1020	21					2.2			KN	002.9	M	5050	5050

TABLE D-5 (CONT)

## NUTRIENTS IN SURFACE WATER

Date Time	Nutrients (Mg/L)								Miscellaneous Nutrients			Samp	Lab
	Nitrogen Series as N					Phosphorus Series as P			Code	Value	UR		
	NO <sub>3</sub>	NO <sub>2</sub>	Org	NH <sub>3</sub>	Total	Ortho	Hydro	Total					
D2 1030.30	BLANCO DRAIN AT PUMP LIFT												
05-05-70 1555	2.3					1.4			KN	006.0	M	5050	5050
08-25-70 1300	2.0					1.6			KN	001.6	M	5050	5050
D2 1150.30	SALINAS RIVER AT BLANCO ROAD												
05-05-70 1610	4.5					3.5			KN	002.5	M	5050	5050
08-25-70 1325	2.6					6.8			KN	009.0	M	5050	5050
D2 1208.30	BLANCO DRAIN AT HITCHCOCK ROAD												
10-23-70 --						1.5	0.0					5050	5050
D2 1220.00	SALINAS RIVER NEAR SPRECKELS												
05-05-70 1640	7.2					4.0			KN	004.6	M	5050	5050
08-25-70 1535	2.0					2.4			KN	002.8	M	5050	5050
D4 1007.60	PACIFIC OCEAN AT CARMEL S.T.P. OUTFALL												
05-05-70 1530	0.18					0.21			KN	00.83	M	5050	5050
D4 1008.50	CARMEL RIVER NEAR MOUTH												
05-05-70 1510	0.00					0.03			KN	00.21	M	5050	5050
08-25-70 1345	0.00					0.06			KN	000.6	M	5050	5050
D4 1095.10	CARMEL RIVER AT BERONDA ROAD												
05-05-70 1410	0.00					0.01			KN	00.15	M	5050	5050
D4 3800.50	SAN JOSE CREEK AT HIGHWAY 1												
05-05-70 1445	0.18					0.09			KN	00.16	M	5050	5050

TABLE D-5 (CONT)

## NUTRIENTS IN SURFACE WATER

Date Time	Nutrients (Mg/L)								Miscellaneous Nutrients			Samp	Lab
	Nitrogen Series as N					Phosphorus Series as P							
	NO <sub>3</sub>	NO <sub>2</sub>	Org	NH <sub>3</sub>	Total	Ortho	Hydro	Total	Code	Value	UR		
0 B 735.0	215.0 SAN FRANCISCO BAY AT SAN MATEO BRIDGE (SHIP CHANNEL)												
2-15-69 1510	0.49		0.0	0.12		0.19	0.07	0.26				5050	5050
2-25-70 1000	0.39		0.1	0.17		0.16	0.03	0.37				5050	5050
3-24-70 0910	0.26		0.4	0.06		0.18	0.07	0.26				5050	5050
5-28-70 1440	0.42		0.4	0.06		0.35	0.03	0.42				5050	5050
7-22-70 0900	0.57		0.4	0.00		0.36	0.00	0.47				5050	5050
0 B 736.2	211.6 SAN FRANCISCO BAY AT SAN MATEO BRIDGE												
6-22-70 0945	0.48		0.0	0.00		0.32	0.03	0.46				5050	5050
8-11-70 1045	0.50		0.5	0.00		0.34	0.05	0.43				5050	5050
9-17-70 0700	0.24		0.1	0.00		0.31	0.00	0.34				5050	5050
0 B 748.1	222.4 SAN FRANCISCO BAY WEST OF YERBA BUENA ISLAND												
2-05-69 1630	0.21		0.0	0.11		0.05	0.02	0.08				5050	5050
2-25-70 1140	0.21		0.0	0.13		0.05	0.00	0.18				5050	5050
3-24-70 1045	0.24		0.0	0.00		0.05	0.03	0.08				5050	5050
5-28-70 1535	0.26		0.3	0.00		0.09	0.00	0.11				5050	5050
6-22-70 1200	0.27		0.0	0.00		0.09	0.01	0.19				5050	5050
7-22-70 1030	0.38		0.3	0.00		0.14	0.00	0.14				5050	5050
8-11-70 1150	0.45		0.4	0.00		0.09	0.03	0.18				5050	5050
9-17-70 0900	0.24		0.2	0.00		0.08	0.00	0.08				5050	5050
0 B 757.7	226.2 SAN PABLO STRAIT WEST OF THE BROTHERS												
2-25-70 1315	0.25		0.3	0.72		0.05	0.00	0.16				5050	5050

TABLE D-5 (CONT)

## NUTRIENTS IN SURFACE WATER

Date Time	Nutrients (Mg/L)								Miscellaneous Nutrients			Samp	Lab
	Nitrogen Series as N					Phosphorus Series as P			Code	Value	UR		
	NO <sub>3</sub>	NO <sub>2</sub>	Org	NH <sub>3</sub>	Total	Ortho	Hydro	Total					
EO B 757.7	226.2 SAN PABLO STRAIT WEST OF THE BROTHERS (Continued)												
03-24-70 1145	0.13		0.3	0.02		0.04	0.03	0.07				5050	5050
05-28-70 1735	0.19		0.6	0.04		0.05	0.01	0.10				5050	5050
06-22-70 1300	0.31		0.0	0.00		0.09	0.00	0.22				5050	5050
07-22-70 1130	0.42		0.5	0.01		0.09	0.00	0.14				5050	5050
08-11-70 1320	0.46		0.4	0.00		0.08	0.02	0.14				5050	5050
09-17-70 1015	0.27		0.4	0.00		0.08	0.00	0.14				5050	5050
EO B 802.3	207.1 SUISUN BAY OFF BULLS HEAD POINT AT MARTINEZ												
10-21-69 1325	0.20		0.50	0.07		0.08			DON PO <sub>4</sub>	00.50 00.32	M M	5001 5001	5006 5006
11-20-69 1120	0.20		0.17	0.04		0.06			DON PO <sub>4</sub>	00.15 00.38	M M	5001 5001	5006 5006
02-11-70 0810	0.30		0.45	0.09		0.06			DON PO <sub>4</sub>	00.27 00.48	M M	5001 5001	5006 5006
03-16-70 1035	0.32		0.30	0.05		0.08			DON PO <sub>4</sub>	00.30 00.29	M M	5001 5001	5006 5006
04-16-70 1215	0.29		0.58	0.06		0.08			DON PO <sub>4</sub>	00.53 00.38	M M	5001 5001	5006 5006
05-18-70 1450	0.30		0.41	0.02		0.10			DON PO <sub>4</sub>	00.21 00.25	M M	5001 5001	5006 5006
06-15-70 1420	0.05		0.05	0.02		0.06			DON PO <sub>4</sub>	00.25 00.03	M M	5001 5001	5006 5006
07-15-70 1455	0.14		0.80	0.08		0.13			DON PO <sub>4</sub>	00.28 00.49	M M	5001 5001	5006 5006
08-13-70 1425	0.09		0.52	0.03		0.06			DON PO <sub>4</sub>	00.26 00.30	M M	5001 5001	5006 5006
09-09-70 1230	0.05		<0.01	<0.005		0.08			DON PO <sub>4</sub>	00.01 00.59	MY M	5001 5001	5006 5006
EO B 802.8	155.0 SACRAMENTO RIVER AT CHIPPS ISLAND												
10-21-69 1610	0.20		0.26	0.03		0.08			DON PO <sub>4</sub>	00.22 00.25	M M	5001 5001	5006 5006
11-20-69 1350	0.10		0.04	0.02		0.07			DON PO <sub>4</sub>	00.04 00.43	M M	5001 5001	5006 5006

TABLE D-5 (CONT)

## NUTRIENTS IN SURFACE WATER

Date Time	Nutrients (Mg/L)								Miscellaneous Nutrients			Samp	Lab	
	Nitrogen Series as N					Phosphorus Series as P			Code	Value	UR			
	NO <sub>3</sub>	NO <sub>2</sub>	Org	NH <sub>3</sub>	Total	Ortho	Hydro	Total						
0 B 802.8	155.0	SACRAMENTO RIVER AT CHIPPS ISLAND (Continued)												
2-12-70 0840	0.30		0.18	0.14		0.05			DON PO <sub>4</sub>	00.18 00.52	M M	5001 5001	5006 5006	
3-16-70 1200	0.29		0.11	0.02		0.05			DON PO <sub>4</sub>	00.11 00.25	M M	5001 5001	5006 5006	
4-16-70 1310	0.36		0.49	0.06		0.07			DON PO <sub>4</sub>	00.38 00.54	M M	5001 5001	5006 5006	
5-18-70 1550	0.20		0.50	0.05		0.11			DON PO <sub>4</sub>	00.25 00.45	M M	5001 5001	5006 5006	
6-15-70 1530	<0.05		0.50	0.05		0.06			DON PO <sub>4</sub>	00.40 00.48	M M	5001 5001	5006 5006	
7-15-70 1550	0.07		0.53	<0.005		0.07			DON PO <sub>4</sub>	00.02 00.87	M M	5001 5001	5006 5006	
8-13-70 1520	0.07		1.10	0.01		0.08			DON PO <sub>4</sub>	00.31 00.75	M M	5001 5001	5006 5006	
9-09-70 1335	0.05		<0.01	<0.005		0.09			DON PO <sub>4</sub>	00.01 00.49	MY M	5001 5001	5006 5006	
0 B 803.2	204.8	SUISUN BAY ABOVE AVON PIER												
3-16-70 1105	0.40		0.32	0.10		0.06		0.07				5001	5006	
6-17-70 1530	<0.05		0.44	<0.005		0.01			PO <sub>4</sub>	00.49	M	5001	5006	
9-11-70 1325	0.40		0.60	<0.08		0.08		0.11				5001	5006	
0 B 803.6	159.3	SUISUN BAY OFF MIDDLE POINT NEAR NICHOLS												
3-19-70 1400	0.40		0.51	0.13		0.05		0.06				5001	5006	
6-17-70 1610	<0.05		0.50	<0.05		0.04			PO <sub>4</sub>	00.52	M	5001	5006	
9-11-70 1420	0.20		0.80	<0.08		0.07		0.10				5001	5006	
0 B 804.0	203.0	SUISUN BAY NEAR PRESTON POINT												
3-16-70 1120	0.40		0.26	0.10		0.05		0.08				5001	5006	
6-17-70 1545	<0.05		0.41	<0.005		0.04			PO <sub>4</sub>	00.53	M	5001	5006	
9-11-70 1350	0.30		0.71	<0.08		0.06		0.08				5001	5006	

TABLE D-5 (CONT)

## NUTRIENTS IN SURFACE WATER

Date Time	Nutrients (Mg/L)								Miscellaneous Nutrients			Samp	Lab	
	Nitrogen Series as N					Phosphorus Series as P			Code	Value	UR			
	NO <sub>3</sub>	NO <sub>2</sub>	Org	NH <sub>3</sub>	Total	Ortho	Hydro	Total						
EO B 804.4	156.2	HONKER BAY NEAR WHEELER POINT												
03-19-70 1435	0.40		0.26	<0.08		0.04		0.06				5001	5006	
06-17-70 1630	<0.05		0.46	<0.005		0.03			PO <sub>4</sub>	00.65	M	5001	5006	
09-11-70 1450	0.20		0.46	<0.08		0.08		0.10				5001	5006	
EO B 807.0	202.3	GRIZZLY BAY AT DOLPHIN NEAR SUISUN SLOUGH												
10-21-69 1215	0.20		0.41	0.06		0.07			DON PO <sub>4</sub>	00.27 00.38	M M	5001 5001	5006 5006	
11-21-69 1020	0.20		0.20	0.05		0.07			DON PO <sub>4</sub>	00.03 00.67	M M	5001 5001	5006 5006	
02-11-70 0730	0.20		0.32	<0.005		0.05			DON PO <sub>4</sub>	00.32 00.32	M M	5001 5001	5006 5006	
03-16-70 0840	0.27		0.23	<0.005		0.06			DON PO <sub>4</sub>	00.23 00.39	M M	5001 5001	5006 5006	
04-16-70 1130	0.41		0.65	<0.06		0.08			DON PO <sub>4</sub>	00.54 00.51	M M	5001 5001	5006 5006	
05-18-70 1350	0.30		0.60	0.02		0.09			DON PO <sub>4</sub>	00.34 00.30	M M	5001 5001	5006 5006	
06-15-70 1335	<0.05		0.37	<0.005		0.04			DON PO <sub>4</sub>	00.37 00.41	M M	5001 5001	5006 5006	
07-15-70 1420	0.09		1.20	<0.005		0.06			DON PO <sub>4</sub>	00.29 00.86	M M	5001 5001	5006 5006	
08-13-70 1340	0.11		0.82	0.01		0.08			DON PO <sub>4</sub>	00.35 00.70	M M	5001 5001	5006 5006	
09-09-70 1140	0.02		<0.01	<0.005		0.09			DON PO <sub>4</sub>	00.01 00.69	MY M	5001 5001	5006 5006	
EO S 809.2	205.3	CORDELIA SLOUGH AT CYGNUS												
11-06-69 1100	0.30		0.66	0.16		0.01		0.09				5001	5006	
02-02-70 1035	1.50		0.63	0.10		0.05		0.13				5001	5006	
05-15-70 1130	0.40		0.53	0.10		0.05		0.09				5001	5006	
08-10-70 1010	0.20		0.77	<0.08		0.03		0.06				5001	5006	



TABLE D-5 (CONT)

## NUTRIENTS IN SURFACE WATER

Date Time	Nutrients (Mg/L)								Miscellaneous Nutrients			Samp	Lab	
	Nitrogen Series as N					Phosphorus Series as P			Code	Value	UR			
	NO <sub>3</sub>	NO <sub>2</sub>	Org	NH <sub>3</sub>	Total	Ortho	Hydro	Total						
0 S 810.8	202.8	SUISUN SLOUGH AT VOLANTI SLOUGH ON JOICE ISLAND												
1-06-69 1124	0.30		0.54	0.24		0.04		0.06				5001	5006	
2-02-70 1430	1.50		0.73	0.15		0.07		0.12				5001	5006	
5-15-70 1530	0.60		1.10	0.10		0.05		0.10				5001	5006	
8-10-70 1400	0.10		0.88	<0.08		0.05		0.09				5001	5006	
0 S 811.2	158.5	MONTEZUMA SLOUGH AT GRIZZLY ISLAND ROAD												
1-06-69 1420	0.40		0.50	0.18		0.02		0.05				5001	5006	
2-02-70 1400	0.70		0.97	<0.08		0.03		0.06				5001	5006	
5-15-70 1400	0.50		0.70	0.20		0.04		0.09				5001	5006	
8-10-70 1320	4.00		0.43	<0.08		0.02		0.04				5001	5006	
0 S 811.5	207.2	CORDELIA SLOUGH AT UPPER END NEAR CORDELIA												
5-15-70 1210	0.30		1.10	0.13		0.05		0.10				5001	5006	
8-10-70 1045	0.10		1.40	<0.08		0.04		0.06				5001	5006	
0 S 813.6	201.2	HILL SLOUGH AT GRIZZLY ISLAND ROAD												
1-06-69 1232	0.70		0.82	0.32		0.42		0.47				5001	5006	
2-02-70 1330	1.50		1.40	0.10		0.31		0.36				5001	5006	
5-15-70 1330	1.30		2.40	0.13		0.31		0.52				5001	5006	
8-10-70 1240	0.50		1.30	<0.08		0.39		0.75				5001	5006	

TABLE D-6

## PESTICIDES IN SURFACE WATER AND SEDIMENT

Abbreviations and CodesPesticides

BHC	-	Benzene hexachloride
ppDDD	-	Para para isomer of dichloro diphenyl dichloroethane
DDE	-	Dichloro diphenyl ethane
ppDDE	-	Para para isomer of dichloro diphenyl ethane
DDT	-	Dichloro diphenyl trichloroethane
ppDDT	-	Para para isomer of dichloro diphenyl trichloroethane

When two pesticides are reported together with a slash mark separating them (ppDDE/Dieldrin, Simazine/Atrazine, etc.), the reported concentration is an undifferentiated total of the two. Either of the two pesticides could make up the entire total.

Samp

-	Codes for agency collecting sample
5001	- U. S. Bureau of Reclamation
5050	- Department of Water Resources

Lab

-	Codes for laboratory performing analysis
5007	- Federal Water Quality Control Administration Laboratory at Alameda
5050	- Department of Water Resources Laboratory at Bryte

TABLE D-6 (Cont.)  
PESTICIDES IN SURFACE WATER AND SEDIMENT

Station Number	Station	Date Time	Pesticides in Water (nanograms per liter)		Pesticides in Sediment (micrograms per liter of dry weight)		Somp	Lab		
EO B 735.0 215.0	SAN FRANCISCO BAY AT SAN MATEO BRIDGE (SHIP CHANNEL)	12-15-69 1510	BHC	8	ppDDE/Dieldrin	5	5050	5050		
			Unknown as DDT	42	Complex chlorinated compounds as DDT	110	5050	5050		
			ppDDD	12			5050	5050		
			ppDDT	6			5050	5050		
		02-25-70 1000	Unknown as DDT	12			5050	5050		
		05-28-70 1440	Unknown as DDT	21			5050	5050		
		07-22-70 0900	BHC	7			5050	5050		
			Unknown as DDT	5			5050	5050		
		EO B 736.2 211.6	SAN FRANCISCO BAY AT SAN MATEO BRIDGE	09-12-70 0700	No chlorinated pesticides detected		No chlorinated pesticides detected		5050	5050
		EO B 748.1 222.4	SAN FRANCISCO BAY WEST OF YERBA BUENA ISLAND	12-15-69 1630	BHC	8	Unknown as DDT	6	5050	5050
Unknown as DDT	26				Complex chlorinated compounds as DDT	47	5050	5050		
ppDDD	6						5050	5050		
ppDDT	6						5050	5050		
02-25-70 1140	Unknown as DDT			12			5050	5050		
05-28-70 1535	Unknown as DDT			8			5050	5050		
07-22-70 1030	BHC			10			5050	5050		
09-17-70 0900	Complex chlorinated compounds as DDT			260	No chlorinated pesticides detected		5050	5050		
EO B 757.7 226.2	SAN PABLO STRAIT WEST OF THE BROTHERS			02-25-70 1315	BHC	5	Lindane	5	5050	5050
					Complex chlorinated compounds as DDT	51	5050	5050		
05-28-70 1735		Unknown as DDT	13			5050	5050			
07-22-70 1130		BHC	4			5050	5050			
09-17-70 1015		No chlorinated pesticides detected		No chlorinated pesticides detected		5050	5050			
EO B 802.3 207.1	SUISUN BAY OFF BULLS HEAD POINT AT MARTINEZ	10-30-68 1045	Aldrin	< 3			5001	5007		
			BHC	10			5001	5007		
			DDE	< 3			5001	5007		
			DDT	< 10			5001	5007		
			Dieldrin	< 3			5001	5007		
			Toxphene	< 100			5001	5007		
			Heptachlor	< 3			5001	5007		
			Heptachlor Epoxide	< 3			5001	5007		
		11-25-68 0920	Aldrin	< 3			5001	5007		
			BHC	< 3			5001	5007		
			DDE	< 3			5001	5007		
			DDT	< 10			5001	5007		
			Dieldrin	< 3			5001	5007		
			Toxphene	< 100			5001	5007		
			Heptachlor	< 3			5001	5007		
			Heptachlor Epoxide	< 3			5001	5007		
		12-18-68 1245	Aldrin	< 3			5001	5007		
			BHC	< 3			5001	5007		
			DDE	< 3			5001	5007		
			DDT	< 10			5001	5007		
			Dieldrin	< 3			5001	5007		
			Toxphene	< 100			5001	5007		
			Heptachlor	< 3			5001	5007		
			Heptachlor Epoxide	< 3			5001	5007		
		01-28-69 1055	Aldrin	3			5001	5007		
			BHC	10			5001	5007		
			DDE	< 3			5001	5007		
			DDT	< 10			5001	5007		
			Dieldrin	< 3			5001	5007		
			Toxphene	< 100			5001	5007		
			Heptachlor	3			5001	5007		
			Heptachlor Epoxide	< 3			5001	5007		
		02-26-69 0955	Aldrin	< 3			5001	5007		
			BHC	10			5001	5007		
			DDE	< 3			5001	5007		

TABLE D-6 (Cont.)  
PESTICIDES IN SURFACE WATER AND SEDIMENT

Station Number	Station	Date Time	Pesticides in Water (nanograms per liter)	Pesticides in Sediment (micrograms per liter of dry weight)	Samp	Lab
EO B 802.3 207.1	SUISUN BAY OFF BULLS HEAD POINT AT MARTINEZ (Continued)	02-26-69 0955	DDT	< 10	5001	5007
			Dieldrin	< 3	5001	5007
			Toxphene	< 100	5001	5007
			Heptachlor	< 3	5001	5007
			Heptachlor Epoxide	< 3	5001	5007
		03-27-69 0930	Aldrin	3	5001	5007
			BHC	10	5001	5007
			DDE	< 3	5001	5007
			DDT	< 10	5001	5007
			Dieldrin	< 3	5001	5007
			Toxphene	< 100	5001	5007
			Heptachlor	< 3	5001	5007
			Heptachlor Epoxide	< 3	5001	5007
		05-08-69 0725	Aldrin	< 3	5001	5007
			BHC	10	5001	5007
			DDE	< 3	5001	5007
			DDT	< 10	5001	5007
			Dieldrin	< 3	5001	5007
			Toxphene	< 100	5001	5007
			Heptachlor	< 3	5001	5007
			Heptachlor Epoxide	< 3	5001	5007
		07-23-69 1130	Aldrin	< 3	5001	5007
			BHC	< 3	5001	5007
			DDE	< 3	5001	5007
			DDT	< 10	5001	5007
			Dieldrin	< 3	5001	5007
			Toxphene	< 100	5001	5007
			Heptachlor	< 3	5001	5007
			Heptachlor Epoxide	< 3	5001	5007
		08-20-69 1040	Aldrin	< 3	5001	5007
			BHC	3	5001	5007
			DDE	< 3	5001	5007
			DDT	< 10	5001	5007
			Dieldrin	< 3	5001	5007
			Toxphene	< 100	5001	5007
			Heptachlor	< 3	5001	5007
			Heptachlor Epoxide	< 3	5001	5007
		10-21-69 1325	Aldrin	< 3	5001	5007
			BHC	< 3	5001	5007
			DDE	< 3	5001	5007
			DDT	< 10	5001	5007
			Dieldrin	< 3	5001	5007
			Toxphene	< 100	5001	5007
			Heptachlor	< 3	5001	5007
			Heptachlor Epoxide	< 3	5001	5007
		11-20-69 1120	Aldrin	< 3	5001	5007
			BHC	< 3	5001	5007
			DDE	< 3	5001	5007
			DDT	< 10	5001	5007
			Dieldrin	< 3	5001	5007
			Toxphene	< 100	5001	5007
			Heptachlor	< 3	5001	5007
			Heptachlor Epoxide	< 3	5001	5007
		02-11-70 0810	Aldrin	< 3	5001	5007
			BHC	< 3	5001	5007
			DDE	< 3	5001	5007
			DDT	< 10	5001	5007
			Dieldrin	< 3	5001	5007
			Toxphene	< 100	5001	5007
			Heptachlor	< 3	5001	5007
			Heptachlor Epoxide	< 3	5001	5007
		03-16-70 1035	Aldrin	< 3	5001	5007
			BHC	< 3	5001	5007
			DDE	< 3	5001	5007
			DDT	< 10	5001	5007
			Dieldrin	< 3	5001	5007
			Toxphene	< 100	5001	5007
			Heptachlor	< 3	5001	5007
			Heptachlor Epoxide	< 3	5001	5007
		04-16-70 1215	Aldrin	< 3	5001	5007
			BHC	< 3	5001	5007
			DDE	< 3	5001	5007
			DDT	< 10	5001	5007
			Dieldrin	< 3	5001	5007
			Toxphene	< 100	5001	5007
			Heptachlor	< 3	5001	5007
			Heptachlor Epoxide	< 3	5001	5007

TABLE D-6 (Cont.)  
PESTICIDES IN SURFACE WATER AND SEDIMENT

Station Number	Station	Date Time	Pesticides in Water (nanograms per liter)	Pesticides in Sediment (micrograms per liter of dry weight)	Samp	Lab
EO B 802.3 207.1	SUISUN BAY OFF BULLS HEAD POINT AT MARTINEZ (Continued)	05-18-70 1450	Aldrin	< 3	5001	5007
			BHC	< 3	5001	5007
			DDE	< 3	5001	5007
			DDT	< 10	5001	5007
			Dieldrin	< 3	5001	5007
			Toxphene	< 100	5001	5007
			Heptachlor	< 3	5001	5007
			Heptachlor Epoxide	< 3	5001	5007
		06-15-70 1420	Aldrin	< 3	5001	5007
			BHC	3	5001	5007
			DDE	< 3	5001	5007
			DDT	< 10	5001	5007
			Dieldrin	< 3	5001	5007
			Toxphene	< 100	5001	5007
			Heptachlor	< 3	5001	5007
			Heptachlor Epoxide	9	5001	5007
		07-15-70 1455	Aldrin	< 3	5001	5007
			BHC	< 3	5001	5007
			DDE	< 3	5001	5007
			DDT	< 10	5001	5007
			Dieldrin	< 3	5001	5007
			Toxphene	< 100	5001	5007
			Heptachlor	< 3	5001	5007
			Heptachlor Epoxide	< 3	5001	5007
		08-13-70 1425	Aldrin	< 3	5001	5007
			BHC	< 3	5001	5007
			DDE	< 3	5001	5007
			DDT	< 10	5001	5007
			Dieldrin	< 3	5001	5007
			Toxphene	< 100	5001	5007
			Heptachlor	< 3	5001	5007
			Heptachlor Epoxide	< 3	5001	5007
		09-09-70 1230	Aldrin	< 3	5001	5007
			BHC	< 3	5001	5007
			DDE	< 3	5001	5007
			DDT	< 10	5001	5007
			Dieldrin	< 3	5001	5007
			Toxphene	< 100	5001	5007
			Heptachlor	< 3	5001	5007
			Heptachlor Epoxide	< 3	5001	5007

TABLE D-7  
PLANKTON ANALYSIS OF SURFACE WATER

DATE TIME	PHYTOPLANKTON (NO/ML)					MOST ABUNDANT PHYTOPLANKTON (GENUS / %)								ZOOPLANKTON (NO / L)				MOST ABUNDANT ZOO- PLANKTON (GENUS/%)			SAMP	LAB.
	TOTAL	BL-GR	GREEN	FLAG	DIATOMS C/P	1	2	3	4	5	6	7	8	TOTAL	ROTIFER	CRUST	MISC	1	2	3		
EO B 735.0	215.0	SAN FRANCISCO BAY AT SAN MATEO BRIDGE (SHIP CHANNEL)																				
12-15-69 1510	1120			960	$\frac{160}{0}$	$\frac{F 99}{85.7}$	$\frac{D 03}{5.7}$	$\frac{D 08}{5.7}$	$\frac{D 02}{2.9}$					8		8		$\frac{C 50}{75}$	$\frac{C 02}{25}$		5050	5050
02-25-70 1000	2396			1790	$\frac{606}{0}$	$\frac{F 99}{74.7}$	$\frac{D 03}{21.3}$	$\frac{D 08}{4.0}$						43	2	41		$\frac{C 50}{55.8}$	$\frac{C 02}{39.5}$	$\frac{R 99}{4.7}$	5050	5050
03-24-70 0910	4392			3100	$\frac{1228}{64}$	$\frac{F 99}{70.5}$	$\frac{D 03}{25.0}$	$\frac{D 02}{1.5}$	$\frac{D 08}{1.5}$	$\frac{D 66}{1.5}$				2647	7	40	2600	$\frac{M 11}{98.2}$	$\frac{C 50}{1.1}$	$\frac{C 02}{0.3}$	5050	5050
05-28-70 1440	2182			1800	$\frac{382}{0}$	$\frac{F 99}{82.5}$	$\frac{D 03}{16.0}$	$\frac{D 08}{1.5}$						104	8	94	2	$\frac{C 50}{49.1}$	$\frac{C 02}{39.4}$	$\frac{R 99}{7.7}$	5050	5050
06-22-70 0945	702			670	$\frac{0}{32}$	$\frac{F 99}{95.4}$	$\frac{D 70}{4.6}$														5050	5050
07-22-70 0900	2812			2300	$\frac{480}{32}$	$\frac{F 99}{81.9}$	$\frac{D 03}{17.1}$	$\frac{D 65}{1.0}$						86	77	9		$\frac{C 50}{58.2}$	$\frac{C 02}{31.4}$	$\frac{M 01}{10.4}$	5050	5050
EO B 736.2	211.6	SAN FRANCISCO BAY AT SAN MATEO BRIDGE																				
08-11-70 1045	290			290		$\frac{F 99}{100}$															5050	5050
09-17-70 0700	1252			930	$\frac{160}{162}$	$\frac{F 99}{74.2}$	$\frac{D 66}{13.0}$	$\frac{D 03}{12.8}$													5050	5050
EO B 748.1	222.4	SAN FRANCISCO BAY WEST OF YERBA BUENA ISLAND																				
12-15-69 1630	356			260	$\frac{96}{0}$	$\frac{F 99}{73.0}$	$\frac{D 03}{27.0}$							9		9		$\frac{C 50}{77.8}$	$\frac{C 02}{22.2}$		5050	5050
02-25-70 1140	964		32	900	$\frac{32}{0}$	$\frac{F 99}{93.4}$	$\frac{D 03}{3.3}$	$\frac{C 02}{3.3}$						33	1	32		$\frac{C 50}{63.7}$	$\frac{C 02}{30.3}$	$\frac{C 07}{3.0}$	5050	5050
03-24-70 1045	1288			1000	$\frac{256}{32}$	$\frac{F 99}{77.6}$	$\frac{D 08}{12.4}$	$\frac{D 03}{5.0}$	$\frac{D 09}{2.5}$	$\frac{D 66}{2.5}$				499	5	34	460	$\frac{M 11}{92.2}$	$\frac{C 02}{4.0}$	$\frac{C 50}{2.4}$	5050	5050
05-28-70 1535	1064			1000	$\frac{64}{0}$	$\frac{F 99}{94.0}$	$\frac{D 03}{6.0}$	$\frac{F 58}{Trace}$						30	6	21	3	$\frac{C 02}{50.0}$	$\frac{C 50}{20.0}$	$\frac{R 99}{20.0}$	5050	5050
06-22-70 1200	992			670	$\frac{322}{0}$	$\frac{F 99}{67.6}$	$\frac{D 03}{29.2}$	$\frac{D 02}{3.2}$													5050	5050
07-22-70 1030	1000			1000		$\frac{F 99}{100}$	$\frac{F 58}{Trace}$							9	1	8		$\frac{C 02}{55.6}$	$\frac{C 50}{33.3}$	$\frac{R 99}{11.1}$	5050	5050
08-11-70 1150	1340			1022	$\frac{128}{190}$	$\frac{F 99}{73.9}$	$\frac{D 66}{14.2}$	$\frac{D 03}{7.1}$	$\frac{F 58}{2.4}$	$\frac{D 09}{2.4}$											5050	5050
09-17-70 0900	1060			900	$\frac{64}{96}$	$\frac{F 99}{84.9}$	$\frac{D 66}{9.1}$	$\frac{D 03}{6.0}$													5050	5050
EO B 757.7	226.2	SAN PABLO STRAIT WEST OF THE BROTHERS																				
02-25-70 1315	738		32	514	$\frac{192}{0}$	$\frac{F 99}{61.0}$	$\frac{D 03}{21.7}$	$\frac{F 54}{8.7}$	$\frac{C 02}{4.3}$	$\frac{D 08}{4.3}$				65	5	60		$\frac{C 02}{66.2}$	$\frac{C 50}{24.6}$	$\frac{R 99}{7.7}$	5050	5050
03-24-70 1145	1194		64	1000	$\frac{130}{0}$	$\frac{F 99}{83.7}$	$\frac{D 08}{10.9}$	$\frac{C 02}{2.7}$	$\frac{C 22}{2.7}$					440	12	98	330	$\frac{M 11}{75.0}$	$\frac{C 02}{19.3}$	$\frac{C 50}{3.0}$	5050	5050
05-28-70 1735	2088			1700	$\frac{388}{0}$	$\frac{F 99}{81.4}$	$\frac{D 03}{12.4}$	$\frac{D 02}{3.1}$	$\frac{D 09}{3.1}$	$\frac{F 58}{Trace}$				28	6	17	5	$\frac{C 02}{46.4}$	$\frac{R 99}{21.4}$	$\frac{M 02}{17.9}$	5050	5050
06-22-70 1300	1648		32	1196	$\frac{324}{96}$	$\frac{F 99}{66.8}$	$\frac{D 03}{15.8}$	$\frac{F 54}{5.8}$	$\frac{D 66}{3.9}$	$\frac{D 08}{2.0}$	$\frac{D 02}{1.9}$	$\frac{D 65}{1.9}$	$\frac{C 22}{1.9}$								5050	5050
07-22-70 1130	1242			830	$\frac{412}{0}$	$\frac{F 99}{66.8}$	$\frac{D 03}{30.6}$	$\frac{D 02}{2.6}$	$\frac{F 58}{Trace}$					72	1	69	2	$\frac{C 02}{54.1}$	$\frac{C 50}{37.5}$	$\frac{C 61}{4.2}$	5050	5050
08-11-70 1320	1308			1180	$\frac{64}{64}$	$\frac{F 99}{90.2}$	$\frac{D 03}{4.9}$	$\frac{D 66}{4.9}$													5050	5050
09-17-70 1015	1940			1620	$\frac{320}{0}$	$\frac{F 99}{83.5}$	$\frac{D 03}{16.5}$														5050	5050

CODES AND ABBREVIATIONS

PHYTOPLANKTON

Total - Total phytoplankton per milliliter  
Bl-Gr - Blue Green Algae  
Green - Green Algae  
Flag - Flagellates  
C/P - Centric over Pennate (undifferentiated if no dividing line is shown)

Most Abundant Phytoplankton

Green Algae

C 02 Ankistrodesmus  
C 22 Selenastrum

Flagellates

F 54 Dinoflagellates (Dinophyceae)  
F 58 Noctiluca (Pseudoprotoid Dinoflagellate)  
F 99 Unidentified

Diatoms

Centric

D 02 Coscinodiscus  
D 03 Cyclotella  
D 08 Skeletonema  
D 09 Chaetocerus

Pennate

D 65 Navicula  
D 66 Nitzschia  
D 70 Synedra

ZOOPLANKTON

Total - Total zooplankton per milliliter  
Crust - Crustacea  
Misc - Miscellaneous zooplankton

Most Abundant Zooplankton

Rotifers

R 99 Unidentified

Crustacea

C 02 Nauplii  
C 07 Crab Zoa (larva)  
C 50 Unidentified copepod  
C 61 Balanus (Nauplius)

Miscellaneous

M 01 Oligochaetae (Aquatic earthworms)  
M 02 Annelid worms  
M 11 Eutimninus (Ciliates)

TABLE D-8

## DAILY MAXIMUM AND MINIMUM AND MONTHLY AVERAGE WATER TEMPERATURES

( In Degrees Fahrenheit )

D2 1325.10 SALINAS RIVER AT GONZALES

Day	October		November		December		January		February		March		April		May		June		July		August		September	
	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max	Min
1	78	68	75	65	65	58	NR	NR	64	59	56	54	NR	NR	NR	NR	70	64	79	58	73	58	NR	NR
2	76	68	74	65	69	59	NR	NR	63	58	56	52	NR	NR	NR	NR	71	62	90	62	75	57	NR	NR
3	74	65	74	66	NR	NR	NR	NR	61	58	57	51	NR	NR	81	54	68	62	83	58	72	58	NR	NR
4	79	62	73	67	NR	NR	NR	NR	58	51	56	53	NR	NR	70	56	67	63	86	56	66	61	NR	NR
5	74	63	68	66	NR	NR	NR	NR	59	53	54	50	NR	NR	68	55	67	60	83	55	66	60	NR	NR
6	74	64	69	65	NR	NR	NR	NR	60	52	56	47	NR	NR	56	50	67	60	83	54	73	62	NR	NR
7	74	63	68	63	NR	NR	NR	NR	60	53	58	50	NR	NR	63	47	67	59	84	54	71	62	NR	NR
8	74	64	68	62	NR	NR	NR	NR	60	53	58	52	67	45	68	50	65	56	84	56	71	60	NR	NR
9	74	64	71	62	NR	NR	NR	NR	58	55	58	51	69	47	68	56	71	58	76	57	70	66	NR	NR
10	75	64	72	62	NR	NR	NR	NR	61	54	59	52	71	50	66	51	69	59	73	58	69	67	NR	NR
11	74	64	73	62	NR	NR	63	60	64	57	58	52	70	46	64	50	68	58	75	59	70	65	78	56
12	72	62	74	64	NR	NR	65	59	63	56	61	53	69	46	66	50	67	56	74	59	69	66	75	55
13	73	64	73	66	NR	NR	63	60	59	55	64	54	60	45	72	55	67	56	75	58	69	65	73	52
14	69	64	74	64	NR	NR	63	60	63	55	65	56	59	44	75	55	64	59	75	58	68	64	69	49
15	69	65	71	69	NR	NR	61	59	62	54	64	54	69	43	78	60	68	57	77	57	67	62	69	51
16	71	66	72	66	NR	NR	64	61	63	53	64	54	64	45	76	61	65	59	79	55	NR	NR	71	51
17	73	67	69	61	NR	NR	65	62	60	54	62	54	68	45	73	59	70	54	80	55	NR	NR	73	54
18	72	63	66	57	NR	NR	64	62	60	51	NR	NR	68	46	69	57	73	53	76	56	NR	NR	73	54
19	72	63	66	57	NR	NR	65	62	61	50	NR	NR	72	50	64	53	75	56	78	59	NR	NR	69	57
20	73	62	66	57	NR	NR	65	63	60	49	NR	NR	67	46	66	49	76	58	76	59	NR	NR	75	53
21	73	63	66	58	NR	NR	67	64	62	52	NR	NR	62	43	69	52	73	59	76	56	NR	NR	74	55
22	73	66	66	58	NR	NR	69	66	62	52	NR	NR	69	45	73	53	71	60	73	53	NR	NR	75	55
23	71	65	66	58	NR	NR	67	65	60	50	NR	NR	70	44	70	58	75	60	NR	54	NR	NR	72	55
24	70	64	65	57	NR	NR	66	64	63	54	NR	NR	72	46	67	58	69	61	NR	NR	NR	NR	73	53
25	73	63	66	56	NR	NR	64	60	62	52	NR	NR	71	47	68	60	66	59	NR	NR	NR	NR	73	53
26	70	67	66	57	NR	NR	63	59	61	53	NR	NR	57	45	66	59	69	59	NR	NR	NR	NR	75	54
27	72	65	66	57	NR	NR	64	61	62	54	NR	NR	68	44	64	58	70	59	NR	NR	NR	NR	NR	NR
28	74	65	67	57	NR	NR	61	57	60	56	NR	NR	64	43	64	56	71	59	NR	NR	NR	NR	NR	NR
29	74	63	67	58	NR	NR	59	54			NR	NR	NR	NR	66	56	72	53	76	55	NR	NR	NR	NR
30	74	64	67	57	NR	NR	61	56			NR	NR	NR	NR	71	57	76	54	73	56	NR	NR	NR	NR
31	75	64			NR	NR	61	56			NR	NR			71	62			73	57	NR	NR		
Max	78		75		NR		NR		64		NR		NR		NR		76		NR		NR		NR	
Min	62		56		NR		NR		49		NR		NR		NR		53		NR		NR		NR	
Avg	69		65		NR		NR		57		NR		NR		NR		64		NR		NR		NR	

NR - No Record

TABLE D-9

# DAILY MAXIMUM, MINIMUM AND AVERAGE SPECIFIC CONDUCTANCE (In Micromhos at 25° C)

DO 1180.01 SAN LORENZO RIVER AT PARADISE PARK

Day	October			November			December			January			February			March		
	Max	Min	Avg	Max	Min	Avg	Max	Min	Avg	Max	Min	Avg	Max	Min	Avg	Max	Min	Avg
1				285	210	270	NR	NR	NR	250	250	250	280	270	280	270	215	240
2				290	215	270	NR	NR	NR	250	250	250	290	280	285	280	245	265
3				290	210	270	NR	NR	NR	250	250	250	295	290	295	290	280	285
4				285	230	270	NR	NR	NR	255	250	255	295	295	295	295	225	260
5				345	270	305	NR	NR	NR	255	255	255	300	295	300	275	235	255
6				350	310	325	NR	NR	NR	260	255	255	300	300	300	290	275	285
7				360	340	350	NR	NR	NR	265	260	260	300	300	300	295	290	295
8				365	345	355	NR	NR	NR	265	260	260	305	300	300	300	295	300
9				365	330	355	NR	NR	NR	260	180	215	305	305	305	305	300	305
10				360	300	340	NR	NR	NR	215	180	195	310	305	310	305	305	305
11				350	240	300	NR	NR	NR	230	215	225	310	310	310	310	305	305
12				350	240	285	NR	NR	NR	235	225	230	310	280	300	315	310	310
13				295	245	285	NR	NR	NR	235	215	230	295	270	285	320	315	315
14				290	250	280	NR	NR	NR	215	150	180	300	295	295	320	315	315
15				300	285	290	NR	NR	NR	200	175	190	305	300	305	320	315	320
16				NR	NR	NR	NR	NR	NR	180	145	170	305	300	305	320	305	320
17	345	310	325	NR	NR	NR	NR	NR	NR	185	165	175	300	290	295	305	305	305
18	360	335	355	NR	NR	NR	NR	NR	NR	200	185	195	300	290	295	305	305	305
19	360	235	325	NR	NR	NR	355	200	275	210	200	205	305	300	305	310	305	305
20	360	215	300	NR	NR	NR	220	195	210	210	185	205	310	305	310	310	305	305
21	350	215	280	NR	NR	NR	230	200	215	185	155	165	310	310	310	310	300	310
22	350	270	275	NR	NR	NR	240	205	220	190	165	180	310	310	310	310	310	310
23	275	270	275	NR	NR	NR	250	240	245	200	170	195	315	310	315	310	310	310
24	340	265	300	NR	NR	NR	250	190	220	185	160	170	315	315	315	315	310	310
25	285	220	270	NR	NR	NR	195	180	190	200	185	190	315	315	315	315	310	310
26	280	265	275	NR	NR	NR	215	195	205	210	200	205	315	315	315	315	310	315
27	280	255	275	NR	NR	NR	230	215	225	205	190	190	320	300	315	315	310	315
28	290	235	280	NR	NR	NR	235	230	235	220	205	210	300	270	280	315	310	310
29	295	220	280	NR	NR	NR	240	235	240	240	220	230				315	310	315
30	290	210	275	NR	NR	NR	245	240	245	260	240	250				315	310	315
31	290	210	275				250	245	245	270	260	265				315	310	315

Recorder installed January 16, 1969

Day	April			May			June			July			August			September		
	Max	Min	Avg	Max	Min	Avg	Max	Min	Avg	Max	Min	Avg	Max	Min	Avg	Max	Min	Avg
1	315	310	315	330	320	325	NR	NR	NR	330	320	325	330	320	325	325	320	320
2	315	310	315	330	325	325	NR	NR	NR	330	320	325	330	320	325	320	320	320
3	315	310	315	330	320	325	NR	NR	NR	330	320	325	330	320	325	325	315	320
4	315	310	315	330	320	325	NR	NR	NR	330	320	325	330	320	325	320	315	320
5	315	315	315	330	325	330	NR	NR	NR	330	320	325	325	320	325	320	320	320
6	320	315	315	330	325	330	NR	NR	NR	330	320	325	325	320	325	330	320	325
7	315	315	315	330	330	330	NR	NR	NR	325	315	325	325	320	325	330	320	325
8	315	315	315	330	325	330	NR	NR	NR	325	315	320	330	320	325	325	320	325
9	320	310	315	330	325	330	320	310	315	325	315	320	330	320	325	325	320	325
10	320	310	315	NR	NR	NR	335	320	325	325	315	320	325	320	325	325	320	325
11	315	315	315	NR	NR	NR	NR	NR	NR	325	320	325	330	320	325	330	320	325
12	315	310	315	NR	NR	NR	NR	NR	NR	325	315	320	330	320	325	330	320	325
13	320	310	315	NR	NR	NR	NR	NR	NR	330	320	325	325	320	325	345	325	335
14	315	315	315	NR	NR	NR	NR	NR	NR	330	320	325	330	320	325	325	325	325
15	315	310	315	NR	NR	NR	325	315	320	330	320	325	330	320	325	330	325	325
16	315	310	315	NR	NR	NR	325	315	320	330	320	325	330	325	325	330	325	325
17	315	310	315	NR	NR	NR	325	320	320	330	320	325	330	320	325	330	325	325
18	315	310	315	NR	NR	NR	325	310	320	330	320	325	330	320	325	325	325	325
19	315	310	315	NR	NR	NR	325	310	320	335	320	325	325	320	325	330	325	325
20	320	315	315	NR	NR	NR	NR	NR	NR	330	320	325	325	320	325	330	320	325
21	325	315	320	NR	NR	NR	NR	NR	NR	330	320	325	330	320	325	325	320	320
22	320	320	320	NR	NR	NR	NR	NR	NR	325	315	320	330	320	325	320	320	320
23	325	320	320	NR	NR	NR	330	325	325	330	315	325	330	320	325	340	320	325
24	325	320	325	NR	NR	NR	330	320	325	325	320	325	330	320	325	330	325	330
25	325	320	325	NR	NR	NR	325	325	325	325	315	325	325	320	320	330	325	330
26	325	320	325	NR	NR	NR	330	325	325	325	320	325	325	320	325	325	325	325
27	325	320	325	NR	NR	NR	330	320	325	325	315	320	325	320	325	330	320	325
28	325	325	325	340	325	330	325	320	325	325	320	325	325	320	320	330	325	325
29	325	320	325	340	325	335	325	320	325	330	320	325	325	320	320	335	330	330
30	325	320	325	NR	NR	NR	330	325	325	330	320	325	325	320	320	330	300	325
31				NR	NR	NR				330	320	325	325	320	320			

NR No Record



# DAILY MAXIMUM, MINIMUM AND AVERAGE SPECIFIC CONDUCTANCE (In Micromhos at 25°C)

02 1325.10 SALINAS RIVER AT GONZALES

Day	October			November			December			January			February			March		
	Max	Min	Avg	Max	Min	Avg	Max	Min	Avg	Max	Min	Avg	Max	Min	Avg	Max	Min	Avg
1	390	380	385	470	460	465	650	620	635	NR	NR	NR	380	320	350	500	160	330
2	380	360	370	470	440	455	660	620	640	NR	NR	NR	400	340	370	510	180	345
3	380	340	360	460	440	450	790	640	715	NR	NR	NR	400	320	360	600	390	495
4	370	340	355	460	460	460	780	760	770	NR	NR	NR	500	320	410	500	300	400
5	360	360	360	500	460	480	780	760	770	NR	NR	NR	640	390	515	640	220	430
6	370	360	365	480	470	475	790	760	775	NR	NR	NR	700	620	660	670	510	590
7	390	350	370	470	460	465	800	750	775	NR	NR	NR	720	680	700	510	400	455
8	390	380	385	480	460	470	800	740	770	1,050	1,050	1,050	760	680	720	490	410	450
9	380	380	380	500	480	490	800	680	740	1,050	930	990	780	720	750	500	480	490
10	380	370	375	490	480	485	830	780	805	1,050	250	650	780	680	730	510	490	500
11	380	360	370	480	470	475	840	820	830	560	340	455	860	740	800	520	500	510
12	380	360	370	500	460	480	840	800	820	620	310	465	890	800	845	540	490	515
13	360	360	360	500	480	490	840	840	840	590	350	470	880	850	865	550	500	525
14	370	360	365	505	495	500	840	800	820	770	580	675	890	680	785	520	490	505
15	380	360	370	500	485	492	840	800	820	700	210	455	780	660	720	490	460	475
16	380	360	370	510	480	495	840	780	810	330	70	200	870	740	805	470	460	465
17	380	360	370	510	500	505	850	820	835	300	120	210	900	800	850	530	460	495
18	400	380	390	510	490	500	850	820	835	400	260	330	880	740	810	NR	NR	NR
19	440	400	420	510	500	505	840	820	830	280	260	270	920	780	850	NR	NR	NR
20	440	440	440	510	500	505	850	820	835	340	310	325	940	840	890	NR	NR	NR
21	440	440	440	500	500	500	860	840	850	390	340	365	980	860	920	NR	NR	NR
22	450	440	445	500	465	485	880	840	860	400	380	390	990	970	980	NR	NR	NR
23	450	440	445	465	455	460	880	800	840	410	390	400	980	890	935	NR	NR	NR
24	450	440	445	460	450	455	880	600	740	390	250	320	890	480	685	NR	NR	NR
25	440	440	440	500	450	475	900	640	770	340	260	300	500	470	485	NR	NR	NR
26	440	440	440	530	500	515	880	310	595	380	340	360	500	420	460	NR	NR	NR
27	440	440	440	540	520	530	720	480	600	380	330	355	610	400	505	NR	NR	NR
28	440	430	435	600	540	570	740	700	720	440	300	370	610	440	525	NR	NR	NR
29	460	430	445	610	600	605	NR	NR	NR	500	400	450	NR	NR	NR	NR	NR	NR
30	470	460	465	630	600	615	NR	NR	NR	530	450	490	NR	NR	NR	NR	NR	NR
31	470	460	465				NR	NR	NR	560	360	460	NR	NR	NR	NR	NR	NR

Day	April			May			June			July			August			September		
	Max	Min	Avg	Max	Min	Avg	Max	Min	Avg	Max	Min	Avg	Max	Min	Avg	Max	Min	Avg
1	NR	NR	NR	NR	NR	NR	496	450	473	440	400	420	440	430	435	NR	NR	NR
2	NR	NR	NR	NR	NR	NR	496	476	486	430	370	400	440	420	430	NR	NR	NR
3	NR	NR	NR	1,110	1,030	1,070	491	481	486	420	320	370	440	410	425	NR	NR	NR
4	NR	NR	NR	1,130	1,030	1,080	491	481	486	320	170	245	410	370	390	NR	NR	NR
5	NR	NR	NR	1,080	830	950	521	481	501	280	200	240	380	380	380	NR	NR	NR
6	NR	NR	NR	830	650	740	560	506	533	360	240	300	380	370	375	NR	NR	NR
7	NR	NR	NR	780	670	725	580	560	570	430	330	380	370	370	370	NR	NR	NR
8	1,175	1,160	1,167	670	600	635	575	565	570	450	310	380	370	370	370	NR	NR	NR
9	1,200	1,150	1,175	600	570	585	575	360	467	390	320	355	480	370	425	NR	NR	NR
10	1,175	1,130	1,150	570	560	565	360	355	357	330	290	310	510	480	495	NR	NR	NR
11	1,150	1,125	1,137	640	570	605	360	350	355	300	290	295	480	440	460	470	430	450
12	1,140	1,110	1,125	590	550	570	370	360	365	300	280	290	440	400	420	470	430	450
13	1,150	1,110	1,130	610	570	590	430	365	400	290	270	280	400	370	385	460	410	435
14	1,150	1,000	1,075	610	590	600	445	430	437	270	270	270	370	350	360	450	430	444
15	1,120	1,080	1,100	600	580	590	440	430	435	290	250	270	350	350	350	430	420	425
16	1,110	1,090	1,100	630	590	610	590	410	500	360	260	310	NR	NR	NR	420	410	415
17	1,100	1,050	1,075	630	600	615	450	420	435	430	360	395	NR	NR	NR	410	330	370
18	1,060	1,030	1,045	630	580	605	490	430	460	440	380	410	NR	NR	NR	370	330	350
19	1,050	1,000	1,025	605	560	583	500	490	495	380	330	355	NR	NR	NR	370	330	350
20	1,050	980	1,015	560	540	550	500	490	495	360	350	355	NR	NR	NR	420	360	390
21	1,100	960	1,030	550	490	520	500	480	490	370	280	325	NR	NR	NR	420	360	390
22	1,070	1,000	1,035	500	400	450	490	480	485	340	250	295	NR	NR	NR	370	330	350
23	1,040	1,000	1,020	410	390	400	510	380	445	340	320	330	NR	NR	NR	350	330	340
24	1,030	860	945	420	400	410	410	400	405	NR	NR	NR	NR	NR	NR	350	340	345
25	1,050	860	955	400	385	392	400	400	400	NR	NR	NR	NR	NR	NR	350	330	340
26	1,090	860	975	458	400	430	400	380	390	NR	NR	NR	NR	NR	NR	390	340	365
27	1,100	900	1,000	458	438	448	390	380	385	NR	NR	NR	NR	NR	NR	NR	NR	NR
28	1,100	900	1,000	448	433	440	480	320	400	NR	NR	NR	NR	NR	NR	NR	NR	NR
29	NR	NR	NR	443	433	438	470	440	455	440	370	405	NR	NR	NR	NR	NR	NR
30	NR	NR	NR	438	423	430	450	430	440	440	440	440	NR	NR	NR	NR	NR	NR
31				450	423	436				440	440	440	NR	NR	NR			

NR - No Record

**DAILY MAXIMUM, MINIMUM AND AVERAGE SPECIFIC CONDUCTANCE**  
(In Micromhos at 25° C)

F9 1100.00 RUSSIAN RIVER NEAR GUERNEVILLE

Day	October			November			December			January			February			March		
	Max	Min	Avg	Max	Min	Avg	Max	Min	Avg	Max	Min	Avg	Max	Min	Avg	Max	Min	Avg
1																		
2																		
3																		
4																		
5																		
6																		
7																		
8																		
9																		
10																		
11																		
12																		
13																		
14																		
15																		
16																		
17																		
18																		
19																		
20																		
21																		
22																		
23																		
24																		
25																		
26																		
27																		
28																275	268	270
29																278	274	276
30																280	276	278
31																286	278	280

Station installed March 27, 1970.

Day	April			May			June			July			August			September		
	Max	Min	Avg	Max	Min	Avg	Max	Min	Avg	Max	Min	Avg	Max	Min	Avg	Max	Min	Avg
1	283	279	281	323	318	320	350	321	335	292	284	288	271	264	268	279	270	273
2	295	280	286	324	320	322	352	325	338	288	282	286	273	266	270	271	269	270
3	286	282	284	325	320	322	342	329	336	286	280	284	276	272	274	271	266	268
4	292	286	290	330	318	325	338	320	328	282	278	280	276	265	270	270	264	268
5	296	290	293	330	320	325	323	318	320	281	273	277	365	266	285	274	268	271
6	315	296	306	330	322	325	318	299	312	274	270	272	352	268	305	274	269	272
7	342	315	330	329	323	328	310	303	307	274	264	269	470	300	355	272	269	271
8	344	334	340	333	328	330	308	300	304	269	264	266	470	310	365	272	268	270
9	352	344	350	335	328	332	315	298	305	272	266	270	400	285	332	272	260	267
10	366	352	358	346	325	330	315	300	307	275	268	272	332	266	288	266	258	263
11	390	330	365	355	336	344	300	295	297	280	270	275	292	250	268	262	256	260
12	425	349	370	360	338	348	298	291	296	282	278	280	294	250	270	260	256	258
13	565	425	530	350	330	338	300	297	298	285	280	282	395	250	310	265	260	263
14	830	565	780	340	326	332	319	300	305	288	280	284	252	248	250	265	258	262
15	840	760	810	342	328	334	310	300	306	293	270	280	314	248	260	290	262	270
16	780	310	506	350	330	338	308	302	305	270	260	264	312	250	376	300	290	297
17	348	314	325	370	336	345	310	302	305	263	258	260	423	298	390	300	290	296
18	340	313	325	351	342	346	318	301	308	262	256	260	540	328	390	300	292	297
19	360	340	350	351	346	349	310	300	305	274	261	268	470	354	390	300	297	298
20	380	360	368	356	337	352	310	300	306	278	272	275	432	316	350	304	300	301
21	380	320	356	358	351	355	310	298	304	315	278	286	355	276	305	310	300	304
22	328	313	318	361	356	359	312	302	308	280	267	274	325	272	285	315	300	306
23	330	312	320	363	360	362	308	297	303	278	271	275	296	268	276	320	315	318
24	330	312	315	368	360	364	301	294	298	276	269	273	280	268	272	320	316	318
25	346	317	322	372	360	367	302	297	300	271	268	270	272	264	267	320	314	318
26	360	315	330	368	360	364	303	294	299	274	270	272	266	262	264	318	311	315
27	340	315	322	379	361	367	301	297	299	276	272	274	308	264	272	318	309	313
28	338	314	322	385	365	372	302	298	300	274	264	269	270	267	269	312	298	304
29	332	318	322	402	380	390	334	296	308	270	266	269	271	269	270	303	294	298
30	323	318	320	415	374	400	324	290	302	270	264	268	273	270	270	302	298	300
31				374	320	338				272	265	268	274	270	272			

Appendix E  
GROUND WATER QUALITY



## INTRODUCTION

This appendix presents ground water quality data collected during the period from October 1, 1969, through September 30, 1970. The data were collected from a number of major ground water sources in the Central Coastal Area in cooperation with other state, local, and federal agencies. During the 1970 water year, 234 wells were sampled in 29 ground water basins and subbasins or subareas.

At the time of field sampling, pH and temperature measurements are normally made. Comments on current conditions are noted in field books which are available in the files of the Department of Water Resources.

Laboratory analyses of ground waters were performed in accordance with "Standard Methods for the Examination of Water and Wastewater", 12th Edition.

The Region and Basin and State Well Numbering Systems are described in Appendix C, "Ground Water Measurements", on page 29. The locations of the ground water basins and subbasins are shown on Figure C-1, pages 31, 32, and 33.

INDEX TO GROUND WATER QUALITY DATA  
IN THE CENTRAL COASTAL AREA

<u>Number</u>	<u>Name</u>	<u>Page</u>
NORTH COASTAL REGION 1-00.00		
1-15.00	Ukiah Valley . . . . .	120
1-16.00	Sanel Valley . . . . .	120
1-17.00	Alexander Valley . . . . .	120
1-18.00	Santa Rosa Valley	
1-18.01	Santa Rosa Area . . . . .	121
1-18.02	Healdsburg Area . . . . .	121
1-19.00	Anderson Valley . . . . .	121
1-20.00	Point Arena . . . . .	121
1-21.00	Fort Bragg Terrace . . . . .	121
SAN FRANCISCO BAY REGION 2-00.00		
2-01.00	Petaluma Valley . . . . .	121
2-02.00	Napa-Sonoma Valley	
2-02.01	Napa Valley . . . . .	122
2-02.02	Sonoma Valley . . . . .	123
2-03.00	Suisun-Fairfield Valley . . . . .	123
2-04.00	Pittsburg Plain . . . . .	124
2-05.00	Clayton Valley . . . . .	124
2-06.00	Ygnacio Valley . . . . .	124
2-09.00	Santa Clara Valley	
2-09.01	East Bay Area . . . . .	125
2-09.02	South Bay Area . . . . .	127
2-10.00	Livermore Valley . . . . .	128
CENTRAL COASTAL REGION 3-00.00		
3-02.00	Pajaro Valley . . . . .	128
3-03.00	Gilroy-Hollister Valley	
3-03.02	San Benito County . . . . .	129
3-04.00	Salinas Valley	
3-04.01	Pressure Area . . . . .	129
3-04.02	East Side Area . . . . .	130
3-04.03	Forebay Area . . . . .	130
3-04.04	Arroyo Seco Cone . . . . .	130
3-04.05	Upper Valley Area . . . . .	130
3-04.08	Seaside Area . . . . .	130
3-04.09	Langley Area . . . . .	130
3-04.10	Corral De Tierra Area . . . . .	130
3-80.00	Miscellaneous Area . . . . .	131

TABLE E-1  
MINERAL ANALYSES OF GROUND WATER

An explanation of column headings follows:

The Lab and Sampler agency codes are as follows:

- 2100 - Monterey County Flood Control and Water Conservation District
- 2400 - Santa Clara Valley Water Conservation District
- 5000 - U. S. Geological Survey
- 5050 - Department of Water Resources
- 5100 - Alameda County Flood Control and Water Conservation District
- 5401 - Alameda County Water District

- Time - Pacific Standard Time on a 24-hour clock.
- Temp. - Water temperature in degrees Fahrenheit at the time of field sampling.
- pH - Measurement of acidity or alkalinity of water.
- EC - The electrical conductance in micromhos at 25° Celsius.
- TDS - Gravimetric determination of total dissolved solids at 180° Celsius.
- SUM - Total dissolved solids determined by addition of analyzed constituents.
- TH - Total hardness.
- NCH - Noncarbonate hardness.

The Mineral Constituents are as follows:

B	Boron	K	Potassium
Ca	Calcium	Mg	Magnesium
Cl	Chloride	Na	Sodium
CO <sub>3</sub>	Carbonate	NO <sub>3</sub>	Nitrate
F	Fluoride	SiO <sub>2</sub>	Silica
HCO <sub>3</sub>	Bicarbonate	SO <sub>4</sub>	Sulfate

## MINERAL ANALYSES OF GROUND WATER

State Well Number Date Lab Time Sampler	Temp.	pH Lab Field	EC Lab Field	Mineral Constituents in				Milligrams per Liter Milliequivalents per Liter Percent Reactance Value					Milligrams per Liter					
				Ca	Mg	Na	K	CO <sub>3</sub>	HCO <sub>3</sub>	SO <sub>4</sub>	Cl	NO <sub>3</sub>	F	B	SiO <sub>2</sub>	TDS SUM	TH NCH	
NORTH COASTAL REGION 1-00.00																		
UKIAH VALLEY 1-15.00																		
14N/12W-05K01 M	64	7.8	645	76	23	42		0	352		6.8						284	
7-15-70 5050		7.5	645	3.79	1.88	1.83			5.77		0.19						0	
1030 5050				51	25	24												
14N/12W-26K01 M	63	7.7	396	27	30	14		0	191		15						191	
7-15-70 5050		7.3	400	1.35	2.47	0.61			3.13		0.42						35	
1100 5050				30	56	14												
16N/12W-05D02 M	62	8.0	290	13	17	24		0	158		15						101	
7-15-70 5050		7.0	285	0.65	1.37	1.04			2.59		0.42						0	
0930 5050				21	45	34												
16N/12W-09Q01 M		8.1	410	27	19	42		0	254		8.2						147	
7-15-70 5050		7.7	420	1.35	1.59	1.83			4.16		0.23						0	
0900 5050				28	33	39												
SANEL VALLEY 1-16.00																		
12N/11W-02F01 M	63	7.9	351	37	19	9.8		0	201		4.4						171	
7-15-70 5050		7.8	350	1.85	1.57	0.43			3.29		0.12						7	
1345 5050				48	41	11												
13N/11W-18E01 M	60	7.3	408	27	24	25		0	214		21						166	
7-15-70 5050		7.0	410	1.35	1.97	1.09			3.51		0.59						0	
1215 5050				30	45	25												
13N/11W-30H01 M		8.0	388	31	30	11		0	178		8.4						200	
7-15-70 5050		7.0	395	1.55	2.45	0.48			2.92		0.24						54	
1300 5050				34	55	11												
ALEXANDER VALLEY 1-17.00																		
09N/08W-07Q01 M	80	8.2	577	3.8	1.6	132		0	311		39						16	
7-16-70 5050		8.2	600	0.19	0.13	5.74			5.10		1.10						0	
1215 5050				3	2	95												
09N/09W-01P01 M	53	7.8	360	30	24	7.6		0	183		6.4						176	
7-16-70 5050		7.0	360	1.50	2.02	0.33			3.00		0.18						26	
1115 5050				39	52	9												
10N/09W-26L01 M	63	8.3	578	31	56	11		0	324		9.7						307	
7-16-70 5050		7.4	600	1.55	4.58	0.48			5.31		0.27						42	
1100 5050				24	69	7												
11N/10W-28N01 M		8.2	388	45	21	9.6		0	233		7.6						198	
7-15-70 5050		7.3	395	2.24	1.72	0.42			3.82		0.21						7	
1615 5050				51	39	10												
SANTA ROSA VALLEY 1-18.00																		
SANTA ROSA AREA 1-18.01																		
06N/07W-18R01 M		7.9	712	50	37	54		0	324		50						279	
7-17-70 5050		7.3	725	2.50	3.07	2.35			5.31		1.41						13	
0945 5050				31	39	30												
06N/08W-03B01 M		8.1	472	29	28	19		0	140		62						190	
7-16-70 5050		7.5	490	1.45	2.35	0.83			2.29		1.75						75	
1745 5050				31	51	18												
07N/07W-15C01 M		8.3	252	13	12	22		0	151		6.9						84	
7-17-70 5050		7.5	255	0.65	1.03	0.96			2.47		0.19						0	
0900 5050				25	39	36												
07N/08W-05G01 M	69	7.8	719	39	39	41		0	177		68						260	
7-16-70 5050		7.0	750	1.95	3.24	1.78			2.90		1.92						115	
1630 5050				28	46	26												
07N/08W-30P01 M	63	7.4	1050	63	60	56		0	217		137						404	
7-16-70 5050		7.0	1080	3.14	4.93	2.44			3.56		3.86						226	
1700 5050				30	47	23												
07N/09W-09F01 M	67	7.4	151	8.9	4.6	16		0	58		13						41	
7-16-70 5050		6.8	161	0.44	0.38	0.70			0.95		0.37						0	
1545 5050				29	25	46												
HEALDSBURG AREA 1-18.02																		
09N/10W-01C01 M		7.9	204	13	9.4	19		0	118		6.8						71	
7-16-70 5050		7.3	205	0.65	0.77	0.83			1.93		0.19						0	
1345 5050				29	34	37												



## MINERAL ANALYSES OF GROUND WATER

State Well Number Date Lab Time Sampler	Temp.	pH Lab Field	EC Lab Field	Mineral Constituents in					Milligrams per Liter Milliequivalents per Liter Percent Reactance Value					Milligrams per Liter				
				Ca	Mg	Na	K	CO <sub>3</sub>	HCO <sub>3</sub>	SO <sub>4</sub>	Cl	NO <sub>3</sub>	F	B	SiO <sub>2</sub>	TDS SUM	TH NCH	
ANDERSON VALLEY 1-19.00																		
13N/14W-02L01 M	61	7.6	186	13	8.4	12	0.5	0	80	9.2	7.0	5.1		0.4		121	67	
5-19-70 5050		6.1	185	0.65	0.69	0.52	0.01		1.31	0.19	0.20	0.08					1	
0930 5050				35	37	28	0		74	11	11	4						
13N/14W-11A01 M	65	---	---															
5-19-70 --		6.9	228															
0830 5050																		
14N/14W-18R02 M	58	6.8	101	4.3	2.6	13	0.3	0	35	1.2	12	1.8		0.3		82	21	
5-19-70 5050		5.9	106	0.21	0.21	0.56	0.01		0.57	0.02	0.34	0.03					0	
1045 5050				21	21	57	1		59	2	36	3						
14N/14W-19B01 M	61	---	---															
5-19-70 --		6.3	210															
1115 5050																		
14N/14W-34G06 M	62	---	---															
5-19-70 --		7.3	575															
1015 5050																		
POINT ARENA 1-20.00																		
12N/16W-18K01 M	57	7.0	390					0	9		52	96					77	
5-19-70 5050		5.6	395						0.15		1.47	1.55					70	
1330 5050																		
12N/17W-12L01 M	57	7.3	125					0	26		17						11	
5-19-70 5050		5.9	130						0.43		0.48						0	
1420 5050																		
13N/16W-31M01 M	69	7.3	406	21	5.7	50	2.3	0	51	12	83	14		0.3		257	76	
5-19-70 5050		6.1	415	1.05	0.47	2.18	0.06		0.84	0.25	2.34	0.22					34	
1245 5050				28	12	58	2		23	7	64	6						
13N/17W-24D01 M	61	7.4	266	6.8	4.1	36	1.6	0	20	8.2	53	15		0.3		172	34	
5-19-70 5050		6.3	265	0.34	0.34	1.57	0.04		0.33	0.17	1.50	0.24					18	
1520 5050				15	15	68	2		15	7	67	11						
13N/17W-25H01 M	57	7.8	410	51	7.0	26	1.1	0	180	17	28	3.8		0.3		237	156	
5-18-70 5050		6.5	410	2.54	0.58	1.13	0.03		2.95	0.35	0.79	0.06					8	
1500 5050				59	14	26	1		71	8	19	2						
FORT BRAGG TERRACE 1-21.00																		
17N/17W-30F01 M	57	6.8	787	39	24	67	3.2	0	28	8.6	185	58		0.3		451	196	
5-19-70 5050		5.7	810	1.95	1.97	2.91	0.08		0.46	0.18	5.22	0.94					173	
1800 5050				28	29	42	1		7	2	77	14						
17N/17W-30M01 M	57	7.8	339					0	49		48						74	
5-19-70 5050		6.3	340						0.80		1.35						34	
1620 5050																		
18N/17W-07K01 M	60	6.9	157	4.3	3.8	20	1.0	0	36	3.0	25	0.0		0.3		86	26	
5-20-70 5050		6.3	221	0.21	0.31	0.87	0.02		0.59	0.06	0.70						0	
0915 5050				15	22	62	1		44	4	52							
19N/17W-20N01 M	58	7.4	163	7.2	3.6	18	1.8	0	41	5.3	23	1.0		0.4		99	33	
5-20-70 5050		5.9	175	0.36	0.30	0.78	0.05		0.67	0.11	0.65	0.02					0	
-- 5050				24	20	52	4		46	8	45	1						
19N/17W-30G01 M	58	6.9	296	6.6	6.7	39	0.8	0	26	14	60	11		0.3		172	44	
5-20-70 5050		5.8	300	0.33	0.55	1.70	0.02		0.43	0.29	1.69	0.18					23	
1000 5050				13	21	65	1		17	11	65	7						
19N/17W-30Q01 M	57	8.0	386	7.5	5.2	67	6.8	0	139	7.2	49	0.1		0.5		239	40	
5-20-70 5050		6.5	385	0.37	0.43	2.91	0.17		2.28	0.15	1.38	0.00					0	
0945 5050				10	11	75	4		60	4	36							
SAN FRANCISCO BAY REGION 2-00.00																		
PETALUMA VALLEY 2-01.00																		
03N/06W-01Q01 M	72	---	1300			172					156							
7-27-70 5050		7.9	1350			7.48					4.40							
1130 5050																		
03N/06W-03C01 M	65	---	4060			364					1200							
7-27-70 5050		7.4	---			15.83					33.85							
1600 5050																		
03N/06W-11B01 M		---	1790			320					342							
7-27-70 5050		7.7	1800			13.92					9.65							
1150 5050																		
03N/06W-16H01 M	66	6.1	175	7.9	5.2	12	4.4	0	26	27	15	1.6		0.0		111	41	
7-27-70 5050		6.0	168	0.39	0.43	0.52	0.11		0.43	0.56	0.42	0.02					19	
1215 5050				27	30	36	7		31	39	29	1						

## MINERAL ANALYSES OF GROUND WATER

State Well Number Date Lab Time Sampler	Temp.	pH Lab Field	EC Lab Field	Mineral Constituents in					Milligrams per Liter Milliequivalents per Liter Percent Reactance Value					Milligrams per Liter				
				Ca	Mg	Na	K	CO <sub>3</sub>	HCO <sub>3</sub>	SO <sub>4</sub>	Cl	NO <sub>3</sub>	F	B	SiO <sub>2</sub>	TDS SUM	TH NCH	
PETALUMA VALLEY 2-01.00 (Continued)																		
03N/06W-18M01 M 7-27-70 5050 1300 5050	62	--- 6.8	548 550								41 1.16							
03N/07W-14F01 M 7-27-70 5050 1345 5050	64	7.5 7.3	622 610	0.0	0.5 0.04 1	141 6.13 99	0.4 0.01 0	0	236 3.87 61	32 0.67 11	62 1.75 28	0.0		0.5		394	2 0	
04N/06W-08E01 M 7-27-70 5050 1600 5050	62	--- 7.5	985 1100			83 3.61					77 2.17			2.3				
04N/06W-21Q01 M 7-27-70 5050 1530 5050	72	--- 7.9	1100 1100			244 10.61					140 3.95							
04N/06W-33R01 M 7-27-70 5050 1445 5050		--- 7.2	8640 ---								2960 83.36							
05N/06W-30D01 M 7-28-70 5050 0945 5050		8.3 8.1	880 890	31 1.55 16	19 1.55 16	155 6.74 68		0	414 6.78		82 2.31						155 0	
05N/07W-20L03 M 7-28-70 5050 0830 5050	64	8.2 7.0	1200 1300	134 6.69 54	20 1.62 13	92 4.00 33		0	244 4.00		212 5.98						416 216	
05N/07W-26E01 M 7-28-70 5050 0915 5050		--- 7.5	772 790			70 3.04					90 2.54							
05N/07W-34E02 M 7-27-70 5050 1645 5050	65	--- 8.4	866 845								70 1.97							
05N/07W-35H01 M 7-27-70 5050 1600 5050	66	7.7 7.6	542 545	38 1.90 33	15 1.24 21	60 2.61 45	2.0 0.05 1	0	240 3.93 69	27 0.56 10	38 1.07 19	6.8 0.11 2		0.2		331	157 0	
NAPA-SONOMA VALLEY 2-02.00																		
NAPA VALLEY 2-02.01																		
03N/03W-18G01 M 7-29-70 5050 1445 5050	65	--- 7.5	1110 1125								167 4.71							
03N/03W-18G02 M 7-29-70 5050 1500 5050	65	--- 7.3	1220 1275								160 4.51							
03N/04W-05M01 M 7-30-70 5050 1000 5050	62	7.7 7.5	1580 1725	33 1.65 10	41 3.36 19	284 12.35 70	8.0 0.20 1	0	672 11.01 64	0.0	200 5.64 33	34 0.55 3		0.4		940	251 0	
04N/04W-05C01 M 7-24-70 5050 1645 5050		--- 7.2	303 300								31 0.87							
04N/04W-05D02 M 7-24-70 5050 1630 5050	68	7.7 7.6	734 740	33 1.65 22	20 1.67 23	90 3.92 54	2.1 0.05 1	0	241 3.95 54	26 0.54 7	82 2.31 32	32 0.52 7		0.0		423	166 0	
04N/04W-12M01 M 7-29-70 5050 1345 5050	68	--- 7.1	904 875								132 3.72							
04N/04W-13E01 M 7-28-70 5050 1545 5050	65	--- 7.2	3150 3000			295 12.83					600 16.93	164 2.64						
04N/04W-14C02 M 7-28-70 5050 1615 5050	70	--- 7.4	1540 1600								358 10.10							
05N/04W-09Q02 M 7-24-70 5050 1330 5050	65	--- 7.3	481 475								45 1.27							
05N/04W-11F03 M 7-24-70 5050 0900 5050		--- 7.7	685 710								111 3.13							
05N/04W-15E01 M 7-24-70 5050 1300 5050		--- 7.5	392 385								34 0.96							

## MINERAL ANALYSES OF GROUND WATER

State Well Number Date Lab Time Sampler	Temp.	pH Lab Field	EC Lab Field	Mineral Constituents in				Milligrams per Liter Milliequivalents per Liter Percent Reactance Value					Milligrams per Liter					
				Ca	Mg	Na	K	CO <sub>3</sub>	HCO <sub>3</sub>	SO <sub>4</sub>	Cl	NO <sub>3</sub>	F	B	SiO <sub>2</sub>	TDS SUM	TH NCH	
NAPA VALLEY 2-02.01 (Continued)																		
05N/04W-20R02 M	66	7.8	678	30	18	82		0	156		108						151	
7-24-70 5050		7.1	690	1.50	1.52	3.57			2.56		3.05						23	
1425 5050				23	23	54												
05N/04W-21P02 M		---	2350								477							
7-24-70 5050		8.0	2500								13.46							
1500 5050																		
05N/04W-22M01 M		---	569								33							
7-24-70 5050		7.7	590								0.93							
1545 5050																		
05N/04W-22M02 M	67	7.7	212	8.4	6.8	23		0	77		14						49	
7-24-70 5050		6.8	218	0.42	0.56	1.00			1.26		0.39						0	
1530 5050				21	28	51												
05N/04W-29H01 M	67	6.5	379	26	15	30	1.5	0	132	23	31	19		0.0		261	127	
7-24-70 5050		6.5	380	1.30	1.24	1.30	0.04		2.16	0.48	0.87	0.31					19	
1400 5050				34	32	33	1		56	13	23	8						
06N/04W-06P01 M	62	7.9	355	18	28	15		0	134		15						161	
7-24-70 5050		6.9	355	0.90	2.32	0.65			2.20		0.42						51	
1030 5050				23	60	17												
06N/04W-15Q01 M	64	---	238								7.2							
7-24-70 5050		7.3	240								0.20							
1000 5050																		
09N/07W-25N01 M	83	---	940			166					196		7.0	12				
7-24-70 5050		7.7	950			7.22					5.53							
1130 5050																		
SONOMA VALLEY 2-02.02																		
04N/05W-14D02 M	76	---	971								142							
7-28-70 5050		7.3	1000								4.00							
1500 5050																		
05N/05W-18D02 M	63	---	512								40	38						
7-28-70 5050		7.0	510								1.13	0.61						
1130 5050																		
05N/05W-20R01 M		7.9	804	6.2	2.6	183	1.4	0	440	12	48	0.2		4.4		491	26	
7-28-70 5050		8.3	810	0.31	0.21	7.96	0.02		7.21	0.25	1.34	0.00					0	
1345 5050				4	2	94	0		82	3	15							
05N/06W-25P02 M	82	7.9	540	2.6	3.5	124	2.6	0	316	7.2	22	0.1		1.2		367	21	
7-28-70 5050		8.2	540	0.13	0.29	5.39	0.07		5.18	0.15	0.62	0.00					0	
1015 5050				2	5	92	1		87	3	10							
06N/06W-23M02 M		---	491										1.6	1.6				
7-28-70 5050		7.8	490															
1215 5050																		
06N/06W-26E01 M	71	---	411										1.8	2.2				
7-28-70 5050		8.0	405															
1245 5050																		
SUISUN-FAIRFIELD VALLEY 2-03.00																		
03N/01E-04B01 M		---	1440			116					275							
7-21-70 5050		8.1	1500			5.05					7.76							
1800 5050																		
03N/01E-22F02 M		---	1720			331					259							
7-21-70 5050		8.2	1800			14.40					7.31							
1815 5050																		
04N/01E-08F01 M		---	985								160							
7-21-70 5050		7.4	1000								4.51							
1500 5050																		
04N/01W-33A01 M	64	---	3590			681					860							
7-21-70 5050		7.9	4000			29.62					24.26							
1200 5050																		
04N/02W-04D01 M	67	---	1380								72							
7-20-70 5050		7.8	1400								2.03							
1430 5050																		
04N/02W-05Q02 M	67	7.7	869	45	45	81	1.6	0	354	95	67	0.4		0.5		513	298	
7-20-70 5050		7.2	900	2.25	3.70	3.52	0.04		5.80	1.98	1.89	0.01					8	
1400 5050				24	39	37	0		60	21	19	0						
04N/02W-09H01 M		---	3630								1020							
7-20-70 5050		8.1	3750								28.77							
1600 5050																		

## MINERAL ANALYSES OF GROUND WATER

State Well Number Date Lab Time Sampler	Temp.	pH Lab Field	EC Lab Field	Mineral Constituents in				Milligrams per Liter Milliequivalents per Liter Percent Reactance Value					Milligrams per Liter					
				Ca	Mg	Na	K	CO <sub>3</sub>	HCO <sub>3</sub>	SO <sub>4</sub>	Cl	NO <sub>3</sub>	F	B	SiO <sub>2</sub>	TDS SUM	TH NCH	
SUISUN-FAIRFIELD VALLEY 2-03.00 (Continued)																		
04N/02W-18M01 M		---	1120									106						
7-20-70 5050		7.9	1175									2.99						
1330 5050																		
04N/03W-13G02 M		---	959									75						
7-20-70 5050		7.5	1025									2.12						
1300 5050																		
05N/01W-25R01 M		---	1690									420						
7-22-70 5050		7.4	1750									11.85						
1400 5050																		
05N/01W-28P01 M		---	705			52						90						
7-21-70 5050		7.4	710			2.26						2.54						
1000 5050																		
05N/01W-30H01 M	65	8.0	1120	88	28	114	0.4	0	348	24	160	48		1.2		644	337	
7-22-70 5050		7.5	1180	4.39	2.34	4.96	0.01		5.70	0.50	4.51	0.77					52	
1715 5050				38	20	42	0		50	4	39	7						
05N/01W-30J01 M	63	7.4	2240	106	52	309	1.0	0	396	38	540	8.0		5.0		1240	478	
7-22-70 5050		7.3	2550	5.29	4.26	13.44	0.02		6.49	0.79	15.23	0.13					153	
1645 5050				23	19	58	0		29	3	67	1						
05N/02W-21P03 M	64	---	945			70						60						
7-20-70 5050		7.2	975			3.04						1.69						
1230 5050																		
05N/02W-34P04 M	69	---	1250			123						50						
7-20-70 5050		7.7	1300			5.35						1.41						
1630 5050																		
PITTSBURG PLAIN 2-04.00																		
02N/01E-18D01 M	67	7.8	802	58	29	70	5.2	0	312	43	81	11		0.3		483	264	
8-03-70 5050		7.6	800	2.89	2.38	3.04	0.13		5.11	0.90	2.28	0.18					8	
1000 5050				34	28	36	2		60	11	27	2						
02N/01W-09D01 M		7.9	2200	73	75	282	7.6	0	381	209	416	12		0.8		1330	492	
8-03-70 5050		7.5	2300	3.64	6.19	12.27	0.19		6.24	4.35	11.74	0.19					180	
1300 5050				16	28	55	1		28	19	52	1						
02N/01W-12P02 M	68	7.7	1640	61	70	179	9.2	0	328	214	252	1.3		0.4		978	432	
8-03-70 5050		7.8	1250	3.04	5.59	7.79	0.24		5.38	4.46	7.11	0.02					163	
1045 5050				18	34	47	1		32	26	42	0						
CLAYTON VALLEY 2-05.00																		
01N/01W-04A01 M	62	---	744									35						
7-31-70 5050		7.1	750									0.99						
0900 5050																		
02N/01W-30J01 M		---	1090									64						
7-31-70 5050		7.3	1100									1.80						
1000 5050																		
02N/01W-30K01 M	68	7.8	1230	90	70	86	0.4	0	431	202	75	18		1.0		797	511	
7-31-70 5050		7.4	1250	4.49	5.72	3.74	0.01		7.06	4.21	2.12	0.29					158	
1025 5050				32	41	27	0		52	31	15	2						
02N/01W-31D01 M		---	1050									111						
7-31-70 5050		7.3	1075									3.13						
1130 5050																		
02N/02W-13P01 M	66	---	954									156						
7-31-70 5050		7.4	975									4.40						
1400 5050																		
02N/02W-26B01 M	69	---	965									146						
7-31-70 5050		7.8	1000									4.12						
1330 5050																		
02N/02W-36J01 M	65	---	1160									127	36					
7-31-70 5050		7.2	1200									3.58	0.58					
1300 5050																		
YGNACIO VALLEY 2-06.00																		
01N/01W-07K01 M		---	2080									191						
7-30-70 5050		7.3	2100									5.39						
1415 5050																		
01N/01W-29G01 M	66	---	2160									331						
7-30-70 5050		7.5	2250									9.34						
1400 5050																		

## MINERAL ANALYSES OF GROUND WATER

State Well Number Date Lab Time Sampler	Temp.	pH Lab Field	EC Lab Field	Mineral Constituents in				Milligrams per Liter Milliequivalents per Liter Percent Reactance Value					Milligrams per Liter					
				Ca	Mg	Na	K	CO <sub>3</sub>	HCO <sub>3</sub>	SO <sub>4</sub>	Cl	NO <sub>3</sub>	F	B	SiO <sub>2</sub>	TDS SUM	TH NCH	
YGNACIO VALLEY 2-06.00 (Continued)																		
01N/02W-11N01 M	68	---	1250								151	8.0						
7-30-70 5050		7.5	1300								4.26	0.13						
1240 5050																		
01N/02W-13P01 M		7.7	1330	19	113	103	0.3	0	556	106	104	34		1.1		706	513	
7-30-70 5050		7.3	1375	0.95	9.30	4.48	0.01		9.11	2.20	2.93	0.55					57	
1300 5050				7	63	30	0		61	15	20	4						
02N/02W-36E01 M		---	2660									358						
7-31-70 5050		7.1	3000									10.10						
0800 5050																		
SANTA CLARA VALLEY 2-09.00																		
EAST BAY AREA -- BAY PLAIN 2-09.01																		
02S/03W-08Q01 M		7.9	1770	84	54	189	3.0	0	207	43	439	1.6		0.1		1070	433	
9-15-70 5050		---	---	4.19	4.46	8.22	0.08		3.39	0.90	12.38	0.02					263	
1000 5100				25	26	48	1		20	6	74	0						
02S/03W-19Q01 M			1010									210						
9-15-70 5050			---									5.92						
-- 5100																		
02S/03W-21J01 M		7.3	7040	665	284	434	8.0	0	247	227	2350	19		0.3		6160	2830	
9-15-70 5050		---	---	33.18	23.36	18.88	0.20		4.05	4.73	66.29	0.31					2627	
-- 5100				44	31	25	0		5	6	87	1						
02S/03W-30D02 M		7.6	3360	260	97	269	6.5	0	221	105	928	0.0		0.3		2430	1050	
9-15-70 5050		---	---	12.97	8.01	11.70	0.17		3.62	2.19	26.18						869	
-- 5100				39	24	36	1		11	7	82							
02S/03W-33H03 M			635									34						
9-15-70 5050			---									0.96						
1200 5100																		
02S/03W-34A02 M		8.3	727	65	33	42	0.5	0	284	61	33	65		0.2		480	298	
9-15-70 5050		---	---	3.24	2.71	1.83	0.01		4.65	1.27	0.93	1.05					65	
1135 5100				42	35	23	0		59	16	12	13						
02S/04W-03E01 M			682									81						
9-15-70 5050			---									2.28						
-- 5100																		
03S/02W-19R04 M			1120									110						
9-14-70 5050			---									3.10						
1038 5100																		
03S/02W-30R14 M			1170									112						
9-14-70 5050			---									3.16						
0935 5100																		
03S/03W-01G03 M			921									116						
9-14-70 5050			---									3.27						
1100 5100																		
03S/03W-11P02 M			832									103						
9-14-70 5050			---									2.90						
-- 5100																		
03S/03W-13B02 M			1670									126						
9-14-70 5050			---									3.55						
1000 5100																		
03S/03W-24J01 M			485									66						
9-15-70 5050			---									1.86						
0915 5100																		
03S/03W-24Q02 M		7.7	3070	197	128	308	1.4	0	581	176	645	149		0.7		2070	1020	
9-14-70 5050		---	---	9.83	10.55	13.40	0.04		9.52	3.66	18.20	2.40					544	
1030 5100				29	31	40	0		28	11	54	7						
EAST BAY AREA -- ABOVE HAYWARD FAULT 2-09.01																		
04S/01W-21F02 M			616									75						
9-29-70 5050			---									2.12						
-- 5401																		
04S/01W-27P01 M		8.3	1280	48	58	158	2.3	0	482	146	99	29		1.3		678	360	
10-09-70 5050		---	---	2.40	4.79	6.87	0.06		7.90	3.04	2.79	0.47					0	
-- 5401				17	34	49	0		56	21	20	3						
04S/01W-35P03 M			690									48						
9-28-70 5050			---									1.35						
-- 5401																		

## MINERAL ANALYSES OF GROUND WATER

State Well Number Date Lab Time Sampler	Temp.	pH Lab Field	EC Lab Field	Mineral Constituents in					Milligrams per Liter Milliequivalents per Liter Percent Reactance Value					Milligrams per Liter				
				Ca	Mg	Na	K	CO <sub>3</sub>	HCO <sub>3</sub>	SO <sub>4</sub>	Cl	NO <sub>3</sub>	F	B	SiO <sub>2</sub>	TDS SUM	TH NCH	
EAST BAY AREA -- NEWARK AQUIFER 2-09.01																		
04S/01W-18H03 M		8.1	1780	72	136	75	2.9	0	253	149	383	2.0		0.5		892	738	
10-01-70 5050		---	---	3.59	11.15	3.26	0.07		4.15	3.10	10.80	0.03					530	
-- 5401				20	62	18	0		23	17	60	0						
04S/01W-28C01 M			685								71							
9-28-70 5050			---								2.00							
-- 5401																		
04S/01W-31B03 M			3490								1050							
9-28-70 5050			---								29.62							
-- 5401																		
04S/02W-14E02 M			3710								862							
10-14-70 5050			---								24.32							
-- 5401																		
04S/02W-27L01 M			595								28							
9-29-70 5050			---								0.79							
1340 5401																		
05S/01W-09J01 M			1360								257							
10-01-70 5050			---								7.25							
-- 5401																		
05S/02W-12D01 M		7.2	57600	2690	2260	11400	52	0	172	1860	27300	0.2		0.4		48300	16000	
10-21-70 5050		---	---	134.23	185.45	495.90	1.33		2.82	38.74	770.13	0.00					15900	
-- 5401				16	23	61	0		0	5	95							
EAST BAY AREA -- LOWER AQUIFER 2-09.01																		
04S/01W-28C14 M			697								55							
9-28-70 5050			---								1.55							
-- 5401																		
04S/01W-30E03 M			2030								531							
10-01-70 5050			---								14.98							
-- 5401																		
04S/01W-33A02 M		8.2	1200	100	35	74	2.8	0	242	86	178	34		0.7		577	393	
10-19-70 5050		---	---	4.99	2.86	3.22	0.07		3.97	1.79	5.02	0.55					194	
-- 5401				45	25	29	1		35	16	44	5						
04S/02W-10C01 M			612								38							
10-01-70 5050			---								1.07							
-- 5401																		
04S/02W-12C01 M			573								38							
10-01-70 5050			---								1.07							
-- 5401																		
04S/02W-15F03 M			748								72							
10-14-70 5050			---								2.03							
-- 5401																		
04S/02W-22P02 M			587								43							
10-05-70 5050			---								1.21							
-- 5401																		
04S/02W-24L06 M			979								166							
10-07-70 5050			---								4.68							
-- 5401																		
04S/02W-26A01 M			3560								1060							
10-05-70 5050			---								29.90							
-- 5401																		
04S/02W-35F01 M			2220								601							
10-01-70 5050			---								16.95							
-- 5401																		
05S/01W-05F01 M			2890								868							
10-19-70 5050			---								24.49							
-- 5401																		
05S/01W-17A01 M		8.6	520	8.8	1.9	113	0.7	2	279	30	15	0.8		0.3		324	30	
9-29-70 5050		---	---	0.44	0.16	4.92	0.02	0.07	4.57	0.62	0.42	0.01					0	
1300 5401				8	3	89	0	1	81	11	7	0						
05S/02W-17F03 M			528								24							
10-09-70 5050			---								0.68							
-- 5401																		

## MINERAL ANALYSES OF GROUND WATER

State Well Number Date Lab Time Sampler	Temp.	pH Lab Field	EC Lab Field	Mineral Constituents in				Milligrams per Liter Milliequivalents per Liter Percent Reactance Value					Milligrams per Liter					
				Ca	Mg	Na	K	CO <sub>3</sub>	HCO <sub>3</sub>	SO <sub>4</sub>	Cl	NO <sub>3</sub>	F	B	SiO <sub>2</sub>	TDS SUM	TH NCH	
SOUTH BAY AREA 2-09.02																		
06S/01E-17R01 M 10-14-70 5050 1300 2400		8.3 ---	763 ---	53 2.64 33	14 1.18 15	96 4.18 52	1.9 0.05 0	0	321 5.26 64	55 1.15 14	57 1.61 20	13 0.21 2		0.4		395	191 0	
06S/01E-27C02 M 10-14-70 5050 1000 2400			739 ---								60 1.69			1.3				
06S/01W-11B01 M 10-26-70 5050 1430 2400			608 ---								26 0.73							
06S/01W-15Q01 M 10-26-70 5050 1400 2400			473 ---								16 0.45							
06S/01W-16A01 M 10-26-70 5050 1400 2400		8.3 ---	1040 ---	54 2.69 28	22 1.77 18	119 5.18 54	1.5 0.04 0	0	194 3.18 32	46 0.96 10	203 5.73 58	1.4 0.02 0		0.2		500	223 64	
06S/01W-27E02 M 10-15-70 5050 1230 2400		8.3 ---	442 ---	45 2.25 47	14 1.17 24	31 1.35 28	1.1 0.03 1	0	231 3.79 79	29 0.60 12	15 0.42 9	0.1 0.00		0.1		238	171 0	
06S/01W-31B03 M 10-28-70 5050 1300 2400			506 ---								20 0.56							
06S/01W-36A01 M 10-28-70 5050 1400 2400			735 ---								55 1.55							
06S/02W-09H09 M 10-26-70 5050 1300 2400			526 ---								33 0.93							
06S/02W-15N02 M 10-15-70 5050 1205 2400		8.3 ---	785 ---	99 4.94 57	30 2.43 28	30 1.30 15	1.4 0.04 0	0	336 5.51 62	98 2.04 23	42 1.18 13	8.5 0.14 2		0.1		454	369 93	
06S/02W-20N01 M 10-17-70 5050 1415 2400			705 ---								34 0.96							
06S/02W-24M01 M 10-26-70 5050 1200 2400		8.3 ---	1060 ---	120 5.99 50	49 4.04 34	44 1.91 16	1.7 0.04 0	0	360 5.90 49	181 3.77 32	47 1.32 11	62 1.00 8		0.1		658	502 207	
07S/01E-25A02 M 10-16-70 5050 0800 2400			1020 ---								75 2.12							
07S/02E-07Q01 M 10-26-70 5050 -- 2400		8.3 ---	1010 ---	64 3.19 29	44 3.60 32	98 4.26 38	1.9 0.05 1	0	427 7.00 62	96 2.00 18	75 2.12 19	12 0.19 1		0.2		540	340 0	
07S/01W-35H01 M 10-14-70 5050 1315 2400			457 ---								35 0.99							
08S/01E-04F01 M 10-20-70 5050 1130 2400			473 ---								17 0.48							
08S/01E-08P03 M 10-20-70 5050 1200 2400			424 ---								27 0.76							
08S/01E-10L01 M 10-20-70 5050 1330 2400			602 ---								30 0.85							
08S/01E-17D01 M 10-20-70 5050 1306 2400		8.3 ---	450 ---	30 1.50 32	25 2.04 44	26 1.13 24	0.9 0.02 0	0	172 2.82 60	36 0.75 16	22 0.62 13	31 0.50 11		0.1		263	177 36	
08S/02E-17L01 M 10-28-70 5050 1500 2400		6.3 ---	575 ---	43 2.14 35	38 3.13 51	20 0.87 14	0.8 0.02 0	0	290 4.75 77	41 0.85 14	16 0.45 7	8.8 0.14 2		0.1		320	264 28	
08S/02E-34A01 M 10-20-70 5050 -- 2400			597 ---								18 0.51							
09S/03E-22B03 M 10-21-70 5050 1415 2400		6.2 ---	496 ---	42 2.10 41	24 2.00 39	22 0.96 19	1.5 0.04 1	0	207 3.39 66	43 0.90 18	16 0.45 9	22 0.35 7		0.1		290	205 35	

## MINERAL ANALYSES OF GROUND WATER

State Well Number Date Lab Time Sampler	Temp.	pH Lab Field	EC Lab Field	Mineral Constituents in				Milligrams per Liter Milliequivalents per Liter Percent Reactance Value					Milligrams per Liter					
				Ca	Mg	Na	K	CO <sub>3</sub>	HCO <sub>3</sub>	SO <sub>4</sub>	Cl	NO <sub>3</sub>	F	B	SiO <sub>2</sub>	TDS SUM	TH NCH	
LIVERMORE VALLEY 2-10.00																		
03S/01E-03Q01 M 9-01-70 5050 1020 5100			1330 ---			160 6.96 46	1.4 0.04 0				184 5.19	32 0.52		2.2		780	400	
03S/01E-06E01 M 9-04-70 5050 -- 5100			1160 ---			133 5.78 51	1.6 0.04 0				2.11 5.95	0.2 0.00		1.0		624	274	
03S/01E-09A01 M 9-04-70 5050 1130 5100			736 ---			28 1.22 14	1.6 0.04 0				46 1.30	26 0.42		0.4		424	377	
03S/01E-09L01 M 9-02-70 5050 1040 5100			1230 ---			114 4.96 36	2.3 0.06 0				166 4.60	30 0.48		2.1		708	428	
03S/01E-11E01 M 9-04-70 5050 -- 5100			1200 ---			89 3.87 30	1.9 0.05 0				187 5.28	19 0.31		0.9		704	454	
03S/01E-12C01 M 9-04-70 5050 1000 5100			1020 ---			85 3.70 31	1.7 0.04 0				114 3.22	18 0.29		1.4		594	416	
03S/01E-12P01 M 9-04-70 5050 1030 5100			580 ---			24 1.04 16	1.2 0.03 0				24 0.68	21 0.34		0.3		333	279	
03S/01E-20B02 M 9-02-70 5050 1200 5100			701 ---			46 2.00 25	1.4 0.04 1				45 1.27	23 0.37		0.4		408	296	
03S/02E-03K01 M 9-25-70 5050 -- 5100			1100 ---			109 4.74 39	1.9 0.05 0				134 3.78	38 0.61		1.6		642	374	
03S/02E-08E01 M 9-04-70 5050 0950 5100			929 ---			130 5.66 62	0.9 0.02 0				102 2.88	0.0		1.1		544	170	
03S/02E-09Q01 M 9-02-70 5050 -- 5100			752 ---			34 1.48 17	1.6 0.04 0				43 1.21	21 0.34		0.4		396	366	
03S/02E-11K01 M 9-01-70 5050 1140 5100			798 ---			72 3.13 41	1.7 0.04 1				82 2.31	13 0.21		1.2		419	225	
03S/02E-15B04 M 9-01-70 5050 1245 5100			667 ---			44 1.91 27	1.8 0.05 1				70 1.97	38 0.61		0.8		385	256	
03S/02E-26J01 M 9-01-70 5050 -- 5100			1410 ---			97 4.22 28	1.5 0.04 0				257 7.25	74 1.19		0.2		802	544	
03S/02E-30H01 M 9-04-70 5050 1100 5100			549 ---			30 1.30 23	1.3 0.03 1				54 1.52	0.6 0.01		0.4		289	213	
CENTRAL COASTAL REGION 3-00.00																		
PAJARO VALLEY 3-02.00																		
11S/01E-04B01 M 7-22-70 5050 -- 2100	63	8.3 ---	401 401	31 1.55 36	26 2.15 49	14 0.61 14	1.1 0.03 1	0	205 3.36 77	24 0.50 12	17 0.48 11	0.4 0.01 0		0.0		247	185 17	
11S/02E-09F01 M 7-24-70 5050 -- 2100	--	8.3 ---	258 270	0.4 0.02 1	0.2 0.02 1	57 2.48 98	0.1 0.00	0	113 1.85 71	6.6 0.14 5	18 0.51 20	5.8 0.09 4		0.0		197	2 0	
12S/01E-24N01 M 7-27-70 5050 -- 2100	--	8.3 ---	1080 1049	41 2.05 20	46 3.80 37	93 4.04 39	17 0.43 4	0	202 3.31 31	93 1.94 19	187 5.28 50	2.0 0.03 0		0.1		556	293 127	
12S/02E-22L01 M 4-07-70 5050 0900 5050	--	8.1 ---	384 ---	18 0.90 23	18 1.48 38	34 1.48 38	1.4 0.04 1	0	157 2.57 68	1.3 0.03 1	39 1.10 29	3.7 0.06 2		0.1		241	119 0	
12S/02E-25M01 M 3-05-70 5050 1000 5050	--	6.4 ---	736 ---	65 3.24 44	26 2.17 30	42 1.83 25	1.8 0.05 1	0	88 1.44 20	123 2.56 36	50 1.41 20	105 1.69 24		0.0		525	271 199	
12S/02E-27F01 M 3-04-70 5050 0940 5050	--	7.6 ---	351 ---	18 0.90 26	13 1.06 31	33 1.44 42	1.8 0.05 1	0	111 1.82 55	6.9 0.14 4	44 1.24 38	6.2 0.10 3		0.0		205	98 7	



## MINERAL ANALYSES OF GROUND WATER

State Well Number Date Lab Time Sampler	Temp.	pH Lab Field	EC Lab Field	Mineral Constituents in				Milligrams per Liter Milliequivalents per Liter Percent Reactance Value					Milligrams per Liter					
				Ca	Mg	Na	K	CO <sub>3</sub>	HCO <sub>3</sub>	SO <sub>4</sub>	Cl	NO <sub>3</sub>	F	B	SiO <sub>2</sub>	TDS SUM	TH NCH	
PAJARO VALLEY 3-02.00 (Continued)																		
12S/03E-29DS1 M	--	7.4	274	11	8.4	29	0.9	0	63	10	29	20				0.0	205	62
3-04-70 5050		---	---	0.55	0.69	1.26	0.02		1.03	0.21	0.82	0.32						10
1015 5050				22	27	50	1		43	9	35	13						
GILROY-HOLLISTER VALLEY 3-03.00																		
SAN BENITO COUNTY 3-03.02																		
13S/05E-03J01 M	70	7.9	1280	59	67	137		0	411		92	10		1.1				421
9-16-70 5050		---	1200	2.94	5.47	5.96			6.74		2.60	0.16						84
0800 5050				20	38	42												
15S/07E-06P01 M	70	7.8	1960	71	116	215		0	496		189	31		1.8				655
9-16-70 5050		---	1700	3.54	9.55	9.35			8.13		5.33	0.50						248
0920 5050				16	42	42												
18S/10E-06L01 M	76	8.2	997	26	105	47		0	564		29	1.6		0.9				496
9-16-70 5050		---	950	1.30	8.61	2.04			9.24		0.82	0.02						34
1420 5050				11	72	17												
18S/10E-09F01 M	70	8.1	985	22	104	42		0	556		26	1.4		0.8				483
9-16-70 5050		---	930	1.10	8.55	1.83			9.11		0.73	0.02						27
1440 5050				10	74	16												
SALINAS VALLEY 3-04.00																		
PRESSURE AREA 3-04.01																		
13S/02E-07R01 M	66	8.3	1060	32	10	180		0	254		166	1.1		0.3				122
7-28-70 5050		---	---	1.60	0.84	7.83			4.16		4.68	0.02						0
-- 2100				16	8	76												
13S/02E-16D01 M	66	8.2	1240	64	42	118		0	217		270	13		0.2				331
7-28-70 5050		---	---	3.19	3.42	5.13			3.56		7.61	0.21						153
-- 2100				27	29	44												
13S/02E-17H03 M	66	8.1	1620	67	38	197		0	190		411	3.2		0.2				325
7-28-70 5050		---	---	3.34	3.15	8.57			3.11		11.59	0.05						169
-- 2100				22	21	57												
13S/02E-17J01 M	66	8.2	485	17	9.1	72		0	133		74	2.7		0.2				80
7-28-70 5050		---	---	0.85	0.75	3.13			2.18		2.09	0.04						0
-- 2100				18	16	66												
13S/02E-23L01 M	--	7.2	466	16	11	53	1.7	0	60	3.4	102	6.7		0.0		302		86
3-05-70 5050		---	---	0.80	0.92	2.31	0.04		0.98	0.07	2.88	0.11						37
1045 5050				20	22	57	1		24	2	71	3						
13S/02E-23R01 M	--	7.2	339	9.8	11	39	1.2	0	94	1.6	51	2.1		0.0		229		69
3-05-70 5050		---	---	0.49	0.89	1.70	0.03		1.54	0.03	1.44	0.03						0
1030 5050				16	28	55	1		51	1	47	1						
13S/02E-29N01 M	--	7.9	451	17	11	58	2.1	0	141	316	64	3.2		0.0		288		87
3-04-70 5050		---	---	0.85	0.89	2.52	0.05		2.31	0.07	1.80	0.05						0
0815 5050				20	21	58	1		55	2	42	1						
13S/02E-31G04 M	--	7.7	2690	202	104	183		0	134		825	1.7		0.2				932
7-00-70 5050		---	---	10.08	8.54	7.96			2.20		23.26	0.03						822
-- 2100				38	32	30												
13S/02E-31K02 M	--	8.0	606	43	15	62		0	238		70	2.3		0.1				169
7-29-70 5050		---	---	2.15	1.23	2.70			3.90		1.97	0.04						0
-- 2100				35	20	45												
13S/02E-32A02 M	--	8.3	607	40	15	62		0	228		78	1.8		0.2				163
7-29-70 5050		---	---	2.00	1.26	2.70			3.74		2.20	0.03						0
-- 2100				34	21	45												
14S/02E-12Q01 M	65	8.4	552	59	25	37		5	234		45	8.8		0.0				250
7-28-70 5050		---	---	2.94	2.06	1.61		0.17	3.84		1.27	0.14						58
-- 2100				45	31	24												
14S/02E-13P01 M	--	8.1	1090	57	50	92		0	185		170	10		0.1				350
8-03-70 5050		---	---	2.84	4.15	4.00			3.03		4.79	0.16						198
-- 2100				26	38	36												
14S/02E-36Q01 M	65	8.3	445	46	13	30		0	156		18	0.8		0.1				168
8-03-70 5050		---	---	2.30	1.06	1.30			2.56		0.51	0.01						40
-- 2100				49	23	28												
14S/03E-31F01 M	--	7.8	2330	162	131	256		0	264		328	9.1		0.7				942
7-29-70 5050		---	---	8.08	10.74	11.13			4.33		9.25	0.15						725
-- 2100				27	36	37												
15S/03E-13N01 M	65	8.1	904	71	34	75		0	269		66	2.9		0.3				319
8-11-70 5050		---	---	3.54	2.83	3.26			4.41		1.86	0.05						98
-- 2100				37	29	34												

## MINERAL ANALYSES OF GROUND WATER

State Well Number Date Lab Time Sampler	Temp.	pH Lab Field	EC Lab Field	Mineral Constituents in				Milligrams per Liter Milliequivalents per Liter Percent Reactance Value					Milligrams per Liter					
				Ca	Mg	Na	K	CO <sub>3</sub>	HCO <sub>3</sub>	SO <sub>4</sub>	Cl	NO <sub>3</sub>	F	B	SiO <sub>2</sub>	TDS SUM	TH NCH	
EAST SIDE AREA 3-04.02																		
14S/03E-04E01 M	68	8.3	502	53	19	33		0	223		45	9.1		0.0			212	
8-04-70 5050		---	---	2.64	1.60	1.44			3.66		1.27	0.15					29	
-- 2100				47	28	25												
14S/03E-25L02 M	70	8.3	623	41	19	63		0	213		86	4.5		0.1			179	
7-30-70 5050		---	---	2.05	1.53	2.74			3.49		2.43	0.07					5	
-- 2100				33	24	43												
15S/04E-26G01 M	--	8.3	472	35	16	39		0	177		47	17		0.1			153	
7-00-70 5050		---	---	1.75	1.31	1.70			2.90		1.33	0.27					8	
-- 2100				37	27	36												
16S/05E-20G02 M	--	6.4	2030	154	66	149	4.8	0	240	173	406	62		0.1		1240	658	
10-15-69 5050		---	---	7.68	5.46	6.48	0.12		3.93	3.60	11.45	1.00					461	
1100 5050				39	28	33	0		20	18	57	5						
FOREBAY AREA 3-04.03																		
17S/05E-14D01 M	62	8.2	768	66	29	56		0	223		82	0.0		0.1			286	
8-18-70 5050		---	---	3.29	2.42	2.44			3.66		2.31						103	
-- 2100				40	30	30												
17S/06E-35F01 M	64	8.3	991	62	33	111		0	224		78	2.1		0.8			290	
8-18-70 5050		---	---	3.09	2.70	4.83			3.67		2.20	0.03					106	
-- 2100				29	25	46												
18S/07E-20K01 M	--	7.8	2940	318	152	189		0	179		338	24		1.0			1420	
8-06-70 5050		---	---	15.87	12.50	8.22			2.93		9.53	0.39					1270	
-- 2100				43	34	23												
ARROYO SECO CONE 3-04.04																		
18S/06E-28J01 M	--	8.2	472	47	17	23		0	120		32	14		0.0			186	
8-06-70 5050		---	---	2.35	1.37	1.00			1.97		0.90	0.23					88	
-- 2100				50	29	21												
UPPER VALLEY AREA 3-04.05																		
19S/07E-10P01 M	63	7.9	1740	151	88	75		0	222		359	55		0.2			740	
7-29-70 5050		---	---	7.53	7.26	3.26			3.64		10.12	0.89					558	
-- 2100				42	40	18												
20S/08E-24J02 M	69	8.0	3580	156	151	394		0	223		845	4.6		2.7			1010	
7-28-70 5050		---	---	7.78	12.40	17.14			3.66		23.83	0.07					827	
-- 2100				21	33	46												
21S/09E-24L01 M	64	7.9	1860	180	74	153		0	266		112	41		0.7			755	
7-28-70 5050		---	---	8.98	6.10	6.66			4.36		3.16	0.66					536	
-- 2100				41	28	31												
22S/10E-34G01 M	68	8.2	890	67	48	76		0	269		101	5.1		0.5			366	
7-28-70 5050		---	---	3.34	3.97	3.31			4.41		2.85	0.08					145	
-- 2100				32	37	31												
SEASIDE AREA 3-04.08																		
16S/02E- 9F01 M	--	6.6	884	56	15	100	3.9	0	121	28	206	5.2		0.0		557	200	
3-03-70 5050		---	---	2.79	1.21	4.35	0.10		1.98	0.58	5.81	0.08					101	
1500 5050				33	14	52	1		23	7	69	1						
LANGLEY AREA 3-04.09																		
13S/03E-17F02 M	--	7.4	466	17	14	53	1.4	0	103	8.2	84	3.5		0.0		294	100	
3-05-70 5050		---	---	0.85	1.15	2.30	0.04		1.69	0.17	2.37	0.06					16	
0945 5050				20	26	53	1		39	4	55	2						
13S/03E-30H01 M	--	7.1	690	30	18	72	1.8	0	73	16	125	74		0.0		442	150	
3-05-70 5050		---	---	1.50	1.50	3.13	0.05		1.20	0.33	3.53	1.19					90	
0915 5050				24	24	51	1		19	5	57	19						
CORRAL DE TIERRA AREA 3-04.10																		
15S/02E-35P01 M	--	7.0	1060	55	18	138	7.5	0	244	42	190	2.0		0.1		643	211	
3-04-70 5050		---	---	2.74	1.48	6.00	0.19		4.00	0.87	5.36	0.03					11	
1400 5050				26	14	58	2		39	9	52	0						
15S/02E-35P02 M	--	7.2	720	50	11	87	2.8	0	211	14	116	0.7		0.0		438	169	
3-04-70 5050		---	---	2.50	0.88	3.78	0.07		3.46	0.29	3.27	0.01					0	
1700 5050				35	12	52	1		49	4	47	0						
16S/02E-01M02 M	--	6.9	613	25	12	81	2.5	0	146	7.6	111	0.0		0.0		339	113	
3-03-70 5050		---	---	1.25	1.01	3.52	0.06		2.39	0.16	3.13						0	
1400 5050				22	17	60	1		42	3	55							

## MINERAL ANALYSES OF GROUND WATER

State Well Number Date Lab Time Sampler	Temp.	pH Lab Field	EC Lab Field	Mineral Constituents in				Milligrams per Liter Milliequivalents per Liter Percent Reactance Value					Milligrams per Liter					
				Ca	Mg	Na	K	CO <sub>3</sub>	HCO <sub>3</sub>	SO <sub>4</sub>	Cl	NO <sub>3</sub>	F	B	SiO <sub>2</sub>	TDS SUM	TH NCH	
CORRAL DE TIERRA AREA 3-04.10 (Continued)																		
16S/02E-02J01 M	--	6.6	936	46	19	112	2.6	0	158	7.7	212	2.8				0.0	550	193
3-04-70 5050		---	---	2.30	1.56	4.87	0.07		2.59	0.16	5.98	0.05						63
1430 5050				26	18	55	1		29	2	68	1						
16S/02E-10Q03 M	--	7.5	636	47	14	66	4.3	0	135	76	90	1.8				0.2	429	174
3-04-70 5050		---	---	2.34	1.14	2.87	0.11		2.21	1.58	2.54	0.03						63
1430 5050				36	18	44	2		35	25	40	0						
16S/02E-14P01 M	--	8.1	2040	133	38	264	17	0	475	317	234	20				0.3	1360	487
5-18-70 5050		---	---	6.63	3.10	11.48	0.43		7.79	6.60	6.60	0.32						97
1640 5050				31	14	53	2		37	31	31	1						
16S/02E-14Q01 M	--	6.9	1790	162	42	160	11	0	393	276	228	4.0				0.1	1170	579
3-04-70 5050		---	---	8.08	3.49	6.96	0.28		6.44	5.75	6.43	0.06						257
1620 5050				43	19	37	1		35	31	34	0						
16S/02E-15J01 M	--	7.2	1630	138	40	158	9.0	0	384	251	200	1.2				0.1	1050	511
3-04-70 5050		---	---	6.89	3.32	6.87	0.23		6.29	5.22	5.64	0.02						196
1640 5050				40	19	40	1		37	30	33	0						
16S/02E-24DS1 M	--	8.0	1600	169	34	136	10	0	385	268	187	4.0				0.1	1080	564
3-04-70 5050		---	---	8.43	2.84	5.92	0.26		6.31	5.58	5.28	0.06						248
1600 5050				48	16	34	2		37	32	31	0						
16S/03E-19L02 M	--	7.3	1750	224	45	105	13	0	459	345	176	0.6				0.0	1270	744
3-04-70 5050		---	---	11.18	3.68	4.57	0.33		7.52	7.18	4.96	0.01						368
1540 5050				56	19	23	2		38	37	25	0						
MISCELLANEOUS AREA 3-80.00																		
19S/01E-09M01 M	--	8.1	462	34	20	34	0.5	0	179	36	37	0.6				0.0	259	168
9-03-70 5050		---	---	1.70	1.66	1.48	0.01		2.93	0.75	1.04	0.01						21
1245 5050				35	34	31	0		62	16	22	0						
19S/01E-16E01 M	---	7.5	8580	21	412	1170		0	138		2900	0.6						1750
7-30-70 5050		---	---	1.05	33.91	50.98			2.26		81.81	0.01						1640
0915 5050				1	40	59												
19S/01E-16F01 M	--	8.2	1830	82	35	235	4.8	0	154	81	465	0.0				0.0	1060	348
9-03-70 5050		---	---	4.09	2.86	10.22	0.12		2.52	1.69	13.12							222
1115 5050				24	16	59	1		14	10	76							
19S/01E-16F02 M	---	7.8	364	38	14	21		0	158		25	0.3						154
7-30-70 5050		---	---	1.90	1.18	0.91			2.59		0.70	0.00						24
0920 5050				48	29	23												
19S/01E-16F02 M	--	8.3	374	41	8.5	16	1.4	0	156	20	14	0.0				0.0	186	137
9-03-70 5050		---	---	2.04	0.70	0.70	0.04		2.56	0.42	0.39							9
1230 5050				59	20	20	1		76	12	12							

TABLE E-2

## TRACE ELEMENT ANALYSES OF GROUND WATER

(In micrograms per liter\*)

State Well Number	Date Sampled	Al	Be	Bi	Cd	Co	Cr	Cu	Fe	Ga
		Ge	Mn	Mo	Ni	Pb	Ti	V	Zn	
CENTRAL COASTAL REGION 3-00.00										
PAJARO VALLEY 3-02.00										
12S/02E-22L01 M	4-07-70	<3.3 <0.7	<1.3 <3.3	<0.7 <0.7	<3.3 <0.7	<3.3 <3.3	<3.3 <1.3	<3.3 8	<3.3 <13	<13
GILROY-HOLLISTER VALLEY 3-03.00										
SAN BENITO COUNTY 3-03.02										
13S/05E-03J01 M	9-16-70	<3.3 <0.7	<1.3 <3.3	<0.7 <0.7	<3.3 2.2	8.7 <3.3	<3.3 <1.3	25 1.9	5.9 93	<13
SALINAS VALLEY 3-04.00										
16S/02E-09F01 M	3-03-70	<3.3 <0.7	<1.3 43	<0.7 <0.7	<3.3 <0.7	<3.3 <3.3	<3.3 <1.3	<3.3 <0.7	100 <13	<13
16S/02E-14P01 M	5-18-70	<13 <0.7	<1.3 100	<0.7 13	<3.3 <0.7	<3.3 <3.3	<3.3 <1.3	<3.3 <0.7	3150 <13	<13
MISCELLANEOUS AREA 3-80.00										
19S/01E-16F02 M	9-03-70	5.3 <0.7	<1.3 <3.3	<0.7 4.3	<3.3 2.3	<3.3 <3.3	<3.3 1.3	<3.3 8.7	10 <1.3	<13

\*Spectrographic analyses performed by the U. S. Geological Survey laboratory.

Chemical Symbols

Al - Aluminum	Ge - Germanium
Be - Beryllium	Mn - Manganese
Bi - Bismuth	Mo - Molybdenum
Cd - Cadmium	Ni - Nickel
Co - Cobalt	Pb - Lead
Cr - Chromium	Ti - Titanium
Cu - Copper	V - Vanadium
Fe - Iron	Zn - Zinc
Ga - Gallium	

Appendix F  
WASTE WATER



## INTRODUCTION

This appendix contains data on the quantity and use of waste water by 59 cooperating dischargers in the Central Coastal Area. Data are presented for the period October 1, 1969 through September 30, 1970.

All dischargers are located in the California Regional Water Quality Control Board, San Francisco Bay Region. Data collection was discontinued for the North Coast and Central Coast Regions.

The 59 dischargers released 589,104 acre-feet of waste water and of this total seven dischargers reused 2,611 acre-feet of waste water.

TABLE F-1  
QUANTITY OF WASTE WATER DISCHARGED AND REUSED  
CENTRAL COASTAL AREA  
1970 WATER YEAR

Discharger	Average Discharge Rate (Mgd)	Volume Discharged (AF)	Portion Reused (AF)	Type of Reuse	Place of Disposal For Waste Water Not Reused
Benicia, City of	0.9	982	0		Carquinez Strait
Burlingame, City of	4.1	4,586	92	Recycled	San Francisco Bay
C and H Sugar Refinery	13.0	14,675	0		Carquinez Strait
Central Contra Costa Sanitary District	23.6	26,531	0		Suisun Bay
Concord, City of	4.9	5,463	0		Walnut Creek
Crockett-Valona Sanitary District	0.2	182	0		Carquinez Strait
East Bay Municipal Utility District Special District #1	81.3	91,650	0		San Francisco Bay
Estero Municipal Improvement District	1.4	1,526	0		San Francisco Bay
Fairfield-Suisun Sanitary District	4.5	5,057	0		Suisun Slough
Hayward, City of	11.9	13,350	0		San Francisco Bay
Las Gallinas Valley Sanitary District	2.8	3,164	0		Miller Creek
Livermore, City of	3.4	3,824	258	Irrigation	Land
Los Altos, City of	1.9	2,094	0		San Francisco Bay
Marin County Sanitary District					
District No. 1	5.4	6,110	0		San Francisco Bay
District No. 5 (Main)	0.7	794	0		Raccoon Strait
District No. 6 (Ignacio)	0.6*	376*	71*	Irrigation	San Pablo Bay
District No. 6 (Novato)	1.6*	1,053*	10*	Irrigation	Novato Creek
Mill Valley, City of	2.1	2,312	0		Richardson Bay
Millbrae, City of	2.3	2,599	0		San Francisco Bay
Milpitas Sanitary District	2.8	3,111	0		Coyote Creek
Mountain View, City of	7.4	8,293	0		San Francisco Bay
Mountain View Sanitary District	0.8**	901**	0		Carquinez Strait
Napa Sanitation District	5.6	6,308	0		Napa River
North San Mateo County Sanitation District	4.1	4,571	0		Pacific Ocean
Oro Loma Sanitary District	13.8**	15,510**	0		San Francisco Bay
Pacifica, City of					
Linda Mar Plant	1.8	1,947	0		Pacific Ocean
Sharp Park Plant	1.1	1,238	0		Pacific Ocean
Palo Alto, City of	12.7	14,360	0		San Francisco Bay
*Plant operated March through September only. Amounts shown are estimated.					
**Estimated.					



TABLE F-1 (Continued)

## QUANTITY OF WASTE WATER DISCHARGED AND REUSED

## CENTRAL COASTAL AREA

1970 WATER YEAR

Discharger	Average Discharge Rate (Mgd)	Volume Discharged (AF)	Portion Reused (AF)	Type of Reuse	Place of Disposal For Waste Water Not Reused
Petaluma, City of	2.6	2,894	0		Petaluma River
Pinole, City of	0.9	1,034	0		San Pablo Bay
Pleasanton, City of	1.0	1,115	1,115	Irrigation	
Redwood City, City of	7.5	8,498	0		San Francisco Bay
Richardson Bay Sanitary District	0.2	261	0		Raccoon Strait
Richmond, City of	9.8	11,022	0		San Francisco Bay
Rodeo Sanitary District	0.6	640	0		San Pablo Bay
San Carlos-Belmont, Cities of	3.8	4,238	0		San Francisco Bay
San Francisco International Airport	0.9	1,021	0		San Francisco Bay
San Francisco, City and County of					
Golden Gate Plant	1.0	1,127	1,014	Irrigation	
North Point Plant	62.5	86,802	0		San Francisco Bay
Richmond-Sunset Plant	18.9	21,252	0		Pacific Ocean
Southeast Plant	19.6	22,087	0		San Francisco Bay
San Jose, City of	75.0	84,504	50.7	Irrigation	San Francisco Bay
San Leandro, City of	7.7	8,694	0		San Francisco Bay
San Mateo, City of	11.4	12,802	0		San Francisco Bay
San Pablo Sanitary District	7.6	8,563	0		San Pablo Bay
San Rafael Sanitary District	2.8	3,126	0		San Francisco Bay
Sausalito-Marín City Sanitary District	1.9	2,151	0		San Francisco Bay
Shell Chemical Company, Pittsburg Plant	2.3	2,627	0		Suisun Bay
Sonoma Valley Sanitary District	2.5	2,809	0		Schell Slough
South San Francisco-San Bruno, Cities of	9.2	10,390	0		San Francisco Bay
Stege Sanitary District	4.5	5,011	0		San Francisco Bay
Sunnyvale, City of	15.0	16,939	0		San Francisco Bay
Travis Air Force Base	1.6	1,770	0		Union Creek
Union Sanitary District					
Newark Plant No. 1	5.3	5,954	0		San Francisco Bay
Irvington Plant No. 2	5.1	5,761	0		San Francisco Bay
Alvarado Plant No. 3	1.9	2,187	0		San Francisco Bay
Vallejo Sanitation and Flood Control District	7.5	8,471	0		Carquinez Strait
Valley Community Services District	2.2	2,497	0		Alamo Canal
Yountville Veterans Home	0.3	290	NA		Napa River

88764







THIS BOOK IS DUE ON THE LAST DATE  
STAMPED BELOW

BOOKS REQUESTED BY ANOTHER BORROWER  
ARE SUBJECT TO RECALL AFTER ONE WEEK.  
RENEWED BOOKS ARE SUBJECT TO  
IMMEDIATE RECALL

JAN 5 1978

DEC 21 REC'D

JAN 3 1979

JAN 29 REC'D

JUL 4 1980

JUL 4 1985

RECEIVED

JUN 30 1987

RECEIVED

JUN 25 1987

PHYS SCI LIBRARY  
LIBRARY, UNIVERSITY OF CALIFORNIA, DAVIS

Book Slip-Series 458

JUN 30 1988

RECEIVED

MAR 7 1988

PHYS SCI LIBRARY

JUN 16 1989

JUN 09 1989 REC'D

8

RE 7 '82

APR 9 '83

MAY 14

3 1175 00477 6772

TC California. Dept. of Water Resources.  
824 Bulletin.

C2

A2

*no. 130: 70*

*v. 1-3*

*app. A-F*

PHYSICAL  
SCIENCES  
LIBRARY

1